

# **Heredis 2024 for Windows**

## **English Version**



# Table of contents

<b>Download and Install Heredis .....</b>	<b>7</b>
System requirements for Heredis 2024 .....	8
How to download Heredis? .....	10
How to find the downloaded software? .....	11
How to install Heredis' software? .....	12
Uninstall an older version of Heredis .....	15
Activating Heredis .....	19
I forgot my account password. What should I do? .....	24
My email address has changed, how do I update it in my Heredis account? .....	25
How to update Heredis? .....	29
How to install again Heredis? .....	30
Manage my installations and the use of my license .....	31
How can I transfer my data from my previous program to Heredis? .....	34
Can I use and install Heredis on multiple devices? .....	35
I have a new computer or a second computer – what to do? .....	36
<b>General .....</b>	<b>39</b>
What can Heredis do? .....	40
Launch Heredis .....	42
Create a new genealogy file .....	43
The Heredis File and .hmv folder .....	46
Record a file .....	48
Close and reopen a genealogy .....	52
Create a new Heredis file .....	55
Open an existing Heredis file .....	56
How do I merge 2 Heredis files? .....	59
Rename a file .....	60
How the Heredis data is structured .....	62
Presentation of the Heredis' interface .....	66
The different tabs and panels .....	73
The different data fields .....	79
How to find a person in your navigation history .....	84
Genealogy numbering .....	86
Summaries .....	89
Customize Heredis .....	92
Change Heredis colored theme .....	99
Heredis' Preferences .....	100
Consistency Control – Error-free data entry .....	113
Save time by inputting faster .....	118
How to save your file .....	120
<b>Input data .....</b>	<b>125</b>
Create the first person .....	126
The Root Person .....	131
Add parents .....	132
Swap parents .....	137



Untraceable Parents .....	139
Add spouses .....	142
Add children .....	148
Add persons .....	153
Add an unrelated person .....	159
Persons icons and their color coding .....	162
Media .....	163
Input events .....	171
Dates .....	181
Calculate or convert a date .....	185
The places .....	191
Add witnesses and participants .....	194
Add other linked persons .....	200
Facts .....	206
Alternate names .....	210
Input notes .....	215
Sources .....	221
The different mode for Sources & Citations .....	232
Input a Family Group Data .....	240
Census .....	242
How to input a same-sex couple? .....	253
How to input adoptive-biological parents? .....	255
How to delete? .....	256
How do I delete a genealogy? .....	258
Implex (duplicate branches) .....	259
<b>Searching .....</b>	<b>265</b>
Find a file on your computer .....	266
(Windows) Searching by theme (enhanced criteria) from Persons panel .....	269
Searching for persons .....	272
Find Duplicates .....	279
Merging Two Persons .....	285
Research of Branches .....	293
Search for Sources .....	296
Search for Places .....	298
Search for Media .....	300
Search for other data types .....	302
Search Wizard .....	306
Search Tracking .....	312
Smart Search .....	318
Find/Replace .....	329
FamilySearch .....	333
Searching in Online Archives .....	342
Find Relationships .....	350
<b>The tools .....</b>	<b>355</b>
Indexes: generalities .....	356
Media Index .....	366
Rename media .....	375
The Sources Index .....	383

Repositories Index .....	389
Places Index .....	396
Import an index into a Heredis file .....	409
Geolocating Places .....	413
Geolocating Place subdivisions .....	419
Zoom in on the World – Zoom in on a Place .....	426
Zoom in on the World – Family Tree Mapping .....	432
Migrations .....	443
My dashboard .....	445
Photo Tool .....	462
Slideshow .....	473
<b>Documents .....</b>	<b>477</b>
Create and Edit a Book.....	478
“Families from my Village” Books .....	486
How to include several cities in the “Families from my Village” book? .....	497
Create and Edit Sheets.....	498
Custom Reports .....	508
Research Journal.....	518
(Windows) Pre-established reports.....	522
(Windows) Customize your Reports .....	531
Family Chronology: Interface overview.....	542
Family chronology: Grouping.....	550
Family Chronology: Smart Search.....	556
Family Chronology: Export to print or send .....	559
<b>Tree Charts .....</b>	<b>563</b>
XXL Family.....	564
The Dynamic Ancestors Wheel .....	571
Descendants Wheel.....	579
Mixed wheels .....	590
Location Wheels .....	598
Location Tree .....	603
(Windows) Building single-page pedigree tree charts .....	607
(Windows) Building Fan charts .....	611
(Windows) Unlimited size tree chart : ancestors, descendant and hourglass .....	616
(Windows) Apply a selection to a tree chart .....	632
(Windows) Finding your way around a tree .....	634
(Windows) Save the tree chart .....	637
Open a Chart file.....	640
(Windows) Print or export as PDF the tree chart.....	641
<b>Share your genealogy .....</b>	<b>645</b>
What is a Heredis file? .....	646
Export a complete file in Heredis format.....	648
Export a branch in Heredis format .....	653
Import a Heredis file in an existing file .....	658
What is a GEDCOM?.....	661
How do I export a GEDCOM? .....	663
Export a complete file in GEDCOM format .....	664

Export a branch in GEDCOM format .....	672
Create a new file from a GEDCOM 5.5.1 .....	681
Create a new genealogy from a GEDCOM 7 file .....	690
Import a GEDCOM 5.5.1 into an existing file .....	700
Importing a GEDCOM 7 file to your existing genealogy .....	707
GEDCOM tags generated by Heredis .....	717
Share a Heredis file with another device (computer, tablet, smartphone) .....	718
Prepare to transmit .....	720
Share on the local network .....	722
Sync via USB .....	727
Send my genealogy to a family member or friend .....	731
Heredis Online .....	732
Manage or create your Heredis Online account .....	733
Change theme or language in Heredis Online .....	739
Publish with Heredis Online .....	742
How to present your genealogy on Heredis Online? .....	749
High quality photos on Heredis Online .....	751
Browse a Heredis Online tree .....	758
How do I share a Heredis Online website? .....	766
How do I delete a Heredis Online website? .....	767
Search on Heredis Online .....	769
Contact the author of a publication on Heredis Online .....	772
<b>Mobile versions .....</b>	<b>775</b>
Install a Heredis mobile app .....	776
Send/Receive a Heredis file to another device .....	779
Heredis iOS Homepage .....	780
Create a new genealogy on Heredis iOS .....	781
Open a genealogy on Heredis iOS created on another device .....	782
Switch from one genealogy to another on Heredis iOS .....	783
Create persons on Heredis iOS .....	784
Edit a person on Heredis iOS .....	791
Navigate/Search in Heredis iOS .....	794
Change root person on Heredis iOS .....	796
Searching in Heredis iOS .....	798
Illustrating your genealogy in Heredis iOS .....	800
Creating Family Tree Charts with Heredis iOS .....	802
Delete a person on Heredis iOS .....	804
Export a Heredis genealogy from Heredis iOS .....	805
Export a GEDCOM from Heredis iOS .....	809
Heredis Android homepage .....	810
Set up Heredis Android .....	812
Create a new genealogy on Heredis Android .....	813
Open a genealogy on Heredis Android created on another device .....	814
Switch from one genealogy to another on Heredis Android .....	815
Create persons on Heredis Android .....	816
Edit a person on Heredis Android .....	820
Change root person on Heredis Android .....	823
Navigate/search for a person in a genealogy on Heredis Android .....	824

Delete a person on Heredis Android.....	829
Export a Heredis genealogy from Heredis Android .....	830

## **Download and Install Heredis**

# System requirements for Heredis 2024

**Important:** Your licence is personal and confidential, you can use it on 3 computers that you own and at the same time. You can manage your installations in My installations section of your Heredis account.

Heredis 2024 system requirements:

## Windows

- **Windows 10 and 11:** current versions supported by the editor
- 500 MB disk space required
- 4 GB of RAM
- Screen 1366×768 minimum (11")
- Local administrator account
- Internet connection for research, publishing, integrated maps and dashboard

For an optimal use :

- Windows 10
- 8 GO of RAM
- SSD Hard Disk

## Mac

- **Mac OS Big Sur (11), Monterey (12), Ventura (13):** current versions supported by the editor
- 500MB disk space required
- 4 GB of RAM
- Screen 1366×768 minimum (11")
- 64 bits only
- Internet connection for research, publishing, integrated maps and dashboard

For an optimal use :

- 8 GO of RAM
- SSD Hard Disk

## Other software to detain

A text processor managing the RTF and DOCX formats is necessary to edit documents such as sheets, lists or books.

You can open easily those documents with software text processors.

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing

## System requirements for Heredis 2024

available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.

Adobe Reader are often used by Archives websites.

# How to download Heredis?

Visit Heredis'shop to buy and download Heredis' software.

You will receive an email with your licence code and the link to the shop to download the software.



Hello H [REDACTED]

We thank you for your order @1098301.

To install Heredis, click on **Download** button below.  
Keep the license number which will be useful only if there is no Internet connection.

Heredis 2021 for [REDACTED]

Your license key and/or download link:

[REDACTED]

YOUR DOWNLOAD


## How to download again Heredis ?

If you bought Heredis already and want to install it on your second computer or install it again check this article: I have a new computer or a second computer – what to do? (voir page 36)



# How to find the downloaded software?


**(Windows)** Click on the search field in the Start menu or toolbar and write **InstallHeredisWorld20xx.exe**, press Enter.



You can also go to your **Downloads** folder.

See also How to install Heredis' software? (voir page 12)

**(Mac)** Go to Downloads and search for **InstallHeredisWorld20xx**. Double-click on the file to install Heredis.



See also How to install Heredis' software? (voir page 12)

# How to install Heredis' software?

## Windows

Double-click on InstallHeredisWorld20xx.exe file.

Follow instructions, it will guide you through the setup process.

When setup is over, double-click on Heredis 20xx icon on your desk or access through Windows explorer (Programs (x86) – BSD Concept – Heredis 20xx World).

Then login to activate your licence. For further information see Activating Heredis (voir page 19).

## Mac


Click on the downloaded link. When the download of InstallHeredisWorld20xx.dmg is over, the installation windows opens. If not, double-click on the downloaded file.

In the Installation window:

1. Drag the Heredis icon in Applications

*Example of icon to be dragged, according to your Heredis version, this image and version number may vary.*

## How to install Heredis' software?



2. Open the Applications folder and start Heredis. Drag and drop the Heredis icon to your dock to easily access Heredis.

Then login to activate your licence. For further information see Activating Heredis (voir page 19).

### Launch Heredis

After activating your Heredis license (see Activating Heredis (voir page 19)), click on Launch Heredis to start working. If you already have Heredis' files from an old version, Heredis 20xx will convert them automatically on the first opening with the newer version.

**(Windows)** If you do not see your files on recent files, click on **Open a genealogy** in the home page and choose the file to open. If the files are too old (before Heredis 11), they might not convert themselves. Contact us through our Contact form and will send you the procedure so we can convert it for you.

**(Mac)** Files previous Heredis 2014 might not convert themselves, contact us through our Contact form and will send you the procedure so we can convert it for you.

## Uninstall my old version of Heredis

Each new version of Heredis is a full installation. So it is not necessary to keep your old version of Heredis. Your file will still be on your computer. You can uninstall the old version to get some space on your computer.

**(Windows)** Uninstall your old version from the Control Panel then click on Uninstall a program. Choose your old version of Heredis and click on Uninstall. Windows 10 you can make a right click on program directly on the program list, then choose Uninstall.

**(Mac)** Drag your old version of Heredis from the Applications and drop it on the Trash Can.

See Uninstall an older version of Heredis (voir page 15) for more details.


# Uninstall an older version of Heredis

Each Heredis version you download is the full software itself. Therefore, it is unnecessary to keep your older versions of Heredis.

To uninstall Heredis from your computer:

## On Windows

1. Click on the Windows button then on the cogwheel
2. Click on Apps




# Download and Install Heredis

Settings

— □ ×


## Windows Settings

Find a setting



3. Search in the lists of your apps the old version of Heredis. Click on it and then click on Uninstall button.

## Uninstall an older version of Heredis




On other Windows versions, uninstall old version of Heredis from the Windows Control Panel / Uninstall a program. According to your Windows version, the access to the Windows Control Panel might be different. Make a search on the internet with a search engine to learn more about how your Windows works. By using the Windows utility, your old version of Heredis will be properly uninstalled.


## On Mac

1. Open your Finder, click on Applications

## Download and Install Heredis



2. Drag your old version of Heredis and drop it into the Trash Can





# Activating Heredis

As long as you are connected to the internet, you no longer need to enter your license number.

All you need to do is log into the account you used to purchase Heredis (on our online store) and your license will be activated automatically.

A Heredis license for Mac is valid only for Mac. Similarly, a Heredis license for Windows is usable only for Windows. If you change your operating system, you'll need to acquire a license for the new system.

## **How to install and activate Heredis on a computer connected to the internet**

Start with the purchase of a Heredis license on Heredis' Shop, then download and install the Heredis software on your computer.


See also these articles to know how to download and install Heredis: (Windows) [Install Heredis](#) or (Mac) [Install Heredis](#).

The first time you launch Heredis, it will display a page offering you to either try the software or to login to the account used to purchase Heredis.

## Download and Install Heredis

<h2>Discover Heredis Demo</h2> <p>Create a new genealogy or test your genealogy by importing a GEDCOM or Heredis* file</p> <p>*Saving possible only if under 50 individuals.</p> <p><b>Buy Heredis</b></p> <p>Visit the Heredis store.</p>	<h2>Activate your license</h2> <p>Log in to your account to activate your license.</p> <p>Note: It is no longer necessary to enter your license number.</p>
<p>Test</p> <p>Buy</p>	<p>Login</p> <p>Quit</p>

When you login to your Heredis account, the license you have just purchased will automatically be assigned to the computer on which you have just installed Heredis.

The image shows a login interface for Heredis. It has a light purple background. At the top left, the word "Login" is in bold black text. Below it, the label "Your email or username" is followed by a white input field. Underneath that, the label "Password" is followed by another white input field. To the right of the password field is a small eye icon. Below the password field, there is a "Login" button in a light grey box and a blue link "Forgot your password?". Further down, there is another blue link "Having trouble logging in your account?". At the bottom, there is a line of text "You don't currently have an Heredis account?" followed by a "Create an account" button in a light grey box.

**Login**

Your email or username

Password

Login [Forgot your password?](#)

[Having trouble logging in your account?](#)

You don't currently have an Heredis account? [Create an account](#)

If you have forgotten your password, click on the link “Forgot your password?” to receive a reset email valid once.

If you are not sure if you have entered the password correctly, since Heredis 2022, click on the eye to see what you have written.

To know how to install Heredis on a second computer, see I have a new computer or a second computer – what to do? (voir page 36)

### **How to install and activate Heredis on a computer that is not connected to the internet**

Clicking on the **Enter** button will allow you to enter your license number and to get full access to your software and its many features.

## Download and Install Heredis

<h2>Discover Heredis Demo</h2> <p>Create a new genealogy or test your genealogy by importing a GEDCOM or Heredis* file</p> <p>*Saving possible only if under 50 individuals.</p> <p><b>Buy Heredis</b></p> <p>Visit the Heredis store.</p>	<h2>You have a license number</h2> <p>Enter License Number</p>
<p>Try</p>	<p>Enter</p>
<p>Buy</p>	
	<p>Quit</p>

Then enter your license number. It was sent to you right after your order of Heredis.

## Enter your Heredis license number

Enter the license number (Key code) you received via email.

Your License Number has been mailed to you with the download link.

[Back](#)[Activate](#)

**Note:** If this computer is later connected to the internet, the following time Heredis is launched

you will be asked to log in to your account to finalize the activation process. Some features require internet such as maps, access to Online Archives ... but features that do not require internet are usable without a connection.

### In case of problems

You have a message informing you that you no longer have a license available? See [Manage my installations and the use of my license \(voir page 31\)](#) for more information.

Heredis needs an internet connexion to activate your license. Often, firewalls and antiviruses are too uncompromising and block Heredis. It can provoke white pages while trying to activate Heredis' license, blocking the installation of the software...


**Check that the antivirus/firewall installed on your computer or embedded in your internet box does not block Heredis. If so deactivate it while installing Heredis and authorize Heredis to access the network, tell those software that Heredis is trustworthy.**

# I forgot my account password. What should I do?

Go to the Heredis Online shop.

Click the **Sign in** button, and then in the **Already registered** box , click **Forgot your password?** A new window will appear.

Enter your email address or user name in the appropriate field and click the **Send a Password Reset Link**. You will receive an email shortly thereafter to reset your password.



The screenshot shows the Heredis website header with the logo and navigation links: Software, Mobile App, Heredis Online, Support, and Shop. Social media icons for Twitter, Facebook, Google+, and YouTube are also present. Below the header is a form titled "Reset the Heredis password". The form contains a text input field labeled "Your email or username" and a blue button labeled "Send a Password Reset Link" with an envelope icon.

Please note that special characters and symbols cannot be used in passwords.

Your Heredis password is valid for all Heredis services (online store, license activation, etc.) and should not be used for other websites for security reasons. Your Heredis password must be at least 8 characters long.


# My email address has changed, how do I update it in my Heredis account?

First of all, just because your email address has been changed doesn't mean that your Heredis account that was created with the old email address no longer works.

In your Heredis account, the email address serves as an identifier. So, if you know the password, you can change your email address by logging in with your old address.

## You know your password and your old email address

- 1- Go to the shop: [shop.heredis.com](https://shop.heredis.com)
- 2- Log in to your account by clicking on **Sign in**:



- 3- Fill in your old email address and then your password. Click **Sign in** to validate.

### AUTHENTICATION






A screenshot of the Heredis authentication page. The page is divided into two main sections: 'Already registered?' on the left and 'Create an account' on the right. In the 'Already registered?' section, the 'Email address' and 'Password' input fields are highlighted with red boxes. Below these fields are links for 'Forgot your password?' and 'Having trouble logging in your account?'. At the bottom of this section, a 'Sign in' button with a lock icon is also highlighted with a red box. The 'Create an account' section has a heading, a prompt to enter an email address, an 'Email address' input field, and a yellow 'Create an account' button.

- 4- Choose the **MY PERSONAL INFORMATION** section to change your email address.

## Download and Install Heredis

### MY ACCOUNT

Welcome to your account. Here you can manage all of your personal information and orders.

	ORDER HISTORY AND DETAILS		MY KEYS
	MY ADDRESSES		
	MY PERSONAL INFORMATION		
	MY INSTALLATIONS		

[← Home](#)

5- Enter your new email address in the **Email address** field. Enter your **current password** (the one that allowed you to log in). Click **Save**.

Title  
☐ Mr ☐ Ms

\* First name

\* Last name

\* E-mail address

**Indicate your new email address**

Date of Birth  
 -  -

\* Current Password

Your password must contain a minimum of 6 characters. Please note that some characters cannot be used. Extended characters (like é), the following special characters: @ (at), . (dot), - (hyphen), \_ (underscore), &, + (plus), etc.

New Password

Confirmation

☐ Receive promotional offers and news from Heredis products and services. I can unsubscribe at any time.

☐ LDS Member?


**Save >**

**You no longer have your password but still have access to the old email address.**

- 1- Go to the shop: [shop.heredis.com](http://shop.heredis.com)
- 2- Click on **Sign in**:



My email address has changed, how do I update it in my Heredis account?



### 3- Click on **Forgot your password?**

#### AUTHENTICATION

The image displays the authentication section of the Heredis website. At the top, a horizontal flow diagram shows five steps: '01. Summary', '02. Login' (highlighted in yellow), '03. Address', '04. Shipping', and '05. Payment'. Below this, there are two main panels. The left panel, titled 'Already registered?', contains input fields for 'Email address' and 'Password', a red-bordered link for 'Forgot your password?', a smaller link for 'Having trouble logging in your account?', and a 'Sign in' button. The right panel, titled 'Create an account', contains an input field for 'Email address' and a 'Create an account' button.

### 4- Enter your old email address and click the **Send Password Reset Link** button. You will receive a reset email.

The image shows the 'Reset the Heredis password' form. The top header is dark grey with the Heredis logo and links for 'Software', 'Mobile App', 'Heredis Online', 'Support', and 'Shop'. On the right side of the header are social media icons for Twitter, Facebook, Google+, and YouTube. The form itself is light grey and contains a single input field labeled 'Your email or username'. Below the input field is a blue button with a mail icon and the text 'Send a Password Reset Link'.

5- Check your mailbox and open the email that was sent to you. Click on the link in the email. If you don't have anything in your inbox, check your Spam or Junk Box.

6- Indicate your new password and confirm it in the 2nd input field. Confirm by clicking on **Save**.

7- Then log in as indicated in the previous paragraph to change your email address.

**You have forgotten your password and you no longer have access to your old email address**

Contact customer service by giving as much information as possible to identify you: old email address and / or postal address, your name and surname.

# How to update Heredis?

Heredis corrective updates (patches) are automatic and free (example : from Heredis 20.1 to Heredis 20.2). You do not need to bother with this, a window opens when you launch Heredis to indicate that an update is available. Simply accept and the download/install starts.


To be kept informed, simply be connected. When Heredis can be updated, just accept the downloading and installation of the update.

Upgrading is not automatic. When you upgrade, your version changes (ex: Heredis 2019 and Heredis 2020), it has new features, that is why it is not free.


## Check for updates

If you ignored an update, you can check for updates by clicking on **Help** menu > **Check for updates**.

*(Mac) Check for updates message*



*(Windows) Check for updates message*



If a patch is available, validate the download and installation. It is important to download and install a corrective patch because if we make corrections, it means there have been changes as a result of feedback from our users.

## How to install again Heredis?

If you acquired the software through the Heredis store, you may download the application from your Heredis'shop account in My Keys section. See I have a new computer or a second computer – what to do? (voir page 36) to see the full explanation.

Once downloaded and installed, you will have to click on **Login** to connect to your Heredis' shop account with your email address and password used to buy Heredis.

If you installed Heredis on a second computer, see the article on Share on local network (voir page 722) to share your file with the second computer.

You can also find the downloads of the software from our Knowledge Base.

**Note:** Your licence is available for 3 installations, if you need more, you'll have to buy an other licence. (Since Heredis 2019) You can manage your installations and delete a computer you no longer use from the software. Click on the Help menu then on Manage my installations.


# Manage my installations and the use of my license

## How to manage my Heredis installations

Your license is personal and confidential, it can be used on 3 computers you own. For example, you have one desktop computer and one laptop, that means 2 installations. If both computers break down, you'll have to reinstall, which will be 4 installations. Since Heredis 2019 and the change of our license management system, you can manage your installations.

Easily access the management of your installations, either from your account on our Heredis' Shop or directly from the application by clicking on the **Help** scroll-down menu > **Manage my installations**.

- 1- Rendez-vous to : [shop.heredis.com](https://shop.heredis.com)
- 2- Connect to your account by clicking on Sign in :








- 3- Enter your email address and password used to buy Heredis.

The screenshot displays the authentication section of the Heredis website. At the top, there's a dark header with the Heredis logo and navigation links. Below it, a light gray bar contains links for 'Heredis 2020 for Windows', 'Heredis 2020 for Mac', and 'Try free edition', along with a yellow 'Sign in' button and a 'Cart (empty)' icon. The main content area is titled 'AUTHENTICATION' and is divided into two columns. The left column, titled 'Already registered?', contains fields for 'Email address' and 'Password', a link for 'Forgot your password?', and a 'Sign in' button. The right column, titled 'Create an account', contains a message 'Please enter your email address to create an account.', an 'Email address' field, and a yellow 'Create an account' button.

- 4- Click on **MY INSTALLATIONS** to manage your installations :

### MY ACCOUNT

Welcome to your account. Here you can manage al of your personal information and orders.

	ORDER HISTORY AND DETAILS		MY KEYS
	MY ADDRESSES		
	MY PERSONAL INFORMATION		
	MY INSTALLATIONS		

[← Home](#)

For each license you own, it is easy to see which computer(s) it is assigned to.


A **History** button will allow you to visualize all actions related to each license (assigning a new computer, detaching...)

**Note:** If you already used 3 times your license, Heredis will automatically suggest you to manage the installations. Click on the button **Manage my installations** to access directly to the section on your account. If you need a license for 4 computers, you'll need to get 2 licenses.

### How to detach the use of my license


If you no longer use your Heredis software on a computer, uninstall the application from this computer then log in to your account on Heredis' Shop, click on **My Installations** and locate the computer you no longer use. Click on the red button with a white cross at the end of the line to detach the computer you no longer use, so you can install this license on another device.

# Manage my installations and the use of my license

Family tree softwareFind ancestorsMobile AppNeed help?[Shop](#)

Heredis 20 for Windows | Heredis 20 for Mac | Try free edition

[Sign out](#)[Hello](#)

 **Cart** (empty)

## MORE ON HOW TO MANAGE MY INSTALLATIONS

A license allows you to use the Heredis software on a maximum of 3 different computers.

**Note:** If you no longer use Heredis on one of your computers, you can detach the license assigned to this computer and install it on another computer.

## Your licenses

Heredis 20



MP

Order #: @729455

Purchase: 12-07-2018

Heredis 20 - Mac

[History](#)



Computer Name

Information System

Detach

MacBook Pro de Greg

Version 10.12.6 (assemblage 16G1212)



Mac mini de reunion2

Version 10.13.6 (assemblage 17G65)



HP

Order #:

Purchase:

Heredis 20 - Pro - Windows

[History](#)



Computer Name

Information System

Detach

## **How can I transfer my data from my previous program to Heredis?**

To take data from another genealogy software, you must first export your file from that software to a GEDCOM format. This GEDCOM file can then be opened by Heredis and automatically converted to Heredis format on the homepage.

For more information, see [Create a new file from a GEDCOM 5.5.1](#) (voir page 681) or [Create a new file from a GEDCOM 7](#) and [What is a GEDCOM file?](#) (voir page 661)



# **Can I use and install Heredis on multiple devices?**

Yes, the Heredis license is a personal and confidential license that you can install and use on up to 3 different devices belonging to you and with the same system.

You have the possibility to manage your license from your Heredis account in the Heredis shop under “My licenses and codes”.

If you have uninstalled Heredis from one computer, then you can detach the license from that computer and use it on another. If you use more than 3 computers, you will need to purchase another license.


# I have a new computer or a second computer – what to do?

Heredis is a desktop software, which means that your files are saved on your computer. You are the only one who can retrieve them, as we do not have access to your files. Which is why you should always back them up either on a USB drive, a cloud or an external hard drive.

## Downloading Heredis

Heredis can be installed on up to 3 computers you own.

**Note:** Once you have reached the maximum number of installations for a license, Heredis will warn you that you can no longer install this license on another computer. Heredis will suggest you manage your installations to potentially detach a license from a computer you are no longer using and install it on a new computer.




The screenshot shows the Heredis website's authentication page. At the top, there is a navigation bar with the Heredis logo and links for 'Family tree software', 'Find ancestors', 'Shop', 'Mobile App', and 'Need help?'. Below this, a secondary navigation bar contains links for 'Heredis', 'for Windows', 'Heredis for Mac', and 'Try free edition'. A 'Sign in' button is highlighted with a red box. A shopping cart icon labeled 'Cart (empty)' is also visible. The main content area is titled 'AUTHENTICATION' and features a progress bar with five steps: '01. Summary', '02. Login' (highlighted in yellow), '03. Address', '04. Shipping', and '05. Payment'. Below the progress bar, there are two columns. The left column is for 'Already registered?' and contains fields for 'Email address' (with a masked email), 'Password' (with a masked password), a 'Forgot your password?' link, and a 'Sign in' button. The right column is for 'Create an account' and contains a prompt 'Please enter your email address to create an account.', an 'Email address' field, and a 'Create an account' button. At the bottom, there is a dark footer bar with a 'Newsletter' section (with a text input and a submit button) and a 'Follow us' section with social media icons for Facebook, Twitter, and YouTube.

You can download Heredis from your Heredis store account.


Log in by clicking on the **Sign In** button, enter the email address and password you used to purchase Heredis. If you are already logged in, click on the Hello... button.

Then click on **My Keys**.

## I have a new computer or a second computer – what to do?



You will find a **Details** button allowing you to find the **Download** button.



Perform the installation as for any software and activate your license for this computer. See the Activating Heredis (voir page 19).

## Your files

In order to find your files, be aware that on Windows, they are usually stored in Documents / BSD Concept / Heredis / Heredis Files.

On Mac, there is no usual storage, you will find the file where you chose to put it. So use your Finder to find the .hmw file (it is the Heredis format).

Before changing computers, remember to make a copy of your *.hmw* folder (see also The Heredis File and *.hmw* folder (voir page 46)) on a USB key or an external hard drive.

After changing computers, if you made a copy on a USB key or an external hard drive, copy the (Windows) *.hmw*-folder/ (Mac) *.hmw*-file named after your genealogy and paste it into your computer (on Windows, into Documents / BSD Concept / Heredis / Heredis Files) . Launch Heredis and click on Open a Heredis file.

If you have not made a copy but still have access to your old computer, you can share your file on the local network:

- turn both computers on
- check and make sure they are both on the same internet network
- launch Heredis (same version) on both computers
- on the old computer, click on the File dropdown menu, then select Share on Local Network...

Heredis will transfer your file from your old computer to the new one.

For more information, see the article entitled Sharing your genealogy with other devices on local network (voir page 722).

If you no longer have access to your old computer and have not saved your data to a USB key or an external hard drive, then your file is lost. We have no access to your data.

# General

# What can Heredis do?

Heredis will assist you managing your genealogy. Thanks to its multiple functions and Heredis' ongoing development, you can:

## Entering

### Data

Who were your ancestors? Heredis will help you find them. Through guided and intuitive progression, you enter all the information which you have gathered on your family. You will note some odd facts: your grandfathers were cousins, a certain great-uncle was a witness to all the marriages in the family, your great grandmother was very young when she lost her parents, one couple had more than 50 years' age difference...

A research assistant will help you every step of your quest. You have access to all the power of the Internet directly from Heredis' software.

For further details, see Add persons (voir page 153), Input events (voir page 171), Save time by inputting faster (voir page 118) and more...

### Illustrations

You have found some photos or copies of acts? Every item of data will be shown directly in your genealogy. The Photo Tool will help you a simplify management of your media. Unfamiliar with the area of origin of this family branch? Geolocation will show you that they all lived in neighboring towns.

For further details, see Photo Tool (voir page 462), Media (voir page 163), Geolocating Places. (voir page 413)

## Family tree charts and other documents

Your work is taking shape, you cannot wait to print the results of your research.

### Print trees

Heredis Family trees trace ancestors or descendants in a variety of different forms and adapt to all formats.

For further details, see (Windows) Building single-page pedigree tree charts, (Windows) Unlimited size tree chart (voir page 616) or (Mac) Unlimited size tree charts, (Mac) Predetermined size tree charts...

## **Print reports, sheets, or fully illustrated books**

All documents which the genealogist needs are available: working papers for refining your research, person or family sheets for your filing system and even illustrated books for preparing a family monograph which will bring you pride and happiness to your family.

For further details see Create and edit sheets (voir page 498), (Windows) Create and edit reports (voir page 522), (Mac) Create and edit a report, Create and edit a book (voir page 478).

## **Making your work known to others**

What could be more simple than the free online publishing of your work on the Internet? Wherever they may be, your family and friends can visit your site and contact you to give you more details. With your family site hosted free on Heredis Online, your family bonds are facilitated, your work valued and your data preserved.

For further details, see Heredis Online (voir page 732).

## **Exchanging**

Genealogy is an act of sharing. Heredis gives you all the tools which you need to communicate with other genealogists, give and receive information and have your work available everywhere, on all your devices (desktop or laptop computer, Windows or Mac, iPhone, iPad).




For further details, see Export a complete file in Heredis format (voir page 648), Export a branch in Heredis format (voir page 653), Export a complete file in GEDCOM format (voir page 664), Export a branch in GEDCOM format (voir page 672), Share on the local network (voir page 722)

# Launch Heredis

Double-click the Heredis icon *(it looks like a leaf)* to launch the application.

**(Windows)** For a quick access, slide the icon from **BSD Concept** Program menu to your taskbar, wherever it is convenient for you.

**(Mac)** For a quick access to Heredis, select the icon in the **Applications** folder, drag it to your dock, wherever it is convenient, or drag it to the Launchpad icon.

Each version has its own icon , , , etc.

If you click on the Heredis 2018 icon while trying to use Heredis 2022, then you will open Heredis 2018. You can uninstall older versions of Heredis even if you purchased the new version at the upgrade rate. See also the article Uninstall an older version of Heredis (voir page 15).



# Create a new genealogy file


From the **Home** Page, click **New Family File**.

*Windows' Home Page*



*Mac's Home Page*

## General



Save your new genealogy, give it a name and specify the desired location for the file.

An empty **Immediate Family** screen appears, and you may now start entering your data by clicking on the **Create the first person** link at the center of the screen.

## Create a new genealogy file

The interface is designed for creating a new genealogy file. It features a top navigation bar with four tabs: **Family**, **Data**, **History**, and **Search**. Below this is a sub-navigation bar with four buttons: **Immediate Family**, **XXL Family**, **Ancestors**, and **Descendants**, followed by a gear icon for settings. The main content area displays a hierarchical tree structure. At the top, there are four boxes. The first two boxes are connected by a horizontal line, and the last two boxes are also connected by a horizontal line. These two pairs are then connected by a vertical line to a single box in the middle. This middle box is then connected by a vertical line to a large box at the bottom labeled **Create the First Person**.

The proposed data entry screen is ready and easy to fill in. Enter all known information and thus you have created the individual who is at the base of your genealogy: the root person (voir page 131).

You can also check you Create the first person (voir page 126) article.

# The Heredis File and .hmw folder

This article is usable for Mac too, however, Mac hides the inside of the .hmw folder. So the risk of making a mistake by erasing something is low for Mac.

In Windows, your Heredis file appears as a folder with a .hmw extension. (for instance: *Sample File.hmw*).


**Note:** file extensions may not be shown, depending on your computer's settings. We recommend modifying these settings using Windows Explorer:

- from the « View » menu, by checking the option « File name extension », for Windows 8 operating systems and later versions;
- from the « Folder and Search Options » menu, in the « View » tab, for operating systems older than Windows 8, by unchecking the option « Hide extensions for known file types ».

## • Important


Your genealogy file contains all the data you have entered (*Sample File.heredis* – Type: Heredis Genealogy) as well as a *Media* file in which all the media you have used have been copied. **In order for your file to work properly, make sure to neither separate nor delete the elements included in the file.**

If you wish to move, copy, or save your genealogy to another location on your hard disk drive or on any other drive, make sure to select the entire *Sample File.hmw* folder.



## • Essential

If you have removed the *Sample File.heredis* file from the *Sample File.hmw* folder, you'll have an error message:



Move it back to the .hmw folder so you can use it.

**CAUTION**, when naming your files, keep it simple and avoid using special characters, accents, and such (,,\$§... computers hate those. Rather use \_ or – in lieu of spaces.

The Data file (*Sample File.heredis*) only contains graphic thumbnails of the media you've used. The Media file contains a copy of all original media linked to your data (photos, scans, web documents, text...). Even if you have lost or moved your original media, this folder, integrated within your genealogy, allows you to preserve, transfer, or save your genealogy media in a high resolution.

- **Note**

Your original media are still in the location where you had saved them. Heredis has neither moved nor modified them, they have only been duplicated. Do no modify the content of the Media folder or your genealogy will not work properly. See also Media.

## Record a file

Consider regularly recording your genealogy during your work session. When the file has been changed, **(Windows)** a star appears next to the file name, **(Mac)** a black dot appears in the file window closing icon; it needs to be registered.

A record overwrites the old version of your file, unlike a backup, which it is a photo of your file in the state at a time T. It is always useful to make a backup at least once a month on external device in addition to the recordings. See also How to save your file (voir page 120).

*WARNING! Under no circumstances should you save a Heredis file in a cloud for the purpose of using it from that cloud. Indeed, synchronization and different backups performed by the cloud provider may damage your file. ALWAYS have your file on the computer hard drive when you run it in Heredis. A cloud allows you to backup, but you must not launch the file from this cloud.*

### Manually


Click the **Save**  button, or choose **File> Save**.

### Automatically

For security you can program automatic recordings of your data.

*(Windows) Automatic recording*

## Record a file



The screenshot shows the 'Heredis Preferences' dialog box with the 'General' tab selected. The dialog has a title bar with a close button (X). Below the title bar are six tabs: 'General', 'Countries', 'Format', 'Appearance', 'Consistency', and 'Advanced'. The 'General' tab is active and contains four sections: 'Automatic save' with a checked 'Activate every' box set to 15 minutes and an unchecked 'Confirm Saves' box; 'Search by Name' with 'Search Starts With' selected; 'Data Entry' with a checked 'Activate Automatic Data Entry' box; and 'Default person displayed when opening the file' with 'Root person' selected. At the bottom right are 'OK' and 'Cancel' buttons.

Heredis Preferences

General Countries Format Appearance Consistency Advanced

Automatic save

☒ Activate every 15 minutes

☐ Confirm Saves

Search by Name

☒ Search Starts With

☐ Search Contains

Data Entry

☒ Activate Automatic Data Entry

Default person displayed when opening the file

☒ Root person


☐ Last person displayed as primary person

OK Cancel

- (Windows)** 1. Select **Preferences – Heredis Preferences** in the **Tools** menu.
2. Click on the **General** tab and check the **Activate every...** You can specify the rate at which you want the data to be recorded.
3. If you check the **Confirm Saves** box, Heredis will ask for confirmation with each automatic check-in.

*(Mac) Automatic recording*

## General



**(Mac)** 1. Choose **Preferences** from the **Heredis menu**.

2. Click the **General** tab and check the **Activate** box in the **Automatic Record** area. You can specify the rate at which you want the data to be recorded.

3. Check the **Confirm Saves** box so Heredis will notify you before each automatic check-in.

---

## Save a file under another name

If you want to make a copy of your genealogy, to create a copy or another version, you can save the file under another name or in another location.

**(Windows)** Select the **File menu > Save a Copy**. Indicate the duplicate file's destination folder. Heredis creates a new **.hmw** folder, containing genealogical data (file **.heredis**) and folder containing media or a **.ha** file if it is a tree file. Click the **Save** button.

Heredis launches the Windows Explorer and shows you where the copy was made. You can move it, open it or close the window, depending on your needs. Your original file is still open and you can keep working.

**(Mac)** Choose **File > Save as**, then indicate a name and location.

The file with the new name is open on the screen. To work with the previous version, choose **File > Open Recent** and choose the previous version in the sub-menu.

See also The Heredis file and .hmw folder (voir page 46).



## **(Mac) Back to the recorded version**

Heredis gives you the opportunity to reopen your genealogy as it was the last time it was recorded. This possibility is very useful when you have made an error importing a file, for example.

Choose **File > Revert to saved ...** Heredis closes the active genealogical file without saving it and then reopens it as it was before the last changes.


**Info** – All changes made after the last record are lost.

---

# Close and reopen a genealogy

## Close a genealogy file

When you have finished working with a genealogy file, you can close it without leaving Heredis.

- To close the active document, choose **File > Close**. You can also click the Close button in the upper **(Mac)** left, **(Windows)** right corner of the file.
- To close all open Heredis documents, press **(Windows)** Ctrl-Q; **(Mac)** the Option (  ) key, then click the **Close** button of the active document.

**Info** • If you have made changes since you last saved the file, Heredis will invite you to save it.

**Note:** When you close Heredis, wait a few minutes before to shut down your computer, Heredis can take some time to close properly. If you shut down too quickly your computer and Heredis didn't finish to save the modifications you made, you will damage your file. It only takes a minute so please be patient. Computers are just like genealogy, they require patience




## Reopen a genealogy file

Select your genealogy from the **(Windows)** **Recent Files**, **(Mac)** **Open** submenu


or **(Mac)** double-click the file in the Finder.

- **(Windows)** click on **Open a Heredis file**,

## Close and reopen a genealogy



- **(Mac)** click on **Heredis File** on the **Open** section, then click on **OK**.



If your file is not on the recent files, it doesn't mean it has been deleted! Heredis will never delete your file!

The recent files list might have been cleaned by your operating system or by you after a spring cleaning.

Your file is stored on your hard drive disk. It can easily be found. However, you should make regular backups of your file in case your computer crashes or you need to reinstall your operating system etc. Check out [How to save your file \(voir page 120\)](#) article.

**Windows Info:** If you don't remember where to find your file on your hard drive disk, click on **Search File on Hard Drive**. Heredis will scan your hard drive searching for all Heredis and GEDCOM file format.

**Mac Info:** If you don't remember where to find your file on your hard drive disk, open your Finder and write `.hmr` in the search bar.

# Create a new Heredis file

From the Home page, choose **New Family File**.

Choose where your file will be stored in *.hmw* format and click **Open**. On Windows, click Modify to change the default location > (Documents > BSD Concept > Heredis > Heredis files)


**Warning:** NEVER change the different files included in the folder in *.hmw*, your genealogical file would be damaged and unusable.


For more information, see What is a Heredis file? (voir page 646)

# Open an existing Heredis file

There are several different ways to open a Heredis genealogy file.


## Open a genealogy file if it is not in the recent file list

- To open a file when Heredis is already running, choose **File** menu > **Open**. Choose the genealogy file in your file directory, and then click **Open**.
- **(Mac)** To open a file from the **Home** page, if you already have a file launched, click the **Home**  button. On the home page, select **Heredis File** in the **Open** menu. Click **OK** and then select the file.




- **(Mac)** To open a Heredis file from the Finder, double-click the file icon or drag it to the Heredis application icon.  
You may open a Heredis file created with an older version of the software from the home page if they were created with a version equal to or after Heredis 2014. Prior to Heredis 2014, the Heredis format was different. Contact us, we can convert it for you for free.
- **(Windows)** To open a file from the **Home** page, click on **Open a Heredis file**, select the file on your hard drive disk and click on **Open**.

## Open an existing Heredis file



- **(Windows)** You can open a Heredis file created using an old version of the software, you will need to change the file type in the opened window. Indeed, before Heredis 2014, the file format had a different extension to each version. Click the Heredis Files drop-down list and choose All Heredis Files. You will see the files in the old formats.



**Info** • By default the last folder in which you saved a file will open. To select another location,

select it in your file directory.

**Info Windows and Mac** • Files created after the 2017 version are identical, regardless of the platform your using: Windows, Mac, iOS, Android. You can directly exchange data without any preparation or conversion.

For more details on opening a GEDCOM file, see Create a new file from a GEDCOM 5.5.1 (voir page 681), Creating a new genealogy from a GEDCOM 7 file (voir page 690), and What is a GEDCOM? (voir page 661) is your file is in GEDCOM format.

## Open a recently used file

To open a file you worked on recently, open Heredis' home page, (**Windows**) choose it on the recent files area, (**Mac**) select the file from the **Open Recent** menu, select the file in the drop down menu and then click **OK**.

You can also select **File** menu > **Open Recent**. Choose the file and click OK

**Mac Info** • To delete the list of recently used files, choose **File** menu > **Open Recent** > **Clear**. The file will not be deleted from your hard drive disk but won't appear in the Recent file list.

**Windows Info** • To delete a recently used file, click on the cogwheel near the name of the file you want to remove, then choose **Remove from Recent Files**. The file will not be deleted from your hard drive disk but won't appear in the Recent file list.

**Important :** Heredis is a desktop software, which means your files are on your computer's hard drive. You are the only one able to access it, we do not have your files. That is why you need to save your work on an external device. If the file is missing from the Recent Files list, just because it is no longer in the Recent Files list does not mean that it has been deleted! Heredis never deletes your files! It's just that the list of recent files has been cleaned.

To find your files, on Windows, they are usually stored in Documents > BSD Concept > Heredis > Heredis files. You can use the **Search on hard drive disk** function on the Home page to launch a scan of your hard drive disk.

On Mac, use your Finder to search for your files by indicating .hmw in the research bar after selected your hard drive disk in the device list.



# How do I merge 2 Heredis files?

You've created your genealogy and that of your spouse in two separate files and you'd like to put them in the same one? Did you get the file from your cousin, who also uses Heredis and has worked on his side?

2 files cannot be merged.

You can import one file into another, but **Heredis will not compare the data**.

You'll need to link the connected persons of the 2 files and merge the duplicates.

Importing a file is irreversible. Once you've done it, there's no going back.

It is therefore preferable to create a new file and integrate the 2 desired files. This way, you keep the data from the 2 files separate. If you don't like the result, you can return them to their original form.

- On the Heredis home page, click on **New family file**.
- Give it a name, choose the storage location.
- Then click on the **File menu > Import > Heredis file**.
- Confirm the message stating that the operation is irreversible.
- Choose the file to import.
- Click again on the **File menu > Import > Heredis file**.
- Confirm the message stating that the operation is irreversible.
- Choose the file to import.
- Link common persons, for example, you and your spouse if the 2 persons did not appear in the 2 files.
- Search for duplicates and merge common persons.

Merging duplicates is a delicate and time-consuming operation. All data must be checked before merging.

If merging is possible without too much risk, beyond 4-5 persons, attention gradually decreases and, being human, we tend to validate too quickly during repetitive manipulations.

So please don't make too many mergers at once.

Here are the articles that will interest you:

<https://help.heredis.com/en/create-a-new-genealogy-file/> (voir page 43)

<https://help.heredis.com/en/import-a-heredis-file-in-an-existing-file/> (voir page 658)

<https://help.heredis.com/en/find-duplicates/> (voir page 279)

<https://help.heredis.com/en/merging-two-persons/> (voir page 285)

## Rename a file


You need to be on the Heredis home page in order to rename a file.

A Heredis file is actually made out of several smaller files within the same folder (or “bundle”) entitled **nameofyourgenealogy.hmw**.

If any of the smaller files is named differently from the others, Heredis will be unable to launch your file. You’ll encounter an error message telling you “The file **nameofyourgenealogy.heredis** has been removed from its original folder or has been renamed. To ensure proper use of your genealogy file, please relocate it in the **nameofyourgenealogy.hmw** folder or rename it ...”


To prevent this from happening, the Heredis team has created a specific tool: on the home page, click the cogwheel located to the right of your genealogy name and select **Rename file...**

*(Windows) Home page*



*(Mac) Home page*

## Rename a file



**Note:** Computers are not very fond of files with long names, special characters and spaces, which can damage your data. Do avoid using accents, cedillas, spaces, and other special characters. Think simple! In lieu of spaces, archives centers (among others) use the \_ (underscore) sign. For example: “file\_of\_francois”.

See also The Heredis file and .hmv folder (voir page 46).

# How the Heredis data is structured

Heredis manages all types of data related to genealogical research and organizes them logically, in order to deepen your understanding of your ancestors.

## Persons

Every individual mentioned in the genealogy file: ancestor, contemporary, witness, is known as a **Person**.

For each person included in the genealogy file, specify:

- Identity (surname, give names, nickname, occupation, etc.). If you wish to enter information that is not proposed by Heredis, create your own user field.
- Characteristics known as **flags**: childless, unmarried, confidential, etc.
- A free note.
- Each person is numbered automatically according to his/her position in the genealogy but you may assign a personal number based on other criteria.
- Various events in the person's life, expanding his/her personal story, and citing sources of information.
- Media (photos, videos or other documents) to illustrate the person, unions or events.
- Personal ties, apart from family ties, Heredis allows noting that people had a special bond. Include friends, tutors, mentors. Create «witness» links for those present at or quoted at an event.

Also see The different data fields (voir page 79) and Add a person with no direct connection (voir page 153).

## Relationships

As you build your family genealogy, you create new persons with their appropriate relationship. Any relationship can be established retrospectively.

Relationships are of two types: the parent-child and spouse relationships.

Other family ties and the position of any person in the genealogy are determined automatically from these basic links. To create brothers and sisters, you have only to create new children for parents.


- Create direct family links: father, mother or child.
- Create a spouse link (whether the union is official or not). Specify the status of the family: the spouses are married, separated, divorced...? When a person has been married several times, Heredis will number them for easy access, as well as to the children who resulted from them.
- Assign a note, pictures and events to each family created in your genealogy.


For more details, see Add parents (voir page 132), Add spouses (voir page 142), and Add children (voir page 148).


## Events

To record important events in the lives of your ancestors, you may note person events (christening, military service, will...), or events shared with a spouse, called family events (engagement, residence, etc.). If you cannot find events that are appropriated, create your own definition of events.

- For each event, enter all known details (date, time, place, age stated on the record...) and add a note relating to the event.
- Specify the status of the source of information (No search record, Search Record or Untraceable Record), allowing you to edit a report of all sources to be researched.
- Declare an event as private, not to be exported or published.
- Illustrate the event with various media (photos, documents).
- Assign a source to the event, to record the origin of your information.
- Assign witnesses to the event (witnesses, registrars, godparents, etc.).

A visual cue  showing the status of main events (Birth or Baptism – Marriage – Death and Burial) appears in the **Persons** and **Branches** panels, as well as in the status bar and in the **Search** screen.

To define the appearance of the icon, select the criteria that you feel are relevant: **No missing, approximate or incomplete date – Place mentioned – Source mentioned – No ‘Search Record’ status** in the **Preferences** screen. According to the criteria checked by you are met or not, the bar symbolizing the event in the icon  is in the top, middle or bottom.

In this icon , for example, the Birth event is partially filled, the Marriage event is not specified, the Death event is complete.

For more details, see Input events (voir page 171) and Heredis' Preferences (voir page 100).

## Sources

Heredis may assign any number of information sources to each event.

Each source is an independent element, which is then assigned to one or more events. Heredis allows you the flexibility to create a source and then assign it to the events in question, or at the same time to create both the source and its link to the event.

For further details, see Sources (voir page 221), The different mode for Sources & Citations (voir page 232).

## Witnesses or participant

Each person involved in the lives of your ancestors can be entered, be part of the family or not. Heredis will assign persons to events (the witnesses of a marriage, the registrar for a birth, a relative present at the ceremony for a decoration etc.).

- Creating a witness or participant assigns an individual to an event concerning another

person. A witness may be assigned to one or more events, and each event can have one or more witnesses or participant.

- Anyone entered in your genealogy plays a role, regardless of its importance and the degree of kinship. When you assign a person to an event, specify the type of link (witness, godfather, declarant...), the age of the linked person at the time of the event, and enter if necessary a suitable comment on the link.
- The information entered for the witness or participant is the same as for any other individual: identity, flags, notes, media...

For more details, see Add witnesses (voir page 194).

## Linked Persons

Sometimes we know of a relationship which existed between two people, without being able to assign it to any event. You know that Paul is the uncle of John, but you do not know if he is the brother of the father or mother of John, or the husband of an aunt. You cannot create this link as a kinship. Create a personal link (**Sundry Links**) between Paul and John until you find the information you need to create the kinship.

- Create linked persons to declare a relationship between one individual and another person. Every individual may be linked to several other persons.
- The name of the link is determined by choosing the type of relationship and meaning of the link. You can also add a comment to the link.

For more details, see Add linked persons (voir page 200).

## Media

You have photos or documents; use them to complement and illustrate your family tree.

You can assign a digital image (photograph, signature, seal, etc.) sound recordings (interviews, speeches), videos or any other type of file (document prepared with a word processor or spreadsheet, PDF, HTML, etc.) to any data in your file.

- Each item of media is identified by its name, to which you can add a date and a note.
- You can make any media private if you do not want it to be broadcast.
- Media may be assigned to all types of data: person, family, event, source, name, occupation, place.
- The number of media assigned to any data is without limit and every item of media may be linked to several different data.
- All media are listed and may be managed in the **Media Index** or in the **Photo tool**.

For more details, see Media (voir page 163) and Photo Tool (voir page 462).

## Surnames – Given Names – Occupations – Places

In your genealogy, you will have names, occupations and places that sharpen your interest. When you know more about them (photo of a place, story of a given name etc.), Heredis allows you to keep this information by completing each item.

## How the Heredis data is structured

The surnames, given names, occupations and places that you use in your genealogical file are automatically stored in the Indexes.

Indexes are powerful tools that play several roles: retrieve data by how they are used, link different data by themselves, illustrate your genealogy by management of your documents. Thus, you enrich your genealogy and understand all the better the lives of your ancestors.

- In each Index, the surnames and given names, occupations and places may be illustrated by a note or by media.
- The Indexes can merge similar data. They allow you to declare variants within the same category of data: such spelling of a name is a variant of another name in the file, such given name is a local variant of another given name, such a name is a variant of another occupation saved in the file.

For more details see Indexes: generalities (voir page 356).



# Presentation of the Heredis' interface

## Genealogy files

The genealogy file will open as a global screen. This screen can either occupy all available space, or occupy only a part, or be iconized.

Each input of surnames, given names, occupations, sources, places, medias generates indexes. The generated information are changeable by clicking in the menu "Tools / ... Index..." or in the concerned search panel.

## (Mac) Display several working windows


Several views of the same genealogical file may be opened simultaneously: the main navigation screen, tool screens (Indexes, Search for duplicates), tree chart screens, document screens, the Preferences screen...

## Display several genealogies simultaneously

Several genealogies may be opened simultaneously with Heredis. Each file can display data differently: in Family, in Data, in History or in Search. The list of open files and all screens open for each file is available in the Window menu. Click the name of the file or screen you want to display in the foreground.

## The Home Page

### *Windows's Home Page*







## Presentation of the Heredis' interface

It allows you to open an existing genealogy, to create a new one, to import a genealogy from a Gedcom file or a Heredis file (**Windows**) from the black banner on the left of the screen, (**Mac**) from the pop-up menus.

### Mac's Home Page



To find again this screen when you are already in a working session, click on the **Home** icon  of the toolbar or choose **File > Home Page**.


## The main Screen of Heredis

Heredis' software reacts just like any other application / software. It can be resized, displayed full screen (**Windows**) or iconized in your taskbar; (**Mac**) or iconized in the dock.


The Heredis' working space is entirely flexible to be adapt to your methodology and offer all the tools within reach.

### The main screen Mac

# General



The main screen Windows



## The Menu and Toolbar

At the top, menus and buttons provide access to all functions of the software. Buttons are different depending on whatever you are managing data or building trees.


## Presentation of the Heredis' interface

### Menu

#### (Windows)




#### (Mac)



### Toolbar



Some buttons allow access to more detailed choices: **Add** (> **Unrelated Person ...**), **Find** (> **Search Number ...**), **Indexes** (> **Given Names ...**). The toolbar may be modified at any time to meet your work needs: click **Customize** Toolbar  to add, remove or rearrange buttons on this bar.


See the article [Customize Heredis](#) for further details.

### The buttons

See the [Buttons](#) article.

**The central part of the screen displays four tabs.**

You visualize your genealogy better under the **XXL Family** view or you like to study their movements in **Migrations**. You prefer to work on **Descendants**? Click on the **Family** tab or **History** tab to select the screen of your choice.



The **Family** tab allows you to choose between different views of the immediate family of the primary person. It develops as and when you enter data, each person taking his/her place in the organization of the family.

The **Data** tab allows you to add information at any time concerning the primary person and his/her immediate family. Use the Family Group Data to save time.

The **History** tab displays the migrations of the primary person.

The **Search** tab provides a helpful research tool to assist you in reviewing your work and evolving your genealogy. The top of the screen shows the known or missing information. The bottom part of the screen allows you to send a search online on the websites of your choosing in the main existing genealogy website. You can also use the **Family Search** button to access

your family search account and do a research on the primary person and find his/her ancestors and progeny.

The **Graphs** tab displays the dynamic wheels.

For more details, see The different tabs (voir page 73).

### Search and Tool Panel

On both sides of the main screen, there are removable panels which provide access to data lists or tools.


Their presentation is customizable. Open and scroll the panels, **(Mac)** move them to improve your personal organization, add columns to the panels, choose how they appear (one at a time or all visible at once) or hide them.

**(Mac)** At the bottom of the Heredis screen, you can find the management button for the panels and all the key information concerning the genealogy which is open.

### Search Panel

This panel has five tabs allowing your to search inside your file: **Persons**, **Branches**, **Places**, **Media** and **Sources**. Additions, deletions or changes are possible directly from this tabs, except the **Branches** tabs. You can use them to complete your genealogy with drag and drop function. From the search panel you can also do your researches without using the **Search** menu.

#### *Windows' Search Panel*




#### *Mac's Search Panel*




### Tools Panel

Some tabs are about the primary person (**Kinship**), the others contain tools (**Dates**, **Bookmarks**).

#### *Windows' Tools Panel*



### Mac's Tools Panel



For more details, see Customize Heredis/Customize the panels.



## Navigating


Explore all the family branches and display the people you want to view, edit or print documents concerning to them.

Drag any person displayed on the screen to change their position: select a child and drag to the grandfather box. If this person is indeed a grandfather, a new **Immediate family** appears. Drag any person shown in the removable panels or on any data entry tab input or from one panel to another: a bookmarked individual as the primary person, an uncle to the bookmarks, a person from any of the Indexes to the bookmarks, or as primary person etc.






Display the **Navigation panel** and use it as a compass. A simple click will navigate to the parent, the spouse, a child or sibling. For a list of spouses, children or siblings, right-click their location on the panel.

Navigate according to Ahnentafel numbering with the **Next Ancestor**  – **Previous Ancestor**  arrows.

Click **Root Person**  on the toolbar to return to the person at the base of your genealogy.

## General

To view any person according to his number, choose  **Find (> Search Number...)** and navigate directly to the person.

Use the **Back**  and **Forward**  arrows to redisplay those already consulted. For a history of your browsing, position the mouse on the relevant arrow and a list is displayed.

**(Windows)** For a history of your browsing, hold down the mouse on the arrow next to the button and choose from the list displayed or select Navigation History.


**(Mac)** For a history of your browsing, position the mouse on the relevant arrow and a list is displayed.

# The different tabs and panels

## The different tabs

Heredis memorizes the last viewed screen and will reopen the corresponding tab when you click on **Family**, **Data**, **History**, **Search**, and **Graphs**.

## Family tabs




They are used to navigate between the different family members and to create them if necessary.



The **Immediate Family** screen displays the family members who are close to the primary person (parents, grandparents, spouses, children). It also displays the brief information of the primary person and his/her parents (surname, first name, occupation, date and place of birth, date and place of death). If the person does not have a date of death and is assumed to be alive, then his/her age appears. Heredis uses the age at death setting in Heredis' Preferences to estimate whether the person is assumed to be alive or not. See the article Heredis' Preferences (voir page 100) edit in the Consistency tab.

The **XXL Family** screen shows the family of the primary person, his/her parents, grandparents, spouses and children but also every relative who possibly knew him/her and you will get an XXL view! For further details see XXL Family (voir page 564).

The **Ancestors'** screen presents 4, 5 or 6 generations of ancestors of the primary person.

- Change the number of generations displayed with the cogwheel  icon or you may start printing the ancestry as it is displayed.
- You can also display views of the ancestors' origins by town, county, state/province or country. For further details, see the article Location tree (voir page 603).
- This screen is dynamic; click the arrows at the end of the line for the following generations. If necessary, you can create new ancestors.


The **Descendants** screen shows the number of generations of your choice.

- You may configure its display from the cogwheel , with the presentation of generations and the data format.
- Implex highlighting allows you to easily identify consanguine marriages.
- The information displayed for descendants as well as for its printing are also available from the cogwheel  icon. When you click on **Print**, choose the presentation you




want in the 2 tabs of the displayed window and click on **OK**. Heredis will create a document that will open with your word processing software.

## Data tabs



- The **Personal Data** screen shows all the data entered and allows you to add or complete events for the primary person or for the couple. You access the **Personal Data** tab for any person displayed by double-clicking on the name.
- The **Family Group Data** screen provides a summary of the information entered for the primary person and allows you to add all the members of his/her immediate family (parents, spouses, children, step-children) without having to exit this screen. See the article Input a Family Group Data (voir page 240).

## History tabs



The **Migrations** screen positions on a map the places of the life of the primary person or any other family member. The markers are numbered to display the sequence of movements. Each place marker indicates the list of events which took place in this place. You can see simultaneously all the events of all members of the immediate family unit.

The navigation miniature, displayed at the bottom right in the map of Migrations tab and in Search Wizard (in Search Tab) in Map tab, allow you to easily move on the map easily.

Select the frame with left clic of your mouse, by moving it, you will navigate on the displayed map.



## The different tabs and panels

Family Data History Search

Migrations

THOMAS Michael George - A  
Bi.: Feb 6, 1933  
cabinet maker

Grandparents

- THOMAS George (1877-1947)
- DAVIS Violet Elizabeth (1875-1966)
- RUCASTLE Gilbert (1870-1955)
- WALLACE Brenda (1873-1937)

Parents

- THOMAS Christopher Edward (1910-...)
- RUCASTLE Alice Jean (1908-1998)

Primary Person

- THOMAS Michael George (1933-)

Spouses

- GREGSON Vivian (1932-)
- LOWENSTEIN Paula (H 5701-)

Siblings

- THOMAS Kate Elsie (1941-)

Children

- THOMAS Peter (1956-)
- THOMAS Paul (1960-)
- THOMAS Judy (1962-)

### Note:

- blue markers are the markers attached to the selected person on the right list of the map.
- yellow markers represents events of other persons of the right list.
- the + sign in a blue marker indicates that more than one event are registered at the place and concerns the selected person.
- since Heredis 2020, you can see the subdivision pins.

### Searches tabs

Family Data History Search

Search Wizard Smart Search Find/Replace FamilySearch


The **Searches** tabs contain research tools for the primary person and your genealogy.

- In **Search Wizard** sub-tab, the upper part shows the known or missing information. The lower part of the screen allows you to launch any online research with the operator of your choice. You can also restart a previous search, enter a research note, check the details of sources, media, or geographic locations for known data. You can easily manage linear research by using the **Branches** panel. Also consult Search Wizard (voir page 306) article.
- From this tab, you can also access **Smart Search** which allows you to find data of your genealogy by combining different search criteria such as persons, relations, families, events. See also Smart Search (voir page 318) article.
- From the **Find/ Replace** sub-tab, you can also replace and modify data entered in a

## General

Persons, Families, or Events section. For more details, see Find/Replace (voir page 329) article.

### Graphs tabs



From **Graphs** tab, edit a dynamic wheel. See article The Dynamic Ancestors Wheel (voir page 571), Descendants Wheel, (voir page 579) Mixed wheel (voir page 590) and Location Wheels (voir page 598).

### The panels


Removable panels display data or tools.

The search panel is displayed in a hidden area on the left of the main screen. Heredis offers different tabs in Windows & Mac version: **Persons**, **Branches**, **Places**, **Media**, and **Sources**. The search panel and the results it displays are always available and provide direct access to the data for viewing or use to complete the entry.

#### *(Mac) Search panel*



#### *(Windows) Search panel*




#### *(Mac) Tools Panels*





## The different tabs and panels






### *(Windows) Tools Panels*




### Display or Hide panels

Click the icon **(Windows)**  or , **(Mac)**  or  **Show/Hide Panel** at the bottom (or top for Windows) of the panel columns, to the right and left of the Navigation screen, choose the **Windows** menu > **Show/Hide Right or Left Panels**.

**(Mac)** Click the close check box  on a panel to hide it. To display a hidden panel, click the **Panel Options**  button at the bottom of the panel columns and select it from the list. Add a column of panels, to the right or left of the navigation screen using the **Panel Options** , and then divide the panels into the two columns. Delete a panel column with the same button.

**(Windows)** You can choose to unfold only one panel at a time by clicking on the **Windows** menu > **Open one panel at a time**.

### Resize the panels

The space allocated to the display of panels can be modified: click on the separation area between two palettes. The cursor takes the shape of a cross  and you can enlarge or decrease the area displayed above. Click the separation area between the panel column and the file display area to change the space allocated to the panels.


### **(Mac) Arrange panels**

1. Drag and drop the panel.
2. Click the top strip of the palette (example: Branches) and drag to the desired location for the panel in any column.
3. When the desired destination is marked with a blue line, release the mouse.

See the articles [Customize Heredis](#) (voir page 92) and [Heredis' Preferences](#) (voir page 100).

# The different data fields

## Identity fields

Some fields are not displayed by default. If you need to use them click on the cogwheel  to choose the Data Entry mode adapted to your work. For further details, see Customize Heredis/Heredis' Preferences.

### Surname

Type the surname of the person, without worrying about upper or lower case. Heredis includes various data entry aids which allow you to save time and avoid errors. Each new surname entered is added to the **Surnames Index**, you can change the formatting for any name from the Surname index.

See Customize Heredis/Heredis' Preferences and Indexes: generalities (voir page 356).

### Prefix



The prefix is used to specify an attribute found often in an old deed, such as «Lord», «Sir», «Reverend»..., or in more recent documents, such as «Professor», «Master», «Doctor»...

### Suffix

The suffix specified is assigned only to the surname of the person being entered. You can add references such as «Senior» or «Junior» or assumed names.

### Given Names

Type the different given names of the person. The list of given names known to Heredis appears and is updated as and when you type. Once you have located the given name in the list, use the down arrow to select it and then press **Enter** to select it.

If the usual given name is not the first given name, it can be highlighted. To do this, click the icon (Windows:  , Mac: ) to the right of the field for entering given names, and select the usual name in the list.

**Info** • The usual given name may also be highlighted by entering it with quotation marks.

### Gender

The gender of the person is automatically filled in by Heredis, according to the given name entered. If you want to change it, or if you typed a given name unknown to Heredis or for a multiple given name, type **M** for Male, **F** for Female, or leave **?** for persons whose gender is unknown. You can change the default gender for a given name by editing it in the Given Name Index. If you encounter multiple male Robin, choose by default the male sex in the Given

Name Index. If you meet a woman named Robin, it will be enough to change the sex only for her.

**Info:** if a given name is unknown to Heredis and add to the given name index, it will get the chosen gender of your first entry to use by default.

### Nickname

The display of a nickname will be preceded by aka.

### Occupation

Enter the occupation of the person. This item should contain the sole or main occupation he/she held. You may also enter as events any other dated and detailed occupations, for other activities. The list of recognized occupations with Heredis appears and is updated as and when you type. When you see the desired occupation in the list, use the down arrow to select it and press **Enter** to select it.

In the **Occupations** field, recognized occupations are underlined. When you type a word not recognized as an occupation, you may add it to the list of occupations available.

**(Mac)** Select the word or phrase with your mouse and click the arrow to the right in the input field. Heredis will add the occupation to the **Occupations Index**. When you leave this field, you will find that the occupation is now recognized as it is underlined.

**(Windows)** Select the word or phrase with your mouse and click the + button to the right in the input field. Heredis will add the occupation to the **Occupations Index**. When you leave this field, you will find that the occupation is now recognized as it is underlined.

### Title

Indicate here any title of nobility or honorary title.

### Personal number

This number corresponds to any personal numbering system you may wish to set up (numbering by genealogical areas, identification numbers...).

### Signature

Scroll down the **Signature** menu and select:

- **Yes** if the person knows how to sign,
- **No** if you have observed that the person does not know how to sign
- **?** if you do not have any information.

You can choose which option is the default for each new person entered in Heredis > Preferences > Format, see Customize Heredis/Heredis' Preferences.

## Child status


Scroll down the **Child Status** menu to choose the appropriate option. If your ancestor was born out of marriage of an unknown father, chose natural. Make you choice according to the data you found.

## Flags and their use


Placed alongside the **Child Status** field, the clickable flags icons correspond to various characteristics of the person. They allow you to enter additional information relevant to your genealogy.

You may change the flags assigned to a person or to a list of individuals.


### *Complete person*

Click the  **Complete person** icon if you know you do not have any reasearch to do or if you do not want to search more on this person even if the major events are not completed.

### *Untraceable Father*


Click the  **Untraceable Father** icon if the person was born of unknown father or if you know you won't be able to find out who he was (no more Archives left for example).

### *Untraceable Mother*


Click the  **Untraceable Mother** icon if the person was born of unknown mother or if you know you won't be able to find out who he was (no more Archives left for example).

**Note:** the untraceable father and untraceable mother flags icons can be ticked both at the same time if both parents are unknown. You will have to untick the flag icon in order to input a father and/or a mother if you found out who he/she was.


### *Childless*

Click the **Childless**  icon if you know that the person had no offspring. This flag is grayed out if you input a child to the primary person.

### *Unmarried*


Click the **Unmarried**  icon if you know that the person never married. This flag is grayed out if you input a spouse to the primary person.

### *Secondary Person*


Click the **Secondary Person**  icon to indicate that this person has only a minor role in your genealogy. Secondary individuals in your file may be excluded from printouts, exports and publications. You may, for example, declare secondary all children who died in infancy so that

they are not in your tree charts.

### *Marked Person*

Click the **Marked Person**  icon to highlight an individual and apply specific treatment to this person. A marked person may be ignored when you export the file, may be selected with specific research tools, may or may not be printed in a tree chart or a report.

### *Confidential Person*

Click the **Confidential Person**  icon to avoid publishing information on this person in your printouts, exports and publications.

Click again the icon to deactivate.

Use the Smart Search to change flags at once for multiple persons. For example, you want to make confidential all people born after 1920. Use the Smart Search and apply the treatment to make them all confidential at the same time. See Smart Search (voir page 318) article for further details.

## Facts

With **Facts**, enrich your genealogy with new data and attach witnesses, places, sources, medias and dates to it.

You can add as much as you wish, unlimited number, and you can organize them.

These facts are displayed in the central part of the screen **Data > Personal Data** in the **Facts** tab.

When a **Fact** is filled, the tab is marked with a blue spot.

### *Facts*

<div> <span>Families</span> <span>Facts</span> <span>Notes</span> <span>Person Sources</span> <span>Alternate Names</span> </div>			
Fact	Description		N
<div> <div> <div></div> <div></div> <div></div> </div> <div>Nationality</div> </div>			






Read also Facts (voir page 206) article.

## Notes



Add specific details to your genealogy by using the available notes. You will find entry boxes for notes on persons, families, events, media, sources, surnames, given names, occupations and places. The notes are equipped with formatting tools integrated in the Heredis software. One may also paste formatted text from other applications (word processors, browsers, desktop publishing tools, etc.) though images are ignored.



## The different data fields

For further details, see Input notes (voir page 215).

# How to find a person in your navigation history

Select **Navigation History** from the drop-down list located to the right of the  or  buttons in the toolbar.


## Windows Only

This window shows, in tabular form, all the persons you have displayed as the primary person since you started your work session. Unlike in the dropdown list, each person is listed only once in the table.

Click the column header to display data in alphabetical or numerical order for the following fields: **Name** or **Given Names** or **Occupation**, **Birth**, **Death** or **Changed**. Another click in the header will reverse the displayed order. The arrow indicates the sorting order.

Any person who has already been displayed as the primary person and whose data has been modified during your work session is marked with a bullet point. This allows you to single out easily all modified persons.

## How to find a person in your navigation history



Choose a person from the list and click on the **Select** button to view him or her as the primary person again. Click **Cancel** or close the window to go back to the previous navigation screen.

# Genealogy numbering

A genealogical research can lead to the processing of thousands of people, some bearing the same name and sometimes the same given name over several generations.

In order to identify ancestors and position them with relation to other persons, various numbering systems have been developed and are commonly used by genealogists.

## Ancestor numbering

The method for numbering ancestors is called Ahnentafel. The number assigned to a person will identify the gender and position of any individual in direct descent (it does not apply to collaterals).

The three basic rules for Ahnentafel numbering are:

1. Even numbers are assigned to men and odd numbers to women.
2. For every couple, the woman's number is the equivalent of the number of the man + 1.
3. For every father, a number is assigned equal to twice that of his son or daughter.

The person whose ancestry is being researched bears the No. 1 (irrespective of gender). This is the person who is at the base of the genealogy file. He/she is called the **Root person** (voir page 131).





The father of the root person is No. 2 (twice the No. 1), his mother No. 3 (No. 2 + 1). His paternal grandfather is No. 4 (double the No. 2), his paternal grandmother No. 5 (4 + 1). His maternal grandfather is No. 6 (double the No. 3), his maternal grandmother No. 7 (6 + 1), etc.

Thus each ancestor is traceable from his/her number: No. 599 is a woman (odd No.) and is the wife of No. 598. She is the mother of No. 299, who is a woman, and who is the mother of No. 149, etc..

This numbering is displayed on the data entry and navigation tabs, in the panels and in the different documents and tree charts. It is automatically calculated by Heredis.

## Identifying the Ahnentafel lineage

You may identify persons who belong to the Ahnentafel lineage by the symbol preceding their names.

Heredis identifies each person with an icon indicating its gender (blue  for men, purple  for women and green for persons whose gender is unknown). If the person is a direct ancestor of the root person, the head of the icon is yellow  or .


The primary person's number is displayed in the status bar after the generation's number (G).



If a marriage between blood relatives in his/her ancestry has created a duplicate branch (implex), the primary person's number is followed by the ++ signs. Click the Ahnentafel number

to display the list of all the number the primary person bears.

### Navigating in the direct lineage



Use the compass  to navigate in direct line from the tools panel.

If the primary person displayed is part of the direct lineage of the root person, the  **View previous direct-line ancestor** and  **View next direct-line ancestor** arrow buttons allow you to move up or down the genealogy, generation by generation, without overlooking a single ancestor.

### Descendant numbering

Heredis uses d'Aboville or Lettered numbering to treat individuals listed in a descending genealogy.

The three basic rules for d'Aboville numbering are:

1. Each child bears the number of his father or his mother followed by the number of his/her order of birth.
2. Then one proceeds by adding the order number of birth for each generation.
3. A letter distinguishes the different unions.

D'Aboville numbering allows you to know the number of generations separating an individual from his/her ancestor and from which branch of the family he/she comes.

Thus you will identify the progeny of a person: the eldest is No.1, the next youngest No. 2, the very youngest No. 3, etc.. The two children of the eldest are numbered No. 1-1 and No. 1-2. The child of the first husband of the youngest bears the number No. 2-1a, those of the second husband are numbered No. 2-2b, N°.2-3b and No. 2-4b. The only child of the youngest is numbered No. 3-1.

D'Aboville numbering may be displayed on the different descendant documents and tree charts.

Lettered numbering uses the same system but with letters instead of numbers.

### Implex (duplicate branches)

The same person may appear several times in an ascendancy, and appear in several branches of a tree. This is due to consanguineous marriages.

The ratio between the total number of ancestors and the number of ancestors that really exist (smaller) is called the Implex rate. One person may therefore bear several Ahnentafel numbers.

## General

Imagine that Jack marries Marianne. However, Jack's father was the brother of the grandfather of Marianne. Jack and Marianne therefore have common ancestors, which will appear in two different branches of the family tree.

Heredis manages the different numbers automatically and symbolizes it with ++ symbol after the Ahnentafel number. If you click on the Ahnentafel number, you'll see all numbers corresponding to the same person.

In Descendants view (Family tab) and in Search Tracking, the name of implex persons will appear in red.


See also Implex (Duplicate Branches) (voir page 259)

# Summaries

Each person, source, place... has a summary in the Tools Panel usually on the down right of the Heredis screen. You will find brief information and clickable links.

For example, click on a father's name, it will open the father's data.

## *Summary Heredis Windows*



## *Summary Heredis Mac*


## General



Each summary has a foldable panel allows you to visualize or hide data so that you can customize your display and view useful data only.


The display you have chosen for the summaries will be saved by the application and will remain unchanged until you decide to modify it.

In the persons summaries, find the person's media as well as the list of union events completed but also other events. If the person has multiple media in his/her identity area (profile photo), you can scroll through the media using the carousel tools. Use the arrows to change media.





## Summaries

If you have declared an person complete, the icon  also appears in the abstract.

Thanks to the lock below the summary, you can block the display on the summary of a person, a source etc.


Click on the lock to close it. So, even if you navigate on another person or source or place etc., the summary does not change.

Click the lock again to open it and the summary changes while browsing.

# Customize Heredis

You may adapt Heredis to your personal work methods.


## Select the Toolbar

Click **Customize** button  to select the tools you need. You can also choose the size of icons and to display or not the text.

- To add a button in the toolbar,
  - **(Mac)** Choose an icon, drag and drop it to your toolbar at the desired location.
  - **(Windows)** Choose an icon and either drag and drop it from left to right or click on **Show** to add it on your toolbar.
- To remove an icon,
  - **(Mac)** Drag it out of the toolbar. Click on **Done** to close the window.
  - **(Windows)** Either drag it from right to left or click on **Hide**.
- To order the icons
  - **(Mac)** Drop the icons and place them in the order you want.
  - **(Windows)** Click on the **Up** and **Down** buttons or drag and drop on the list. Click on **Close** button to close the window.
- You can also add extra spaces between the buttons.
- To display the buttons as they were when Heredis was first launched,
  - click on **Default Set** button.
  - drag the default set to the toolbar.


*(Mac) Customize the toolbar*

## Customize Heredis



*(Windows) Customize the toolbar*

## General



You need more space? Then change the display format of the icons.



**(Windows)** Tick or Untick **Big Icons** and **Icons and Text**.

**(Mac)** Select **Icon only** from the **Show pop-up** menu and click **Use small size**.

## Customize the panels






### Display or hide the panels

Certain panels are of no use to you? Click the closure button and they will disappear from the column.

**(Windows)** You can hide or display the **Search** and **Tools** panels on one side or the other of the screen. Click the arrow at the top of the panels   to open or close them or choose **Windows** menu > **Show/Hide Tools** Panels, or **Show/Hide Search** panels, or **One panel at a time**. You can also swap the panels. You may alter column width and height of panels if necessary.

*(Windows) Available Panels*

## Customize Heredis

**(Mac)** Use the buttons   at the bottom of the screen to change the display of panels. The arrow button to the right  or left  will display the column, you can click on the cross button to hide the panel. The cogwheel  button at bottom right will give you access to any panels which have been removed. A simple click will display the panel again.

The procedure for opening the panels may be different for each column. Select **Open one panel at a time** and the panel which is open will automatically close when another panel is opened in the same column. Otherwise the panels will remain open as long as you have not clicked the disclosure triangle.

Add a column of panels if you want to have more information simultaneously displayed.


You may reposition a panel in the column or to another column by drag and drop with the mouse. Its new position is indicated by a blue line and then release the mouse to place it there.

### *(Mac) Available Panels*

▶	Branches	×
▶	Persons	×
▶	Places	×
▶	Sources	×
▶	Media	×



*(Mac) Display a hidden panel from cogwheel*




## Resize the panels

Panels are resizable in width. Click on the line between panel/navigation screen.


The cursor shape will change and turn into . You may increase or decrease the proportion of the screen allocated to the panels. The display area of the panel is vertically adjustable in the same way. If your cursor shape becomes or , you can change the size of the column or area.


## Arrange the panels

**(Windows)** Panels may be positioned to the right or left of the navigation screen. You can change their position by using the **Windows** menu > **Swap Tools and Search panels**. Select **Open one panel at a time** in the **Windows** menu to save space on your screen. Heredis automatically closes the open panel when you click the arrow to display the other panel.



**(Mac)** Move the panels by using drag and drop. Click the top bar of the panel and drag to the desired location for the panel in any panel column. When the desired destination is highlighted

by a blue line, release the mouse. Choose **Open One Panel at a Time** by using the **Options**  panel button. Heredis automatically closes the displayed panel when you click the display triangle of another panel. Use Window menu to **Show** or **Hide right** or **Left Panels**.




## Select data entry method

Heredis allows you to display only the information that you commonly use. This visual selection mode in no way changes your data, which are still preserved whether or not you display them. You can change the data entry mode at any time.

Depending on whether or not you have a complete deed or just a mention on a website, you will not need the same input fields. This is why the Heredis data entry fields are modular.


There are three data entry modes (**Basic** – **Comprehensive** – **Customized**) that you may use in different ways depending on the data input screen (**Add** screen, **Personal Data** tab, **Family Group Data** tab).

The **Basic** mode is displayed by default. This mode displays only the main fields. You can change the data input mode at any time.



Choose between Basic, Comprehensive or Customized mode by clicking on the cogwheel  on top right of **Add** screen, **Personal Data** tab or **Family Group Data** tab.


Prepare the data entry screen to your liking by using the **Customized** view.

Each data entry screen will then display the selected items. Every inputting screen can display a different mode. You can for example choose Basic mode for **Add** screens and Customized mode for **Personal Data** tab.



## Check the items not displayed

If you choose the **Basic** or **Customized** display modes, it may happen that certain information entered does not appear. Heredis alerts you by displaying an alert triangle  next to the cogwheel icon  (Choose data fields you wish to use).

Click the alert triangle : the display is changed temporarily and all saved data items are

## General

displayed.

When you navigate to another person, the data items are again hidden in accordance with the mode you have chosen.

See also Heredis' Preferences (voir page 100) and Change Heredis colored Theme (voir page 99).




# Change Heredis colored theme


You may adapt Heredis to your personal work methods.

## Choose your color theme

You spend many hours in front of your Heredis screen? Select the color of the environment that is best suited to your eyes and your taste.

Click **Window** Menu > **Theme**.



Click the **Themes** button  to change the color of the main Heredis screens.

# Heredis' Preferences

**(Mac)** In **Heredis** menu > **Settings**

**(Windows)** In **Tools** menu > **Preferences** > **Heredis Preferences**


you may define different options. Choose how to display the names, places, numbers.

Choose the default options for creating events and set inconsistency alerts. Choices made in Heredis Preferences will apply by default for all new inputs.

You can change them at any time.

## The “General” tab

*(Mac) General Preferences*



*(Windows) General Preferences*

## Heredis' Preferences

The screenshot shows the 'Heredis Preferences' dialog box with the 'General' tab selected. The dialog has a title bar with a close button (X). Below the title bar are six tabs: 'General', 'Countries', 'Format', 'Appearance', 'Consistency', and 'Advanced'. The 'General' tab is active and contains four sections: 'Automatic save' with a checked 'Activate every' checkbox set to 15 minutes and an unchecked 'Confirm Saves' checkbox; 'Search by Name' with 'Search Starts With' selected; 'Data Entry' with a checked 'Activate Automatic Data Entry' checkbox; and 'Default person displayed when opening the file' with 'Root person' selected. At the bottom right are 'OK' and 'Cancel' buttons.

Choose whether to enable automatic recording and change the recording frequency if necessary.

Select the **Confirm Saves** check box if you want to see a window to confirm each auto-save.

Choose name search parameters. Choose to search on the first letters of the name (Starts with) or in the full name (Contains).


**(Windows)** Using **Automatic Data Entry** allows you to have input proposals based on what you have already entered.

Choose which person appears at the launch of your genealogy. Do you still want to see the root person or the person you last displayed as a primary person?

### The “Countries” tab


*(Mac) Countries tab*

## General



*(Windows) Countries tab*

## Heredis' Preferences



By default, Heredis offers you, when entering a place, the communes of English-speaking countries. If you have ancestors in other countries, check the corresponding country box. You will thus have the proposals of places but also given names according to the countries checked.

Not all countries in the world are included. Nevertheless, you can enter places that are not in the onboard database. To do this, proceed as described in the article *Geolocating Places* (voir page 413).

### The “Format” tab

*(Mac) Format tab*

# General

Preferences

General Countries **Format** Appearance Consistency Advanced

Default Date Format

☐ Day Month Year ☒ Month Day Year

Default Events

☒ Birth ☒ Death ☒ Marriage  
☐ Christening ☐ Burial ☐ Religious Marriage  
☐ Marriage Contract  
☐ Other Type of Marriage

Default Source Citation Options

☒ Comprehensive mode

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Original: the source is in its original form.  
Derivative: the source is extracted, transcribed, translated or derived from the original.

Other Default Options

Signature: ?

Search Status: No search record

Spelling

☐ Check Spelling While Typing

Default notes font: Arial 10

☒ Show LDS events

(Windows) Format tab

## Heredis' Preferences

Heredis Preferences

General Countries **Format** Appearance Consistency Advanced

Default Date Format  
☐ Day Month Year ☒ Month Day Year  
 (Will come into effect at the next start-up of Heredis)

Default Events  
☒ Birth ☒ Death ☒ Marriage  
☐ Christening ☐ Burial ☐ Religious Marriage  
☐ Marriage Contract ☐ Other Type of Marriage

Notes Font  
 Arial 10

Default source citation options  
☒ Comprehensive mode

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Other Default Options  
 Signature: ?  
 Search Status: No Search Record

☒ Show LDS events

OK Cancel

Choose

- the **format of the dates**: Day, Month, Year or Month, Day, Year
- the default **event type**: when adding a person (father, mother, child, spouse or other person), the person's input window offers major events by default. For example, you can change it from Birth by default to Baptism. So you don't waste your time changing the type of event.
- **Source** management mode: Select the **Full Mode** check box to use the full source mode and choose the default options to have the least amount of changes to make when entering the source. See also the articles Sources (voir page 221) and The different mode for Sources & Citations (voir page 232).
- **Proof**: indicate what level of default source proof you want. With each addition of a source of an event, a fact etc. the default proof chosen here will be applied.
  - Evidence is direct if you have the act of the event in question.
  - Evidence is indirect if you have the information through another act.
  - Evidence is negative if you deduce the information from various elements (for example, when estimating a date of birth or death).
  - The ? allows us to clarify that you do not know where the information comes from.
- the **font** and **size** of the notes: each time you add a note (event, source, media etc.), the font and size will be, by default, those chosen here. This change applies only to


## General

notes.

- default options for **signature** and **search status**: For each person creation, the default signature chosen in the Heredis preferences applies. The same applies to the search status when adding an event.
- **show LDS events**: check this box if you need Latter Day Saints events. (LDS Baptism, LDS Confirmation etc.)

## The “Appearance” tab

*(Mac) Appearance tab*



*(Windows) Appearance tab*



## Heredis' Preferences

The screenshot shows the 'Heredis Preferences' dialog box with the 'Appearance' tab selected. The dialog has a title bar with a close button (X) and a tabbed interface with tabs for 'General', 'Countries', 'Format', 'Appearance', 'Consistency', and 'Advanced'. The 'Appearance' tab contains several sections: 'Name Styles' with 'Surname' set to 'Uppercase' and 'Name Order' set to 'Surname & Given Names'; 'Numbering Styles' with 'Numbering Method' set to 'Ahn. Number'; 'Place Styles' with 'City', 'Postal Code', 'County', 'State/Province', and 'Country' all set to 'Uppercase'; and 'Event Icons' with a list of criteria for event completion, including 'No missing, approximate nor incomplete date', 'The place is mentioned', 'The source is mentioned', 'Citation evidence is "Direct"', and 'The Status is neither "Search Record" nor "Search in progress"', all of which are checked. At the bottom right are 'OK' and 'Cancel' buttons.

### Automatic formatting of data

When you enter a surname or given names, you can type them in either uppercase or lowercase.

If the **Uppercase** option has been selected in Preferences, a surname or a given name typed in lower case will be automatically converted to uppercase, including accented characters. If the name contains a particle it will remain in lowercase.


If you have chosen in Preferences the **Initial Caps** option, the surname or given name's first letter will be automatically converted to uppercase, including accented characters.

Choose the order in which the surname and given names are displayed.

Choose the format of places, in capital letters or only initials in capital letters.

Indicate if you prefer Ahnentafel numbering by default or if you prefer to use your personal user numbering or both.

## Completeness of data


The icon  indicates whether or not essential information for major life events is complete (Birth/Christening, Marriage/Union, Death/Burial).

This icon concerns the completeness of information for the primary person in the Status bar and in the **Search** tab. It appears also in the **Persons** and **Branches** panels for all persons displayed.


It also influences **Search Tracking** tool. See Search Tracking (voir page 312) article.


You can choose what information is required for an event to be complete: the accuracy of the date, place, the presence of a source and the status of the search for the event. Tick the boxes you believe are essential for you.

### *(Mac) Completeness setup*



### *(Windows) Completeness setup*



Regardless of the information collected in Heredis, you may determine that certain persons will not require further research. Click on the icon  in **Data** tab > **Personal Data** or open the **Search** tab > **Search Wizard** and click the **Consider that this person is complete** button. The icon is surrounded by blue if activated.

When using the **Branches** panel, choose the **Complete Persons Only** option, and the results take into account both the completeness of the events and the person for whom you had determined that they be considered complete.

## The “Consistency” tab

*(Mac) Consistency tab*

**Preferences**

General Countries Format Appearance **Consistency** Advanced

**Consistency**

Setting	Men	Women
Minimum Age at Childbirth	15	13
Maximum Age at Childbirth	70	50
Maximum Age at Death	90	100
Minimum Age at Marriage	15	12
Maximum Age at Marriage	70	60
Age Gap between Spouses	30	

Minimum Number of Days between Births

Setting	Value
Single:	240
Twins:	1

Use Default

*(Windows) Consistency tab*

## General

The screenshot shows the 'Hereditis Preferences' dialog box with the 'Consistency' tab selected. The dialog has a title bar with a close button (X). Below the title bar are tabs: 'General', 'Countries', 'Format', 'Appearance', 'Consistency', and 'Advanced'. The 'Consistency' tab contains several settings, each with a label and a numeric input field with up/down arrows. The settings are arranged in two columns. The first column includes 'Minimum Age at Childbirth' (Men: 15, Women: 13), 'Maximum Age at Death' (Men: 90, Women: 100), 'Minimum Age at Marriage' (Men: 15, Women: 12), and 'Age Gap between Spouses' (30). The second column includes 'Maximum Age at Childbirth' (Men: 70, Women: 50), 'Min. Number of Days between Births' (Single: 240, Twins: 1), and 'Maximum Age at Marriage' (Men: 70, Women: 60). A 'Use Default' button is located below the second column. At the bottom right are 'OK' and 'Cancel' buttons.

Setting	Men	Women
Minimum Age at Childbirth	15	13
Maximum Age at Childbirth	70	50
Maximum Age at Death	90	100
Minimum Age at Marriage	15	12
Maximum Age at Marriage	70	60
Age Gap between Spouses	30	
Min. Number of Days between Births (Single)	240	
Min. Number of Days between Births (Twins)	1	

Hereditis checks the consistency of your entries. Some controls are not configurable. For example, you will not be able to marry a child with their grandparent or add events after death if you choose a generic event.

**Note:** To avoid inconsistencies, use the generic event “Event after death” to create events that actually occurred after a person’s death. For example, a . See also the article Input events (voir page 171) paragraph Create events not proposed by Hereditis.


Change the minimum/maximum age at the birth of a child, marriage or death, the minimum number of days between two births, or even the age difference between the spouses.

If you have many ancestors who died after 100 years, it is interesting to change the consistency parameters.

**Note:** it is also acceptable to have inconsistencies if you justify it. For example, if you have a couple of ancestors who got married before the minimum age for marriage, is it useful to change the consistency for the whole file if only one couple is concerned? It’s up to you.


## The “Advanced” tab

*(Mac) Advanced tab*



*(Windows) Advanced tab*

## General



The **Upload a copy of my media on Heredis Online** box allows you to send your media in high resolution when you publish on Heredis Online. If this box is not checked, the media will not be sent. The low quality thumbnail will be displayed.

You can change the sending speed depending on your internet connection.

### On Mac

The **Displaying Delay** slider allows you to increase or decrease the time between when you place your mouse on a function button or title and the appearance of the tooltip that explains the function or button.

### On Windows

The **Desactivate Hardware Acceleration** and **Enable in-memory data-fine** checkboxes are tools that technical support may ask you to check or uncheck. These functions are to be used only if requested by technical support.

# Consistency Control – Error-free data entry

In order to avoid errors, with each data entry, Heredis checks that the information entered is logical in relation to the persons and events already known. It alerts you to any anomalies which you may either correct or confirm.

Heredis notifies you when you enter an event date which is later than that of the death of such person. You may fix the date entered if you made a mistake, or confirm a post-mortem event, such as the transfer of ashes or an act concerning the deceased's estate.


**Note:** You can use and personalize a post-mortem event in order to avoid alerts like this. See also Input events (voir page 171) article.

Heredis also checks for possible inconsistencies if you have created a link with a person bearing the same name as the person you are entering: it will inform you, for example, if you link a possible father, that he was 143 years old at the birth of the child, or if the wife assigned to the primary person had died before her wedding.

## Consistency control

### Permanent control for duplicates

You will be notified if any date or time appears inconsistent.

Any input which appears inconsistent will be highlighted by a red cross  in the **Consistency** button on the toolbar. Click the button to be notified of the apparent inconsistency (due to a mistake of date, or the attribution of a link which is not valid) and understand it. Consistency control is automatic and can not be turned off. When inconsistencies are detected, a message pops up to alert you at the end of the input.

Review the summary of the inconsistencies shown for the primary person. These controls are only indicative and it is your responsibility to rectify the anomalies detected or not.

To avoid the double entry of a person in your family tree, Heredis will display a list of existing name matches similar to your entry for any new persons you may enter in the **Add** menu screens.

Simply select from the list and click **Choose** to choose that person instead of creating a new individual.

For further information, read Find Duplicates (voir page 279) and Merging Two Persons (voir page 285).

### Check all persons in the file

Heredis provides a tool for detecting all inconsistent data in your genealogy file.


- Open the **Persons** panel.
- **(Windows)** Choose the **Enhanced Criteria** then **Inconsistent Data**.


- **(Mac)** Choose the **Genealogical Criteria** option then **Inconsistent Data**.
- Double-click each of the persons displayed in the results list to verify their data.

You can also launch a Smart Search to find inconsistencies. Set up as follows: **Persons > Consistent > No**.

**Mac Info** • To do this at a later date, you may store the list obtained by marking all the people displayed. Click the **Batches** button (cogwheel icon) on the **Persons** panel toolbar. Choose the **Mark/Unmark > Mark All** option. You may also keep the results displayed by printing the list of incoherent persons. To do this select the **Print List** option.

### No longer consider a person as incoherent

After checking the data of the primary person and to keep the information as it was entered, choose **Person > Check Consistency** or press the **Consistency** button  on the toolbar and select the **Mark as Consistent** option.

The **Consistency** button changes its appearance and displays a green tick mark . This person will no longer be displayed in the list of a search for inconsistent information.

### Change the consistency criteria

Heredis allows you to set your own criteria for checking the consistency of some data.

- **(Windows)** Choose **Tools > Preference > Heredis Preferences**
- **(Mac)** Choose **Heredis > Preferences**
- Open the **Consistency** tab.

#### *Windows Consistency*



## Consistency Control – Error-free data entry

Heredis Preferences ✕

General Countries Format Appearance Consistency Advanced

<b>Minimum Age at Childbirth</b> Men : 15 Women : 13	<b>Maximum Age at Childbirth</b> Men : 70 Women : 50
<b>Maximum Age at Death</b> Men : 90 Women : 100	<b>Min. Number of Days between Births</b> Single : 240 Twins : 1
<b>Minimum Age at Marriage</b> Men : 15 Women : 12	<b>Maximum Age at Marriage</b> Men : 70 Women : 60
<b>Age Gap between Spouses</b> 30	Use Default

OK Cancel

*Mac Consistency*

## General

Preferences

General Countries Format Appearance Consistency Advanced

Consistency

Minimum Age at Childbirth

Men: 15  
Women: 13

Maximum Age at Childbirth

Men: 70  
Women: 50

Maximum Age at Death

Men: 90  
Women: 100

Minimum Number of Days between Births

Single: 240  
Twins: 1

Minimum Age at Marriage

Men: 15  
Women: 12

Maximum Age at Marriage

Men: 70  
Women: 60

Age Gap between Spouses

30

Use Default

- You may modify the limit value so Heredis will consider it consistent or not. The controls relate to the age of spouses at marriage, age at death, parental age at birth of children, the gap between two dates for successive births, the age gap between spouses. Indicate the minimum or maximum values (expressed in years) you wish to apply to your genealogy file. It may be interesting to change the maximum age at death to input contemporaries. It is frequent since the XXth century for men to pass away after 90.

These amendments are effective immediately for the all file.

## Validity Control

Heredis analyses all information and will block any erroneous data entry.

## Dates

Dates should be entered properly.

See article Dates (voir page 181) for possible formats.

Heredis notifies you when you enter an event date which is later than that of the death of such person. You may fix the date entered if you made a mistake, or confirm a post-mortem event, such as the transfer of ashes or an act concerning the deceased's estate. You can use and

personalize a post-mortem event in order to avoid alerts like this. See also Input events (voir page 171) article.

Heredis also checks for possible inconsistencies if you have created a link with a person bearing the same name as the person you are entering: it will inform you, for example, if you link a possible father, that he was 143 years old at the birth of the child, or if the wife assigned to the primary person had died before her wedding.

### Links

Links created between people must be consistent. Heredis prevents the entering of inconsistent links: one person cannot be entered as the son of another if he is already his grandfather. A message will indicate why the link may not be validated.

**Note:** A message will pop up if you try to marry 2 persons of the same sex. You just need to validate the message if you didn't make a mistake. There won't be any inconsistency. This message pops up only to make sure you didn't input a wrong information.

# Save time by inputting faster

## Data memorized

Heredis memorizes all your previous data entries, item by item, and will suggest the appropriate data as you type. To validate a proposed entry, press **Enter** or **Return** keys. To choose among several propositions, use the arrow keys and then press **Enter** or **Return** keys.

## Prerecorded data

The application is supplied with databases of places, given names and occupations. Choose from the propositions as they appear. If no proposition appears or if it is not appropriate, select **New Place**.

Each new given name entered is automatically added to the **Given Names Index**.

Each new Occupation will be added to the **Occupations Index** by clicking the arrow button in this section after selecting a word or a phrase. The new elements will be proposed in subsequent data inputs.

For more details about Indexes, see Indexes: generalities (voir page 356).

## Preferences

Whichever way you may have typed data, in uppercase or lowercase, Heredis will automatically format the entry according to your predefined **Preferences**.

For more details on how to personalize Heredis, see Heredis' Preferences (voir page 100).

## Automatisms

The **Gender** field is filled in automatically based on the given name entered, but it may be changed. Multiple given names will be automatically entered according to your initial entry, but may be subsequently altered. Check out The different data fields (voir page 79) article.

Heredis calculates for you the date of birth of people based on their age at any particular event. It gives them an approximate date which you may confirm later, when you know it. See also Consistency Control – Error-free data entry (voir page 113) article.

## Drag and drop

To speed up your data entries, complete your data by using drag and drop.

Add links to other people by selecting them in the various panels and deposit them in the data field if it is empty. Select a man in the **Persons** panel and drop it as the grandfather in the **Immediate Family** tab. Select a woman from the (Windows) **Kinship**; (Mac)**Relations** panel and drop in **Personal Data > Event > Christening** to make this person the godmother. In the same way, you may add information to the **Events** field. Select a source from the

**Sources** panel and drop it on the event you will have selected to associate it with this event. You may do the same for a place selected from the **Places** panel. Add media already used for other data by choosing from the **Media** panel and drop them into the appropriate entry fields. A group photo can illustrate both a family and a marriage event.

### **(Mac) Correcting spelling**

Anything you type in the **Notes** data entry field will be subject to a spelling alert. Typing errors are underlined in red. Right-click the underlined word so that the software may propose the correct spelling.

### **Census Grid**

Heredis created a census grid to help you input all data found in a Census at once. See our Census (voir page 242) article for details.

# How to save your file


To save your file you have multiple methods.

## First possibility: Create a copy of your file

### For Windows


To duplicate the file open on your computer – so you can save or modify it:

- Select **Save a copy...** from the File menu.



- Give a name to this copy. Do not use names with special characters. Click on **Modify** to select a destination folder for your duplicated file. Heredis will create a new *.hmw* folder which will include your genealogical data (*.heredis* file) and a folder in which you will find the related media or a *.ha* file (for tree charts). It is safer to choose to store your copies on a USB key, a cloud or an external hard drive disk instead of your computer's hard drive disk.

## How to save your file




- Click on **OK** button to validate the storage place and again on **OK** to validate the copy.
- Heredis will launch Windows Explorer to show you where the copy has been saved. You are free to move or to close the window. Your original file remains open on your computer and you can keep working on it.

### For MAC


To duplicate the file open on your computer – so you can save or modify it:

- Select **Save As...** from the **File** menu.



- Give a name to this copy. Do not use names with special characters. Click on the arrow

near the storage place to select a destination folder for your duplicated file. Heredis will create a new **.hmv** folder which will include your genealogical data (**.heredis** file) and a folder in which you will find the related media or a **.ha** file (for tree charts). It is safer to choose to store copies on a USB key, a cloud or an external hard drive disk instead of you computer's hard drive disk.



- Click on the **Save** button.
- Heredis will open the newly created file. You can close it and go back to your original file.

## Second possibility: Save on a USB flash drive or on an external hard drive


Besides creating a backup file on your computer's hard disk drive, you can synchronize your file on a USB key or external hard drive. It is not like Save as, since it overwrites the previous version of the file.

Users without Wi-Fi or with computers kept at various locations should also sync their genealogy by connecting a removable data storage device (USB flash drive or external hard disk drive) to their computer.

Click on **File** menu > **Sync via USB**



## How to save your file



In the synchronization window, select the external device you have connected, check the syncing direction (**Send** or **Receive**) according to your needs, then click on **Send**. Once the syncing is completed, you are free to connect the storage device to your other computer (Mac or Windows).

Whether you are working in Heredis or launching the program, Heredis will let you know that a new genealogy file – or a more recent version of the opened genealogy file – is available on the external storage device you have just connected; you will be offered to sync this file to your computer.

See Synchronizing via USB (voir page 727) for more details.





# **Input data**

# Create the first person

You have chosen to create a new genealogy: Heredis opens an empty **Immediate Family** screen, which will fill up as and when you enter data. Now create the first person to start your new file.

Click **Create the First Person** in the center of the screen



or click on **Add**  button of the toolbar > **Add Unrelated Person**

or choose **Person** menu > **Add** > **Unrelated Person**

The **Entering New Person** screen opens with the data boxes to complete. To move from one box to another, press the **Tab** key or click in the next box. Heredis includes data entry aids which will save you time and avoid errors.

*Windows Entering a new person*

## Create the first person

**Entering New Person**

**Personal Data**

Surname  
[Text Field]

Given Names [Text Field] Gender [? v]

Occupation [Text Field]

Child Status [Legitimate v] Signature [? v]

[Icons: Checkmark, Copy, Paste, Undo, Redo, Person, Flag, Key]

**Birth/Christening**

Event Type [Birth v] Date [Text Field] [Calendar Icon]

Place [Text Field] Subdivision [Text Field]

Sources [Text Field] [v]

[+ -]

**Death/Burial**

Type [Death v] Date [Text Field] Age/Record [Text Field] [Calendar Icon]

Place [Text Field] Subdivision [Text Field]

Sources [Text Field] [v]

[Add] [Cancel]

*Mac Entering a new Person*



## Input data

The screenshot shows the 'Entering New Person' dialog box. The 'Add' tab is active, showing fields for personal data, birth, and death. The 'Personal Data' section includes Surname, Given Names, Gender, Occupation, Child Status, and Signature. The 'Birth' section includes Date, Place, and Subdivision. The 'Death' section includes Date, Place, and Subdivision. The 'Choose' tab is also visible, showing 'Matching Persons'. The bottom of the dialog has 'Cancel', 'Add', and 'Choose' buttons.

### *Surname*

Type the name of the first person without worrying about upper or lower case. Each new name entered is integrated into the **Surnames Index**, making it available later for help with entering surnames.

### *Given Names*

Type in the given names of the person. The list of given names known to Heredis appears and is updated as you type. Once you locate the given name in the list, use the down arrow to select it and then press the **Enter** key to select it. If the usual given name is not the first given name, it may be highlighted. To do this click the icon (Windows: ; Mac: ) which appears to the right of the data input area, and select from the list the usual name, or enter the usual name in quotes.

### *Gender*

Gender is automatically inserted by Heredis based on the given name(s). If the given name is multiple, Heredis leaves a **?**.

For gender selection, click the arrow or type **M** for Male, **F** for Female. Your choice will be stored for future use of the same given name. If you want to modify it later, you can do so in the **Given Names Index**, without changing the data that you have already entered.

## Create the first person

### Occupation

Enter the occupation of the person. This section is for the sole or main occupation the person held. You may also enter **Occupation** events, dated and detailed for any other activities. The list of recognized occupations with Heredis appears and is updated as you type. When you see the desired occupation in the list, use the down arrow to select it and tap **Enter** to select it. In the **Occupation** field, recognized occupations are underlined. If you type a word that is not recognized as an occupation and want to add it as an occupation, with the mouse select the word or group of words and click the arrow to the right in the box. Heredis will create an occupation that is added to the **Occupations Index**. As you leave the field, you will find that it is now a recognized occupation because it will be underlined.

### Child status









Scroll down the **Child Status** menu and choose the appropriate option.

### Signature

Scroll down the **Signature** menu and select **Yes** if the person knows how to sign, **No** if you have seen that he/she cannot sign, **?** if you are not sure of the information.

### Flags

They can enter additional information relevant to your genealogy.

- Click the  **Complete person** icon if you have no more research to do for the person.
- Click the  **Untraceable father** icon if the person was born of unknown father or you can not know the name of the father (missing records...).
- Click the  **Untraceable mother** icon if the person was born of unknown mother or you can not know the name of the mother (missing records...).
- Click the  **Childless** icon if you know this person had no offspring.
- Click the  **Unmarried** icon if you know this person did not have a spouse.
- Click the  **Secondary** Person icon to indicate that this person has only a minor role in your genealogy. Secondary persons in your file may be excluded from printouts, exports and publications. For example you can declare as «secondary persons» all children who died in infancy so that they will not appear in your tree charts.
- Click the  **Marked** Person icon to highlight the individual and apply specific treatment to him/her. A marked person may be excluded when exporting the file, or highlighted in a search, or may or may not be printed in a tree chart or a list.
- Click the  **Confidential** Person icon to prevent publication of information on this person in your printouts, exports and publications.

### Main events

Heredis distinguishes main events (Birth – Death) from minor events (Communion – Retirement – Will, etc..). The **Entering New Person** screen gives access to major events only. If necessary you can enter minor events in the **Personal Data** tab at any time.

### Birth

1. Click the **Birth** event title to bring up the pop-up menu and select **Birth** or **Christening**.
2. Enter the date.
3. To enter the **Place** field, type the name of the town of birth or **Christening**. Once you enter the first letters of the place, Heredis proposes a list of places that may match your entry. Select

## Input data

a place using the mouse or use the up and down arrows and confirm the location selected with the **Enter** key. If there is no place relating to your entry, select **New Place**. Complete the various boxes for the new location to be saved and confirm its creation by clicking **OK**.

### *Death*

1. Click the **Death** event title to bring up the pop-up menu and select **Death** or **Burial**.
2. Proceed in the same way as for **Birth**.


### *Further information*

To display further data fields, use the **Choose Data Fields** option . For further details, see Customize\Select data entry method.

### *Validate the creation of the first person*

Click the **Add** button to validate the first person in your genealogy, or press the **Enter** key. The person appears in the center of the **Immediate Family** screen.



This individual is the starting point of your genealogy, the person called the Root Person and who will have the Ahnentafel number 1. Continue your genealogy by clicking on the Add Father (voir page 132), Add Mother (voir page 132), Add Spouse (voir page 142) or Add Child (voir page 148) links to complete the immediate family.

Later on, you can access the root person by clicking on the  button or from the menu: **Find > View Root Person**. The Root Person can be changed at any time, see The Root Person (voir page 131) article.



# The Root Person

The Root Person is the individual at the base of your genealogical research. By default, Heredis defines the first person entered in your genealogical file as the root person and assigns the Ahnentafel number 1 to this person.

Heredis indicates that a person is part of the Ahnentafel lineage (direct ancestry of the root person) by the yellow color of the heads  and .

## To access the root person

- Click the **Root** button  in the taskbar.
- Select **Find > View Root Person**.

## To modify the root person

1. Display the new person to be at the base of the genealogy currently open in Heredis.
2. Select **Person > Define as Root Person**

The new root person will bear the Ahnentafel number 1 and all other Ahnentafel numbers will automatically be reassigned by Heredis based on the new root person.




# Add parents

## Add a new person

### All tabs

1. Place the person for whom you want to add parents, as the primary person.
2. Create the link.

- Click the link in the empty boxes for the father or the mother.
- Choose **Person > Add Father** or **Add Mother**

- Click the  button (Add or link persons) on the toolbar and choose **Add Father**  or **Add Mother** .

3. Enter the new person.

In the **Add Father** or **Add Mother** window, complete the entry fields with the information you have. Some items are prefilled such as the father's surname or gender of the father and mother.

- To change the surname, click in the field and enter another name. You can change the gender using by clicking in the Gender box and changing it.
- **(Mac)** To change the gender, click the **Do not specify gender** lock.

*(Windows) Add father*

## Add parents

Add or Choose Father of THOMAS Edward (> 1804-1874)

**Add a new person or choose a matching person**

**Personal Data**

Surname  
THOMAS

Given Names

Gender  
M

Occupation

Child Status  
Legitimate

Signature  
?

**Birth/Christening**

Event Type  
Birth

Date

Place

Subdivision

Sources

**Death/Burial**

Type  
Death

Date

Age/Record

Place

Subdivision

Sources

**Matching Persons**

- THOMAS Christopher Edward (1910-1991)
- THOMAS Edward (> 1804-1874)
- THOMAS George (1870-1871)
- THOMAS George (1872-1947)
- THOMAS Glenn Samuel Bruce (1997-)
- THOMAS John (1994-)
- THOMAS Michael George (1933-)
- THOMAS Paul (1960-)
- THOMAS Peter (1956-)
- THOMAS Reuben Paul (< 1850-> 1921)

**THOMAS Christopher Edward**

Ahn. # 2 (Generation 2)  
Physician

° 13.05.1910 - Oxford  
† 31.05.1991 - Dover - Laureston House

**Parents (2)**

P THOMAS George (1872-1947)  
M DAVIS Violet Elizabeth (1875-1966)

**Spouse (1)**

RUCASTLE Alice Jean (1908-1998)  
x 22.11.1935 - London - The King's Weigh House Chapel

**Children (2)**

THOMAS Michael George (1933-)  
THOMAS Kate Elsie (1941-)

**Other events**

Add Choose Cancel

(Mac) Add father

## Input data

**Add or Choose Spouse of DEBACQ Hélène**

**Spouse**

**Add**

**Birth**

Date:  Time:

Place:

Subdivision:

☐ Private Event

Desc./Cause:

**Witnesses (0)**

Role	Name	Age	Comments

**Sources (0)**

Source	Comments	Evidence

**Choose**

**Matching Persons**

- ACHART François (-< 1767)
- ALLOIS Antoine (-< 1712)
- AMBOCHEUR Antoine ((c) 1689-17...
- ANCELIN Alexandre
- ANCELIN Gérard (1747-1815)
- ANCELIN Pierre
- ANCELIN Pierre Augustin ((c) 1777-)
- ANCELIN Pierre Louis ((c) 1814-)
- ARTIGUE Jean (-< 1765)
- ARTIGUE Jean Mary ((c) 1732-1792)
- ARTIQUE Antoine
- ARTIQUE Emile ((c) 1850-)
- ARTIQUE François "Isidore" (1826-...
- ARTIQUE Hubert (1766-1837)
- ARTIQUE Jean Baptiste "Theophile...
- ARTIQUE Jean Jacques "Rose" (17...
- ARTIQUE Theodule "Edmond" (185...
- ARVATI Tertulien (1860-)
- AUBERT
- AUBERT Antoine
- AUBERT Antoine
- AUBREVILLE François ((c) 1631-16...
- AUBREVILLE François (1702-1759)

**Death**

Date:  Time:  Age/Rec.:

**Add** **Choose** **Cancel** **OK**

**Info** • Click the cogwheel icon at the top right of the screen to change the display mode if all desired fields are not displayed.

Before you add the parent, check the right part of the screen to make sure he/she is not already created. Click **Add**. The parent is created as well as the link with the child.

**Info** • You can link the grandfather and grandmother in the same way.




### Family Group Data entry

1. Click the button at the bottom of the Parents entry field.
2. Choose **Add Father** or **Add Mother**. If this arrow appears at the end of the line, it means Heredis detected a potential duplicate. Click on it to compare the potential duplicate.
3. Continue the data input with the information you have. To validate the new individual, click outside the entry field.

**Info** • For more information on adding the spouse of a child in the **Family Group Data** tab, see Input a Family Group Data.

## Link an existing person

### During data entry

- 1 Place the person for whom you want to add parents as the primary person.
2. Create the link.
  - Choose **Person > Add Father** or **Add Mother**
  - Click the  button on the toolbar and choose **Add Father**  or **Add Mother** .
  - Click the links in the empty boxes for the father or the mother on the **Immediate Family** screen.

In the **Add Father** or **Add Mother** window, select the person to be linked from the list of **Matching Persons** to the right of the screen. To limit the list displayed, you can enter the given name in the **Personal Data** area. Click **Choose** or double-click the name in the list.

**Info** • To access this screen from the **Family Group Data** tab, click the red arrow  that appears on the input line.

### Drag and drop

1. Place the person for whom you want to add parents as the primary person.
2. Drag the father or mother from one of the side panels (**Persons, Bookmarks, Relations...**), and release on the display area of the screen (Father or Mother box or Parent fields in the **Family Group Data** tab). The parent is then linked.




**Info** • Creating a link to the Father and a link to the Mother will automatically create a union between the father and mother, even if no event has been entered.

## Unlink a person and parents

When you detach a person from his/her parents, the individuals concerned will always remain in your genealogy file.

**Info** • After you have removed the parent link, you can assign a different mother or father to the primary person.


### All tabs

1. Place the person as the primary person.
2. Remove the link with the parents.
  - Choose **Person > Delete > Father Link** or **Mother Link**.
  - Click the  on the toolbar and choose  **Unlink Father** or  **Unlink Mother**.

### Family Group Data tab

1. Select the parent to be deleted in the **Parents** data entry fields.

## Input data


2. Click the  button at the bottom of the field, and choose **Unlink Father** or **Unlink Mother**.  
**Info** • If you select the Delete Father and All Links, or Delete Mother and All Links option, this will remove the person from your genealogy, not just the link.

# Swap parents


Sometimes you make a mistake and enter the mother instead of the father. The Ahnentafel numbering is false. It is therefore useful to be able to rectify this mistake.



Since Heredis 2021,  it is no longer necessary to unlink each parent to connect the right ones, click on the **Persons menu > Swap Parents**.



An alert message informs you of the upcoming action and that the change will apply to all siblings.





Confirm by clicking on Yes. Et Voila !

**Important:** the place of the father on the left and the mother on the right is thus made by convention. For your GEDCOM exports, it is important to respect it.



# Untraceable Parents

It is not uncommon to come across abandoned children or children born to unknown fathers when doing genealogical research. In most cases, chances of finding out who the parents were are quite slim. You can now categorize such “dead ends” in a quick and easy manner. Dead ends indicate that the paternal and/or maternal branch(es) cannot be traced. As a consequence, it is apparently impossible to go any further on this branch.

For each person in your file, you can now use the label  **Untraceable Father** or  **Untraceable Mother** – or both if the child has been abandoned.

This way, you can see right away whether more research is needed or not.

## Create a new person with an untraceable parent

When you add a new person, various labels are displayed. Right then, you are free to click on Untraceable Father or Untraceable Mother.



*(Windows) New Person input screen*

*(Mac) New Person input screen*


See also: Add Persons (voir page 153) and The different data fields (voir page 79).

## Declare an existing person's parents as untraceable

Place the person as the primary person, click on the **Data > Personal Data** tab or on the **Data > Family Group Data** tab and click on the appropriate button.

-  **Untraceable Father**
-  **Untraceable Mother**

### Personal Data




See also The different tabs (voir page 73).

## Identify Dead Ends

Heredis provides several tools to help you track your searches.

- When you need to know where you are at, feel free to consult **Search tracking**. This tool allows you to identify your “dead ends”. See Search Tracking Tab (voir page 312).
- The **Branches** panel also allows you to filter **Dead Ends only**.

### *Branches Panel*



Dead Ends can be viewed on the various Heredis tree charts:

- The **XXL Family** now mentions untraceable fathers and mothers
- The **Immediate Family** shows untraceable fathers and mothers
- The **Ancestors** chart under the **Family** tab also displays untraceable parents
- The **Ancestors Wheel** under the **Graphs** tab will also show any dead end. See the article entitled Dynamic Ancestors Wheel (voir page 571) for more details.

Untraceable father/mother data will be included in the Sheets as well.

**Note:** Our earlier printable tree charts do not include this data. Likewise, our automatically

generated Books do not specify when parents cannot be found.

### Search persons whose parents cannot be found

If you wish to identify every person in your file whose father and/or mother are untraceable, use our **Smart Search**.

- Click on the **Searches > Smart Search** tabs.
- Set parameters to **Persons > Untraceable father > Yes** to search your file for persons whose father cannot be found.
- Set parameters to **Persons > Untraceable mother > Yes** to search your file for persons whose mother cannot be found.
- Set parameters to **Persons > Untraceable father > Yes**, click on the **+** button to **add Persons > Untraceable mother > Yes** to search your file for persons whose father and mother cannot be found. Remember to change the filter to **At least one criterion** if you are looking for persons with either a father or mother who cannot be found, or both.

See also Smart Search (voir page 318) for more details on this search tool for your file data.

### Attach a parent to a child with an untraceable parent



If, by chance, you end up finding one or both missing parents, uncheck the corresponding label in the **Personal Data** input screen for this person.

Declaring a parent as untraceable can easily be cancelled.

# Add spouses

## Add a new person

### All tabs

- Place the person for whom you want to add a spouse, as the primary person.
- Create the link.
  - Click the + (xx spouse(s)) sign in the display field of the spouse on the **Family** tab.
  - Choose **Person > Add Spouse**
  - Click the  button on the toolbar and choose **Add Spouse** .
- Enter the new person. Check the list of matching persons already in your file in order to not input duplicates.

In the **Add or Choose Spouse** screen, complete the input fields with the information you have.

Gender is prefilled. To change the gender in order to indicate a same sex union for example:

- **(Mac)** click the **Do not specify gender** lock, and change the gender
- **(Windows)** simply click in the gender box and change the gender

In case of same sex union, Heredis will alert you in order to make sure it is not a mistake. If it is not, just validate the message.

*(Windows) Add a Spouse*

## Add spouses

**Add or Choose Spouse of ROCTON Christian (1962-)**

**Family Details**

Family Event: Marriage Date: Age/Rec. He: Age/Rec. She: Family Status: Married

Place: Subdivision:

Sources:

**Add a new person or choose a matching person**

**Personal Data**

Surname: Given Names: Gender: F Occupation: Child Status: Legitimate Signature: Birth/Christening: Event Type: Birth Date: Place: Subdivision: Sources:

**Matching Persons**

- BERNSTEIN Helena
- von BORK Helena (1842-1921)
- CARFAX Mary (1961-)
- DAVIES
- DAVIS Violet Elizabeth (1875-1966)
- DOBNEY Anna (1818-1858)
- GREGSON Vivian (1932-)
- HAYES Ann (1833-1915)
- HENRY Shannon Jean (1988-)
- LOWENSTEIN Paula (H 5701-)
- de NFMOURS Josephine (1855-1920)

**BERNSTEIN Helena**

Parents unknown

No Known Spouse

No Known Child

Add Choose Cancel

(Mac) Add a Spouse

## Input data

**Add or Choose Spouse of DEBACQ Hélène**

**Spouse**

**Add**

Birth

Date:  Time:

Place:

Subdivision:

☐ Private Event

Desc./Cause:

**Witnesses (0)**

Role	Name	Age	Comments

**Sources (0)**



Source	Comments	Evidence

**Choose**

**Matching Persons**

- ACHART François (-< 1767)
- ALLOIS Antoine (-< 1712)
- AMBOCHEUR Antoine ((c) 1689-17...
- ANCELIN Alexandre
- ANCELIN Gérard (1747-1815)
- ANCELIN Pierre
- ANCELIN Pierre Augustin ((c) 1777-)
- ANCELIN Pierre Louis ((c) 1814-)
- ARTIGUE Jean (-< 1765)
- ARTIGUE Jean Mary ((c) 1732-1792)
- ARTIQUE Antoine
- ARTIQUE Emile ((c) 1850-)
- ARTIQUE François "Isidore" (1826-...
- ARTIQUE Hubert (1766-1837)
- ARTIQUE Jean Baptiste "Theophile...
- ARTIQUE Jean Jacques "Rose" (17...
- ARTIQUE Theodule "Edmond" (185...
- ARVATI Tertulien (1860-)
- AUBERT
- AUBERT Antoine
- AUBERT Antoine
- AUBREVILLE François ((c) 1631-16...
- AUBREVILLE François (1702-1759)

**Buttons:** Add, Choose, Cancel, OK


**Info** • Click the cogwheel  or  icon (depending on which screen you are, the wheel doesn't look the same) at the top right of the screen to change the display mode if all desired fields are not displayed. See also Customize Heredis.

Click **Add**.

**(Mac)** Enter information about the union.

Don't forget to enter the type of union: Marriage, Religious Marriage, Other marital link, Marriage Contract.

### Family Group data tab



- Click the  button at the bottom of the **Families** entry fields.
- Choose **Add Spouse**.
- Continue the input with the information you have about the union. To validate the new person, click outside the entry field.

**Info** • For more information on adding the spouse of a child in the **Family Group Data** tab, see Input a Family Group Data.

Don't forget to enter the type of union: Marriage, Religious Marriage, Other marital link, Marriage Contract.

## Link an existing person

### During data entry

- Place the person for whom you want to add a spouse, as the primary person.
- Create the link.
  - Choose **Person > Add Spouse**
  - Click the  button on the toolbar and choose **Add Spouse** .
  - Click the **+** (xx spouse(s)) sign in the display field of the spouse on the **Family** tab.

In the **Add or Choose Spouse** screen, enter the surname and given names in the **Personal Data** field. Select the person to be linked from the list of **Matching Persons** to the right of the screen.

Click **Choose** or double-click the name in the list.

**Info** • To access this screen from the **Family Group Data** tab, click the red arrow  that appears on the data line.

Enter the information you have about the union. Don't forget to enter the type of union: Marriage, Religious Marriage, Other marital link, Marriage Contract.

### Drag and drop

- Place the person for whom you want to add a spouse, as the primary person.
- Take the spouse from a side panel (**Persons, Bookmarks, Relations...**), and release on the display area of the screen (display area for spouses on the **Immediate Family** tab or the **Families** fields on the **Personal Data** and **Family Group Data** tabs).

## Information concerning the family

The data input screen for a marriage and the **Families** fields on the **Personal Data** or **Family Group Data** tabs show specific fields to be completed, as well as a field for family media on the **Immediate Family** tab.

- Indicate date and place of marriage and any other information you have on the family event.
- Specify the family status in the pop-up menu.
- Click **OK**: the spouse is created as well as the link to the primary person.

### Family status

Status is additional information indicating the last known status of a union. Are the spouses still married, divorced, separated?

The family status is independent of union events. One may enter a marriage event, but not enter other events for the couple, but clarify the family status as «Separated».

## Input data

### (Windows) Family Status

The screenshot shows the 'Family Details' form in a Windows application. The 'Family Event' is set to 'Marriage'. The 'Date' field is empty. The 'Age/Rec. He' and 'Age/Rec. She' fields are also empty. The 'Family Status' dropdown menu is open, showing options: Married, Engaged, Separated, Divorced, Other Marital Link, Cohabitee, and Unknown Status. The 'Place' and 'Subdivision' fields are empty. The 'Sources' field is empty.

### (Mac) Family Status

The screenshot shows the 'Family Details for Bernstein Helena' form in a Mac application. The 'Marriage' event is selected. The 'Date' and 'Time' fields are empty. The 'Place' field is empty. The 'Status' dropdown menu is open, showing options: Married, Engaged, Separated, Divorced, Other Marital Link, Cohabitee, and Unknown Status. The 'Witnesses' table is empty. The 'Cancel' and 'OK' buttons are visible. The bottom status bar shows '16 (G 5)', '1 spouse', '1 Child: 1', and '0 person'.

Specify the family status in the **Add or Choose Spouse** screen or **Families** area of the **Personal Data** tab.

### Family number

The family number, when there are several marriages, appears in the **Family** tab. It is assigned automatically according to the dates of marriage. To change the family number, select a spouse and move him/her to the desired position.

### Families order

Heredis enters unions based on the date of the main family event. If you know the sequence of unions without knowing the dates, or if the chronology does not seem exact to you, you can change the families order.

### Change the families order

**(Windows)** Click Right on one of the spouses, then choose **Order of spouses**. Use the **Before** and **After** buttons to organize and click **Close**.

**(Mac)** In **Immediate Family**, use drag and drop. Select the box or line of family to be moved, and release it at the desired location.

A blue line indicates the destination position.



## Windows – Leave Heredis determine the order

You may cancel a manual order change of families if you have made mistakes or entered new dates. Right-click the list of families and choose **Order of spouses**, then tick the box **Leave Heredis to determine the order**.

## Mac – To change the order again

As before, in **Immediate Family**, use drag and drop. Select the box or line of family to be moved, and release it at the desired location.



## Delete a family

Heredis allows you to delete:


- Either the person. In this case the person will no longer exist in your genealogy file.
- Or the family link that links two spouses. In this case both spouses remain in your genealogy file.

**Info** • If both spouses have had children together, you must first unlink the couple's children for one of the spouses. When you remove the bond of union, the events that were assigned to this family will also be deleted.


## All tabs

1. Place one of the spouses as the primary person.
2. Choose **Person > Delete > Selected Spouse Link**, or click  in the toolbar, then .

## Personal Data tab

1. Select the spouse to be unlinked in the **Families** fields.
2. Click  (Unlink the selected spouse from the family) at the bottom of the **Families** fields.

## Family Group Data tab



1. Select the spouse to be unlinked on the **Families** fields.
2. Click  (Unlink the selected spouse from the family) at the bottom of the **Families** fields.
3. Select the **Unlink Spouse** option.

**Info** • If you select **Delete Spouse and All Links**, you will remove the person from your genealogy file.

# Add children

## Add a new person

### All tabs

- Place the person to whom you want to add a child as the primary person. Select the other parent.
- Create the link.
  - Click **Add Child** in the display screen of the primary person in the **Immediate Family** tab.
  - Choose **Person > Add Child**.
  - Click the  button on the toolbar and choose **Add Child** .
- Enter the new person.

In the **Add or Choose Child** screen, complete the entry fields with the information you have. The child's surname is prefilled with the surname of the father or the mother if you did not select a spouse for the mother.

To change the name, click in the box and enter another name.

*(Windows) Add a Child*

## Add children

### Add a new person or choose a matching person

#### Personal Data

Surname  
THOMAS

Given Names

Gender  
?

Occupation

Child Status  
Legitimate

Signature  
?

#### Birth/Christening

Event Type  
Birth

Date

Place

Subdivision

Sources

#### Death/Burial

Type  
Death

Date

Age/Record

Place

Subdivision

Sources

#### Matching Persons

- THOMAS Christopher Edward (1910-1991)
- THOMAS Edward (> 1804-1874)
- THOMAS Elizabeth (Tic) (1882-)
- THOMAS George (1870-1871)
- THOMAS George (1872-1947)
- THOMAS Glenn Samuel Bruce (1997-)
- THOMAS Jeanne (1962-)
- THOMAS John (1994-)
- THOMAS Kate Elsie (1941-)
- THOMAS Marion (1900-1985)
- THOMAS Michael George (1933-)

---

**THOMAS Christopher Edward**

Ahn. # 2 (Generation 2)  
Physician

° 13.05.1910 - Oxford  
† 31.05.1991 - Dover - Laureston House

**Parents (2)**

P THOMAS George (1872-1947)  
M DAVIS Violet Elizabeth (1875-1966)

**Spouse (1)**

x RUCASTLE Alice Jean (1908-1998)  
22.11.1935 - London - The King's Weigh House Chapel


**Children (2)**

THOMAS Michael George (1933-)  
THOMAS Kate Elsie (1941-)

**Other events**


(Mac) Add a Child

## Input data

**Info** • Click the cogwheel  icon at the top right of the screen to change the display mode if all desired items are not displayed.

Before you add the child, check the right part of the screen to make sure he/she is not already created. Click **Add**. The child is created and the links with his/her parents too.

### Family Group Data tab

- Click the spouse who is the other parent of the child to select him/her in the **Families** data entry fields.
- Click the  button at the bottom of the **Children** entry fields.
- Complete the entry fields with the information you have. The child's surname is prefilled with the surname of the father or the mother if you did not select a spouse for the mother.

**Info** • If you made a mistake in selecting a spouse as the other parent, simply change the Family number in the first column of the **Children** fields.

- Continue the input with the information you have. The second part of each Child line contains data fields for the spouse of the child.



For more information on adding the spouse of a child in the **Family Group Data** tab, see chapter Input a Family Group.

## Add children

- To validate the new person, click outside the entry fields.

### Link an existing person

#### During data entry

- Place the person to whom you want to add a child as the primary person.
- If the primary person has several spouses, click the spouse who is the other parent of the child to select him/her.
- Create the link.
  - Choose **Person > Add Child**.
  - Click the  button on the toolbar and choose **Add Child** .
  - Click the + (xx children) button **Add Child** in the display screen of the primary person on the **Family** tab.

In the **Add or Choose Child** field, enter the given name in the **Personal Data** field. Select the individual to be linked from the list of **Matching Persons** to the right of the screen.

Click **Choose** or double-click his/her name in the list.

**Info** • Creating a Child link automatically creates a family with the father and mother, even if no event has been entered.

#### Drag and drop

- Place the person to whom you want to add a child as the primary person. Click the spouse who is the other parent of the child to select him/her.
- Take the child from a side panel (**Persons, Bookmarks, Relations...**), and release on the display fields of the screen (children display area on the **Immediate Family** tab or **Children on Family Group Data** tab). The child is then linked to both parents (the primary person and the selected spouse).

### Order of children

Heredis places children according to their date of birth.

If you know the order of the children without knowing their dates of birth, or if the chronology does not seem exact to you, you may change their order of display.

#### Change the order of children

**(Windows)** Make a right-click on one of the children and select **Order of Children**.

**(Mac)** Use drag and drop. Select the line of the person to be moved, and release it at the desired location. A blue line indicates the destination location.

#### Windows – Let Heredis determine the order

You may cancel a manual order change of children if you have made mistakes or entered new




dates. To do this, right-click the list of children and choose **Order of Children**, then tick the box **Leave Heredis to determine the order/ Let Heredis determine the order**.

### Mac – To change the order again


As before, in **Immediate Family**, use drag and drop. Select the box or line of the children to be moved, and release it at the desired location.

## Unlink a child and his/her parents

### All tabs

- Place the child or one of the parents as the primary person.
- Delete the parent-child link.
  - If the primary person is a parent, select the child to be unlinked from the list of primary person's children. Choose **Person > Delete > Selected Child Link** or click the  button in the toolbar and choose  **Unlink Selected Child**.
  - If the primary person is a child, choose **Person > Delete > Father Link** or **Mother Link**, or click the  button on the toolbar and choose **Unlink Father** or **Unlink Mother**.

### Family Group Data tab


- Select the child to be unlinked from the **Children** fields.
- Click the  button at the bottom of the field, and choose **Unlink Child**.

**Info** • If you select the **Delete Child and All Links** option, you will remove the person from your genealogy file, not just the link.

# Add persons

## Add a person in general

A click in the **Immediate Family** is enough to create the father, mother, spouses, children and even grandparents.



The family is simply growing.

A new person's input screen displays the most common information. Enter the name and first name to begin with. They get in shape automatically.

As you input, you'll see a list of persons with the same name and first name appear in the right side of the screen. Heredis does everything to prevent you from creating duplicates. Check the matching persons' list on the right and take a look at the summary of the selected person. If you think you've spotted the person you want to add, don't keep imputing, but select it from the list and click **Choose**.

See also Add Parents (voir page 132), Add Children (voir page 148) and Add spouses (voir page 142).

*(Windows) Enter a new person*

## Input data

Entering New Person

Add a new person or choose a matching person

**Personal Data**

Surname

Given Names

Gender  
? ▾

Occupation

Child Status  
Legitimate ▾

Signature  
? ▾

**Birth/Christening**

Event Type  
Birth ▾

Date

Place

Subdivision

Sources

**Death/Burial**

Type  
Death ▾

Date

Age/Record

Place

Subdivision

Sources

**Matching Persons**

- AMBROISE Melissa (1961-)
- BAKER Louis
- BECKER Leon Joseph
- BERNSTEIN Colin (1892-)
- BERNSTEIN Marie Emily (1935-)
- von BORCKE Louis "Henry" (1778-1842)
- von BORK Mary Jane (1816-1900)
- CARPENTER Marion Zoe (1992-)
- CARPENTER Michael (1958-)
- DAVIS Katherine "Emily" (1896-1988)
- DAVIS Louis (1863-1955)

**AMBROISE Melissa**

editorial writer

Bi. 1961

Preferred Picture

Parents

No Known Spouse

No Known Child

Other Person Events

Other Family Events

Shared Events

Facts

Is the witness of

Whose witness is

Add Choose Cancel

(Mac) Enter a new person



## Add persons

Entering New Person

**Add**

**Personal Data**

Surname: THOM

Given Names:

Gender: ?

Occupation:

Child Status: Legitimate

Signature: ?

**Birth**

Date:

Place:

Subdivision:

**Death**

Date:

Place:

Subdivision:

**Choose**

**Matching Persons**

- THOMAS Christopher Edward (1910-1...
- THOMAS Edward (> 1804-1874)
- THOMAS George (1877-1947)
- THOMAS Glenn Samuel Bruce (1997-)
- THOMAS John (1854-> 1921)**
- THOMAS John (1994-)
- THOMAS Judy (1962-)
- THOMAS Kate Elsie (1941-)
- THOMAS Marion (1900-1985)
- THOMAS Michael George (1933-)
- THOMAS Paul (1883-)
- THOMAS Paul (1960-)
- THOMAS Peter (1890-1891)
- THOMAS Peter (1956-)

**THOMAS John**

Ahn. # 48 (G 6)

clerk US Office engineer

Bi. 05.1854 - ?

D > 1921

**Preferred Picture**

**Alternate Names (1)**

Pen name

Surname RUBY

Cancel Add Choose

For more information on duplicates, see Find duplicates (voir page 279) and Merging Two Persons (voir page 285).

If no one in the list of matching persons matches, continue filling in the fields. Dates are displayed in full regardless of the entry format. Most locations in Western Europe or North America are proposed while inputting. Select the location with the **Enter** button or create a new location.

See also Heredis' Preferences/Choose the recognized places (voir page 100), Dates (voir page 181) and Places Index (voir page 396).

When the input screen is completed, click **Add**.

If you add a spouse, take the opportunity to provide all the information about the marriage: what type of marriage, the date and place and the status of that union. See also Add spouses. Then click **OK**.

You can also work with other tabs in the method that suits you. Add parents in **Ancestors** tab, or other family members in **Family Group Data** tab and **XXL Family** tab. See also Add Parents (voir page 132). Complete or modify known information in **Personal Data** tab.

You can customize your input mode to have more or less graspable fields. Click on the cogwheel to customize the input window.



For more details see Customize Heredis/Select data entry method.

## Add a person with no direct connection


Each person in the genealogical file may be linked to other people by kinship, as a witness to an event, or as a related person in another way.

Check out Add other linked persons (voir page 200) to find out all about Heredis' other links.

Heredis allows you to attach an existing person to the genealogical file or create a new person with their kinship.

Click on  button then on . In the **Entering New Person** windows, enter the name and first name into the **Personal Data** section. You see, in the **matching persons** column, the list of persons already registered with that name and first name. As new letters are entered, the list of persons that can match becomes thinner.

### (Mac) Entering New Person



## Add persons

### (Windows) Entering New Person

Select a person from the list and see their summary. It allows you to better compare the different persons found.

If it turns out that the individual you want to add already exists, use the person already created by clicking **Choose**.

If you don't detect duplicates, you can then create a new person by completing the other input topics and then click **Create**.

### Automatic filling of fields

Heredis provides databases of thousands of given names and occupations. On the other hand, Heredis memorizes the information you have already entered, field by field.

Type in the first letters: immediately appears the list of data already saved that may match your input.

Continue with new letters, the list is becomes thinner.

Use the arrow buttons on the keyboard to select the desired value, and validate with the **Enter** button or click on the chosen proposal with the mouse.


The auto-entry tool is available in all input fields, with the exception of notes and comments.

## Delete a person

Heredis removes:

- either the person. In this case the person will no longer exist in your genealogical file.
- or the relationship between the person and his/her relatives or an event in which he/she took part. In this case the person still exists in your genealogical file.



**Info** – The root person of the file, meaning the person with the Ahnentafel number 1, cannot be deleted. To remove this person, you must first reallocate the number 1 to another person.

- Place the person as a primary person.
- Click the button  in the tool bar or choose **Person menu > Delete > Primary person** or link to remove.

For more details, check out the articles Add Parents, (voir page 132) Add Children, (voir page 148) Add Spouses, (voir page 142) Add Witnesses and Participants, (voir page 194) Sundry Links.

# Add an unrelated person

When you want to create a new person without it being attached to the family displayed:  
Select the **Person menu- Add – Unrelated Person**.

or click the button  and then the button in the  toolbar.

Type in his surname and given names.

Make sure the new person to be created doesn't already exist in your file by looking at the list of matching persons in your file and the summary of any homonym. You can click on a person in the list of matching persons to see the information about him/her in the **Summary**.

Once the person has been identified, select him/her with a simple click and then click the **Choose** or double-click on his/her name in the list displayed.

He/She then appears as the primary person of a new **Family** screen.

If the new person is not on the list of matching persons, continue to fill the entry window with the information you have and click the **Add** button.

If you want more input fields, click on the cogwheel to change the view mode.

*(Windows) Add an unrelated person*

Input data

Enter New Person

Add a new person or choose a matching person

Personal Data

Surname

Given Names

Gender
  
 ?

Occupation

Child Status
  
Legitimate

Signature

☒
☐
☐
☐
☐
☐
☐
☐

Birth/Christening

Event Type
  
Birth

Date

Place

Subdivision

Sources

Death/Burial

Type
  
Death

Date

Age/Record

Place

Subdivision

Sources

Matching Persons

AMBROISE Melissa (1961-)

BAKER Louis

BECKER Leon Joseph

BERNSTEIN Colin (1892-)

BERNSTEIN Marie Emily (1935-)

von BORCKE Louis "Henry" (1778-1842)

von BORK Mary Jane (1816-1900)

CARPENTER Marion Zoe (1992-)

CARPENTER Michael (1958-)

DAVIS Katherine "Emily" (1896-1988)

DAVIS Louis (1863-1955)

AMBROISE Melissa

editorial writer

Bi. 1961

Preferred Picture

Parents

No Known Spouse

No Known Child

Other Person Events

Other Family Events

Shared Events

Facts

Is the witness of

Whose witness is

Add

Choose

Cancel

*(Mac) Add an unrelated person*

## Add an unrelated person

Entering New Person

Add

Personal Data

Surname: THOM

Given Names:

Gender: ?

Occupation:

Child Status: Legitimate

Signature: ?

Birth

Date:

Place:

Subdivision:

Death

Date:

Place:

Subdivision:

Choose

Matching Persons

THOMAS Christopher Edward (1910-1...

THOMAS Edward (> 1804-1874)

THOMAS George (1877-1947)

THOMAS Glenn Samuel Bruce (1997-)

THOMAS John (1854-> 1921)

THOMAS John (1994-)

THOMAS Judy (1962-)

THOMAS Kate Elsie (1941-)

THOMAS Marion (1900-1985)

THOMAS Michael George (1933-)

THOMAS Paul (1883-)

THOMAS Paul (1960-)


THOMAS Peter (1890-1891)

THOMAS Peter (1956-)

THOMAS John

Ahn. # 48 (G 6)  
clerk US Office engineer  
Bi. 05.1854 - ?  
D > 1921

Preferred Picture



Alternate Names (1)

Pen name  
Surname RUBY

Cancel

Add

Choose


161

## Persons icons and their color coding

Each person present in Heredis is represented by an icon in the shape of a man.

In  blue for men

In  pink for women

In  green for persons of the undetermined sex (e.g. stillborn child without specifying the gender)

You've probably noticed the icons .

In addition to determining the gender of the person, the icon has a yellow head. This indicates that the person is part of the Ahnentafel lineage. He or she is therefore the direct ancestor of your root character.



# Media



Whenever you see this display area you may add an illustration: the photo of your great-grandfather, the photo of your baptism, the scanned image of a death certificate from 1715... These are not only images that you can attach to your data files but also sounds, videos, PDF documents, files created with your word processor.

## What data can be illustrated?

- A **person**: in the media display field of the primary person in the Immediate Family, XXL Family, Personal Data or Family Group Data tabs. You may also add media to the Personal Data field of Create or choose... screen.
- A **couple**: in the Families field of the Personal Data tab.
- An **event**: on the Personal Data tab, click the Media tab after selecting an event.
- A **surname**: in the Surnames Index, either in the display field of the selected surname or directly in the Entering Surname screen.
- A **given name**: in the Given Names Index, either in the display field of the selected given name or directly in the Entering Given Name screen.
- An **occupation**: either in the Occupations Index, either in the display field of the selected occupation or directly in the Entering Occupation screen.
- A **place**: in the Places Index, either in the display field of the selected place or in the Entering Place screen.
- A **source**: in the Sources Index, either in the display field of the selected source or in the Entering Source screen.

The profile media of a person once added will be visible in several screens.

For example:

*In the input data file*

## Input data

**Entering New Person**

**Add**

**Personal Data**

Surname:

Given Names:

Nickname:

Gender:

Occupation:

Title:

Child Status:

Signature:

**Birth**

Date:

Place:

Subdivision:

☐ Private Event

**Witnesses (0)**

Role	Name	Age	Comments


**Choose**

**Matching Persons**

- BAKER Matthew (1948-)
- BAKER Thomas (1992-)
- BERNSTEIN Helena (1899-)
- von BORK Jeanne (1863-1921)
- CARFAX Mary (1961-)
- DAVIES Henry James (1840-...
- DAVIS Violet Elizabeth (1875...
- DOBNEY Anna (1818-1858)
- GREGSON Vivian (1932-)
- HALL Edna (1882-)
- HAYES Ann (1833-1915)
- HENRY Michael Erwin (1958-)
- HENRY Shannon Jean (1988-)
- KAGANOVITCH Elias (1934-)
- KAGANOVITCH Sacha (1966-)
- LOWENSTEIN Paula (H 5701-)
- MORLEY Andrew (1899-1932)
- MULLAN David (1975-)
- MULLAN Jonathan (1931-)
- de NEMOURS Josephine (18...
- PINKERTON Ann Elizabeth (1...
- ROCTON Adrian (1988-)
- ROCTON Christian (1962-)
- RUCASTLE Adam (1818-1906)
- RUCASTLE Alice Jean (1908...
- RUCASTLE Gilbert (1870-19...


Cancel Add Choose

*In the Immediate Family screen*



*In the Personal Data screen*

## Media



The quantity of media assigned to each item of data is unlimited.  
Each media may be assigned to several items of data.

When media have been assigned in your genealogy file, they are visible in the **Media** panel and in the **Media Index**.

A date and/or a note may be added to the media if you edit it by double-clicking on it.

**Info** • All media assigned to your genealogy are integrated into your file. You may synchronize your file with your mobile phone or another computer without worrying about the media. They will be automatically transferred.

Since Heredis 2023, in the media of an event, a source or a quote, enlarge or reduce the media directly in the media area. You no longer need to double-click to zoom in. Zoom in or out with the mouse wheel, or the buttons (magnifying glass on Windows and zoom bar on Mac) under the media.

### What media for your genealogy?

Besides the usual media (images, sounds and videos), Heredis can assign files that can be opened directly from your genealogy software by launching the application that was used to create the media.

- Assign a text file created with your word processor and Heredis opens your word processor to read it.
- Assign a numbers document and either Excel or another spreadsheet program on your hard drive will open it to read it.
- Integrate PDF files. (**Windows**) Click on the **Open Document** link to open it with your PDF software.  
Since Heredis 2023 on Mac or Windows, you can directly view the different pages of the PDF in the person's summary area or in the media area for events and sources.
- A Heredis tree chart effectively illustrating a branch? Assign the tree chart file to your ancestor. This tree chart may be opened from the **Media** tab of the person displayed.

**Note:** files that are not image formats (.jpg, .jpeg, .png, etc.) will not be taken over when creating a document (Book, Sheets, etc.).

The more heavy media you have, the heavier the file will be. This can slow down Heredis.


## Main image of the person' profile

If you add multiple photos of profile at different ages, for example, you can define which one should be the main image. The profile photo is the one found in the **Data > Personal Data** tab in the identity area or in the **Immediate Family** tab.

This main image will be the one displayed in the summary, in the trees, in the documents...

To choose your main media of the person:

- Double-click the image to open the photo tool. You will then see all the photos attached to this individual.
- Select the photo you want to put as the main photo.
- Click on the star ★ at the bottom of the list.



**Note:** Since Heredis 2023, all profile media can be viewed in the summaries, use the arrows to view other available media.

## Import media to your file

### With the Media field buttons

In the Media display field for each data item:

1. Click the ➕ (Add to media) button.
2. Select the media to be assigned:
  - Select (Mac) **Drag from the Media Index** / (Windows) **From media index** if the media has already been assigned to your data.
  - Select **Choose on Disk** if the media to be imported has never been assign to your data.
  - Select **Past from Clipboard** if you previously copied the media in the clipboard.
3. Select the media with the (Windows) Windows Explorer ; (Mac) Finder tools and click **Open**.

**Info** • To display the toolbar for media management, move the mouse over the display field of the media. **(Mac)** Right-clicking on the display field of the media also gives you access to the

**Add New Media** option.

### In the Media panel or in the Media Index

1. Click the **+** (Add New Media) button.
2. Select the media to be imported with the **(Windows)** Windows Explorer / **(Mac)** Finder and then click **Open**.

### Information on the media

#### Link between media and data


At any moment, you may assign new media to an item of data, or unlink media assigned by error. Heredis lets you also replace one media with another.

#### Media details

For each illustrated data in your genealogy file, double-click the media displayed and view the multimedia screen to manage all assigned media. In the **Media Index** or the **Media** panel, double-click the media to display the **Photo tool** screen. See the Photo Tool (voir page 462) article.


*Photo Tool for Windows*

## Input data



*Photo Tool for Mac*

## Media



**Date:** The date of the media is a useful guide to illustrate the lives of ancestors, and allows the classification by date of the various media assigned to a person.

**Note:** Enter your comments in the notes field. The note may be formatted with tools for text editing.

**Private Media:** Tick the Private Media box to exclude it from export of a file or printing of a document.




**Preferred Picture:** Among all media assigned to the data, select the image that is displayed in the navigation screens and that illustrates the tree charts and printed documents. Tick the Preferred Picture box if your choice is not of the first image you have assigned to the data (person, places etc.). See paragraph above “Main image of the individual profile”, it is the same operation.

**Info •** Media are copied to the genealogical file. Their original location is given as an indication, there is no longer any connection between the media at the original location and media in your genealogy file. You can, however, request an update of the media file from the original media. See also Media Index > Searching for missing media (voir page 366).

### Display order of media

Heredis automatically classifies media according to the order in which you have assigned to the data. To change this order, file them by date or name, or (Mac only) manually move the media in the order you want.

From the **Photo Tool** or the **Media Index**.

1. Open the multimedia screen of the data.
  - Double-click the media field.
  - **(Mac)** Click the pencil-shaped  bar in the media buttons.
2. Arrange the media.
  - Click the **Sort** (windows , mac ) and select **Sort by date** or **Sort by name**.
  - **(Mac)** Drag the media with the mouse to position in the desired display order. A blue line indicates where the media will be dropped.

For further details see Photo Tool (voir page 462).

## PDF Media (Windows)


Since Heredis 2023, PDFs now display all pages in all media areas. A specific toolbar appears.




The first button allows you to display the pages one below the other. The + allows you to zoom in, and the – to zoom out.

The following buttons change the layout on the PDF screen.



The buttons  allow you to change pages one by one or to go to the very beginning or to the very end.

## PDF Media (Mac)

Arrows on either side of the number of pages  can be used to change pages.

The PDFs that appear in the summary allow you to scroll through all pages one after the other, zoom in or out.



# Input events

In the **Personal Data** tab, Heredis proposes a full list of events commonly encountered in genealogy: individual events and shared events which may apply to the couple formed by the primary person and the selected spouse.

## Add an event

### Add a person event

*Add a person event*

Events	Year	Age
Birth	1872	
Graduation	1892	19
1 Marriage	1899	26
Death	1947	75

Date (T) July 4  
Place: Oxford  
☐ Priv  
Note

+ - [pencil] [gift] Share

B C M RM MC D BU

- Click on the **+** button on the bar below the list of events. To facilitate the selection of the event, Heredis displays at the top of the list, the events already in use in your genealogy file, and finally the events not yet used in the **Others** group.
- Select the desired event, for example, Will. Will is added to the list of events of the person.

**Info** • You can also add major events by clicking the **B**, **C**, **D** or **BU** buttons (**Birth** – **Christening** – **Death** – **Burial**) placed below the events list. If these buttons are not visible, change the input mode of the screen.



### Add a family event

- Select the spouse of the event from the list of families.
- Click the **+** button on the bar below the list of events.

**Info** • You may also add the main events of the family by clicking the **M**, **RM**, **MC** buttons (**Marriage** – **Religious Marriage** – **Marriage Contract**) below the events list. If these buttons

are not visible, check the display mode of the screen.


- Select the desired event, such as Engagement. Engagement is added to the list of events of the person.



**Info** • The family events also appear in the input and navigation screens of the spouse.

## Create events not proposed by Heredis


You may add events that are not mentioned in the list of events proposed by Heredis.

- Click the **+** button on the bar below the list of events.
- Choose **Others**, then the neutral event called **Event** or **Postmortem Event** (Heredis won't check the consistency of the data, it can be used for event like Inventory after death etc.)
- Double-click on the name of the event that has appeared in the list of events, or after selecting it, click on the  button. A window opens where you can rename the event.

### Windows Customize event

### Mac Customize event

## Input events



- Enter the new name of the event.

Now this new type of event will automatically appear in the list of events to create. You may choose not to display it by clicking on Customize and unchecking the events you do not want to see, or you may select it later by managing the list of events. See the part below.

**Info** • If the nature of the event to create already exists, modify an existing type of event in the same way. For example, you can create an Estate event by renaming a Will event. You will find this event in a submenu of the original event. By selecting Will, you can choose between Will and Estate.

## Share a person event

Heredis allows you to share a minor person event with other persons in your genealogy. This event and all information relating to it will be automatically available to all participants in the event.

Select a person event in the list of events displayed in the **Personal Data** screen > **Person event** and then click the **Share** button below this list. The **Witnesses** tab is replaced by the **Participants** tab and allows you to add the other persons sharing this event.

It is possible no longer to share an event. With this operation, the event no longer to be shared remains associated with the primary person on the screen. Other participants become mere witnesses and the “unshared” event no longer appears in their list of events. In the list of events for a person, the letter **S**, displayed in front of an event, indicates that this event is shared.

**Info** • the major person events Birth, Baptism, Union, Death and Burial are not shareable. The

Domicile couple event is also shareable.

## Customize the display of events


Heredis can present the list of available events according on your work habits. Thus, you will have easy access to the events that you create most often.

The customization affects only the list of events to create and there is no risk to your data, events already created remaining always displayed.

### *Modify the list of events displayed*


1. Click the **+** button on the **Personal Data** tab, in the events list.
2. Choose **Others > Customize...**
3. Untick rare events, those which you rarely use, to lighten the list when creating a new event.

### *Windows Customize Event*



### *Mac Customize Event*

## Input events



Heredis always shows events which you have already used at the top of the list, and events that you have not yet used at the bottom of the list. You see now that the other used events part no longer contains the items you have unticked.

You may always tick any new hidden events to make them reappear.

### Information on the event

The detail of each selected event is available on the **Personal Data** tab. If you do not see all the events, change the display mode of the **Personal Data** tab by clicking on the cogwheel. See the article [Customize Heredis](#) for more details.

*Information of the event*

## Input data

The screenshot shows the 'Details' tab of the Heredis input form. It contains the following fields and controls:

- Date:** A text input field.
- Time:** A text input field.
- Age/Rec.:** A text input field.
- Place:** A text input field.
- Place subdivision:** A text input field.
- Description/Cause:** A text input field.
- Private Event:** A checkbox.
- No Search Record:** A dropdown menu.
- Large text area:** A large text input field with a vertical scrollbar and a pencil icon for editing.

### Date

To enter the date, numerous input options are available, whatever the period concerned, in four different types of calendars: Gregorian, Julian, Hebrew or French Republican. To enter a date in a specific calendar, precede the date of J for Julian or H for Hebrew (the latter is automatically recognized by Heredis since the name of the months is different).

See also Dates (voir page 181) article for further details on Date format and calendars.

### Time

Time may be specified as 05:30 or 5:30. To separate hours and minutes, you can type either : or **H** or **h**, with no spaces.

### Age on record

Enter the age stated on the deed or record, if it is mentioned. You may specify the age with the words: years, months or days (or y, m, d). No other word will be accepted. An age with numbers only will be considered as years.

If the birth date of the primary person is known, you may compare the age on the deed with the actual age shown in the list of events.

If the date of birth is unknown, Heredis will automatically complete the field with an approximate date calculated from the age on record that you entered.

### Place

Indicate the location where the event took place.

#### *Entering a new place*

1. Type the name of the city in the **Place** field, not bothering about upper or lower case. With the first letters, Heredis proposes a list of places that may match your entry.

2. Select a place using the mouse, or use the up and down arrow keys and confirm the location selected by pressing **Enter**.
3. If no proposed location matches, (**Windows**) fill in the case and click on the tab key to add this new place to the index; (**Mac**) select **New Place** in the list.
4. Complete the information on the new place to be recorded, and press **OK**. The new location will be added to the **Places Index**. You may geolocate this place. See the articles Places Index (voir page 396), Geolocating places (voir page 413) and Heredis' Preferences (voir page 100).

### *Assigning a place already in use in your genealogy*

1. Unfold the **Places** panel.
2. Drag the place of the event and drop on the event being entered.

**Info** • Be sure to visit the place of your ancestor's life by clicking the **Map** tab of the event.

## Place Subdivision

The **Place Subdivision** field is to specify a more precise location than the city: the hamlet, parish, district or borough of a large city. Since Heredis 2020, you can geolocate the subdivision, see the details on Geolocating Place Subdivisions (voir page 419).

## Cause/Information

The **Cause/Information** field allows you to specify the cause of the event (as for Death, Divorce, Professional transfer events) or any useful precision.

## Event Note





Enter your comments about the event directly into the note field. To embellish the entered text, click the pencil icon. Heredis opens the note in a separate screen containing all the formatting tools. Tick the **Private Note** box to exclude the event note from exports or printed documents.

## Other elements linked to the event

The Details tab of events displays a **Private Event** box. When this box is ticked, all data in the event may be excluded from exports or hidden in printouts.

Each event may be completed with witnesses, sources, media and an interactive map showing where the event took place. Each of these elements is available in a tab on the **Event** screen.

See also Add witnesses and participants (voir page 194), Sources (voir page 221), Media (voir page 163).

Click on the magnifying glass  or  or  or  to open the Search Data tab and complete the search status. (see below)

## Input data

Details **Search Data** Sources Witnesses Media Map

Date (Tuesday)  
February 8, 1931

Place: Boston - Suffolk County - MASS... Place Subdivision  
Boston

☒ Private Description/Cause

Note

## Search Data tab of an event

To help track your searches, fill in the **Search Data** tab, indicate which search action you need to take.

U	Events	Year	Age
	Birth	1960	
1	Marri...	1990	29
	Burial	1999	38

Details **Search Data** Sources Witnesses Media Map


Search in progress

Project: Smith Branch Document: Birth Certificate

Search Place: Boston Search Date: 2022

Call #: Website:

Note: Uncle John should check the records in october 2022.


You can identify if an event has search information entered using the pink icon  in front of the event name or in front of the **Search Data** tab. If nothing is entered, the icon is greyed out and small in the list of events and not displayed in the title of the tab.

Select the search status to indicate where you are with the search for this event.

- **No Search record:** if you do not need to search data for this event.
- **Search record:** if you need to search for more data on this event.
- **Search in progress:** if you already started the search for more data on this event.
- **Untraceable record:** if you have search for more data but can not find anything on this event even though you are sure of the info you already entered.



## Input events



**Note:** You can choose the default option for each new event in (Mac) **Heredis** menu > **Preferences** > **Format**, (Windows) **Tools** menu > **Preferences** > **Heredis Preferences** > **Format**.

Heredis offers you to specify useful information for your research that can be published in the research journal.



The **Project** field allows you to manage different projects and give them a name. Example: I would like to have a “Tommies” project that identifies all the persons in the file who died fighting during the World War I. Or, I do my research by branch, so I have a project by branch and names, for example, Smith branch my paternal branch.


The **Document** field allows you to put the type of document to search for, example: Civil records, Court records etc.

In the **Search Place** indicate where you should search for the document, for example, in the attic of Aunt Jacqueline, National Archives etc.

The **Search Date** is useful to indicate when or on what specific day you plan to search. This allows you to organize your trips.

In the **Call #** field, indicate the document number to check. Many Archives centres have put their inventories online, which allows you to anticipate and forecast the documents to be consulted without having to search on site the call number of the records. Thus, you can, on some websites, order the document by internet so that it is ready the day of your arrival and not waste any time.

The **URL** field allow you to enter the website on which to search for the information. If you click the button (Mac) , (Windows)  while a URL is entered, your default web browser opens and you navigate to the site in question.

Finally, the **Note** block below the search data fields allows you to comment on the search. For example: record not found in the records of Boston from 1800 to 1850, see Cambridge. Click on the pencil  to the right of the note to have the note editing tools and format or indicate that the note is private.

Thanks to the search status, you can edit lists of acts to search for or make an smart search to identify them, which will guide your genealogical searches and save you time.



You can also, from Heredis 2023, edit a Research journal with all the data you were able to enter.

See the Research Journal (voir page 518) article. To focus the Research journal on some of


the information, use the Smart search or filters in the Research Journal with the **Options** button.

### Copy research information


The search data you entered on one event should be transferred to another?

Save time and click the button  to copy all the information, navigate to the event where you want to copy the information and click the paste  button.

### Delete Search Information

You have completed your searches for an event, so you can change the search status to **No Search Record** and click the button  to delete the search data.

### Delete an event

Simply select the event to erase and click on the  button at the bottom of the event list.

# Dates

## Recognized calendars

Heredis treats dates entered in 4 different calendars: Gregorian, Julian, Hebrew and French Republican. The dates must be between the year 4712 BC to the year 3454 AD of the Gregorian calendar.

The Gregorian calendar used today in most countries of the world was applied at widely varying dates in different countries (from the fourteenth to the twentieth century).

The Julian calendar was abandoned in favor of the Gregorian calendar. Certain countries retained it until the twentieth century.

The Hebrew calendar is used in documents of the families of Jewish faith, regardless of the country where they live.

The French Republican calendar was used only in France and covers the period from September 22, 1792 to January 1, 1806.

## Entry of dates

Heredis handles dates expressed in numbers (using the separators . or /, or spaces), or the dates expressed with the month in letters (entered in full or abbreviated).

A date may be entered in the Gregorian, Julian, Hebrew or Republican calendars.

To enter an date in the Hebrew calendar, precede it with the letter H (1987).

To enter a date expressed in Julian precede it with the letter J (J June 23, 1654).

To enter a date expressed in the French Republican calendar, enter the year in numbers, Roman or Arabic, preceded or not by the word «An». Enter comp for additional days (for example, «6 comp An III» for the sixth complementary day of the year III of the Republic).

## Recognized formats

For Heredis to decode the date according to your desired entry order, choose **Windows: Tools > Preferences > Heredis Preferences > Format**; **Mac: Heredis > Preferences > Format** and select the order of elements of the date you want Day/Month/Year or Month/Day/Year).

The date of «2 February, 1794» may be entered in the following way, if you have determined the order day/month/year.

Gregorian calendar

## Input data

- 2 February 1794
- 2 Feb 1794
- 02/02/1794
- 02.02.1794

### Julian calendar

- 22 January 1794
- J 22 Jan 1794
- J 22/1/1794
- J 22.01.1794

### Hebrew calendar

- 2 AdarI 5554

### French Republican calendar

- 14 Pluviôse an 2
- 14 pluv an II
- 14 pluv 2
- 14 pluviôse II

**Info** • For every printed document and for each exported file, tick the **Use Gregorian Dates** option. Some other genealogy programs do not deal with the different calendars in their GEDCOM imports; it will thereby be compatible with all programs.

## Interval of dates and approximate dates

Heredis manages the chronology of events according to the dates entered, exact or approximate. Use keywords to express intervals of dates or approximate dates.

### *Before*

Type the word **before** or the symbol < followed by a space or the symbol / with no space and then type the full date or not, in numbers or in words.

- before 23 August, 1845
- < 23/8/1845

### *After*

Type the word **after** or the symbol > followed by a space, then type the full date or not, in numbers or in words. Or type the symbol / with no space after the date.

- after 6 June, 1774
- after 6/6/1774

### *About*

Type the word **about** or the word **circa** or the abbreviation **ca** or the symbol ~ followed by a space, then type the full date or not, in numbers or in words.

- about February 1811
- circa 2/1811
- ca 2.1811
- ~2.1811

### *Between / and*

Type the words **between** and then **and** or the symbols **<>** and **&** and then type the full date or not, in numbers or in words or type the symbol **//** between the two dates with no spaces.

- between 11 October 1914 and April 1917
- between 11/10/1914 and 4/1917
- <> 10 November 1914 & 04 1917

### *From to*

Type the word **from** followed by a space and then type the full date or not followed by a space and then type the word **to** after the full date or not.

- from 1845 to 1846
- from 8/1845 to 9/1845
- October to September 1845
- from 23/8/1845 to 31/8/1845

### *Before Christ*

Type the abbreviation B.C. after the date or type a minus sign before the date to indicate periods before Christ.

- 125 B.C.
- -125

Before any date, complete or incomplete, you may add the following keywords:

- **Estimated** or **est** to indicate that a date is a mere guess. In this case it is displayed preceded by the estimated or (**est**). It is taken into account in chronology screening (eg. order of families, order of the children...) but it is excluded from printouts.
- **Calculated** or **cal** to indicate that a date has been obtained by calculation. For example if you do not know the birth date of a person but you have found the age at death on the death certificate, the software automatically displays a calculated date of birth. The user may also enter a date named calculated, being the result of deduction. The calculated dates are displayed and printed preceded by the words calculated or (**c**).

**Info** • The dates entered in a valid format may be followed by any comment that may facilitate your work, provided it is entered in brackets. You can specify 1875 (early summer) or June 1674 (TBC).


## Automatic calculation of birth dates

Heredis automatically calculates the date of birth of persons whose age is known at any given event. The age of the father, mentioned in a birth certificate, allows you to create or complete the father indicating the probable year of birth. This will make it easier to find the birth certificate of the father, thus advancing your genealogy.

### For the person living the event

1. Create an event and specify the date.
2. Add the witnesses (witness, declarant, etc.), and specify their age in the **Age/Record** field of the input screen for the link.

**Info** • Remember to choose the **Customized** or **Comprehensive** input mode to display this

field by clicking on the cogwheel .

### Witnesses to an event

1. Create an event and specify the date.
2. Add the witnesses (witness, declarant, etc.), and specify their age in the **Age/Record** field of the input screen for the link.

If the date of the start of their life (birth or christening) already exists, your data remains of course unchanged. If the date of the start of their life is unknown, Heredis adds a calculated date of birth.

**Info •** The dates calculated are shown in italics preceded by a (c) in the list of events on the **Personal Data** tab.

See also Calculate or convert a date (voir page 185).

# Calculate or convert a date

In addition to the automatic calculation when entering an event by adding the age on the act, Heredis has a date calculator/converter.


Accessible from the **Dates** tab or from the **Tool** menu > **Date Calculator**, you can calculate a date of birth, an age at an event or the date of an event. It is also possible to convert a date to the Gregorian, Julian, French Republican or Hebrew calendar or to convert a date from movable feasts such as Easter.

## Automatic date calculation

The date management module allows you to calculate the date of an event or the age at the event based on two other parameters.

Click the **Dates** tab of the Tools Panels and select the **Calculate Date of Birth**, **Calculate Age**, or **Calculate Date of Event** in the drop-down menu.

*(Windows) Dates tab*



*(Mac) Dates tab*

▼

Dates

×

Date converter

↕


Date

Q

Search


Gregorian

No match




French Republican

No match




Julian

No match



Hebrew

No match



Enter two of the items to get the third, either dates (complete or incomplete) or an age expressed in years, months or days if known.



▼

Dates

×

Calculate date of birth

Date of birth

calculated March 3, 1823

Age at event

Years

Months

Days

31

Date of event

3 3 1854

To copy the result found by the date calculator and report it to the event entry screen:

- Select the date and use the **Edit – Copy** menu.

or Click the  button.

To paste the date or age into a **Personal Data** field:

- Right-click in the **Date** or **Age/Rec** section and select **Paste**.

or Click in the topic and select the **Edit – Paste** menu.

## The date converter tool

To find out the equivalence of a date expressed in a calendar that is unusual for you, use the **Dates** tab.

1. Choose **Convert Date**.

▼
**Dates**
×

Date converter
↕

---

Date (Tuesday)

🔍
3 3 1795
×

---


**Gregorian**  
March 3, 1795
📄

**French Republican**  
13 ventôse an III
📄


**Julian**  
J February 20, 1795
📄

**Hebrew**  
AdarI 12, 5555
📄

2. Type the date as you found it, regardless of the calendar in which it is expressed. Heredis displays equivalencies in other calendars.

3. To use one of the displayed dates, click the Copy  button to the right of the date you are interested in.

4. To insert this date expression into an personal data field or note, click at the insertion point and choose the **Edit** menu > **Paste**.

**(Windows)** To access the date module directly while entering a new person, click on the button at  the end of the event. If this button is not visible, switch to **Comprehensive** input mode or **Customized** mode to have it. See the article Heredis Preferences – Customize Heredis > Select data entry method

**(Mac)** The **Dates** tab can still be used when you add a person, which is why the calendar button is not in the add a person form.


Enter the date you want to convert and copy the converted date into the calendar you are interested in in order to paste it into the event entry field.

## Movable feasts dates

Who hasn't found the mention "Easter Day" or "two days after Easter" in an ancient document? Heredis facilitates your genealogical research by indicating the dates of these movable feasts for all years between the year 325 and the year 2500.

1. Select the Movable Feasts of the **Dates** tab.

*(Windows) Movable Feasts*



Movable Feasts	
Gregorian Year:	1805
Shrove Tuesday:	February 26
Ash Wednesday:	February 27
Palm Sunday:	April 7
Christian Easter:	April 14
Ascension Day:	May 23
Pentecost:	June 2
Trinity Sunday:	June 9
Corpus Christi:	June 13
Orthodox Easter:	April 21
Passover:	April 14

*(Mac) Movable Feasts*

▼

Dates

×

Movable feasts

↕

Date : 

^  
v

Shrove Tuesday: February 26

Ash Wednesday: February 27

Palm Sunday: April 7

Christian Easter: April 14

Ascension Day: May 23

Pentecost: June 2

Trinity Sunday: June 9

Corpus Christi: June 13

Orthodox Easter: April 21

Passover: April 14

2. Indicate the year for which you are looking for this holiday. Heredis then displays the dates of the Christian, Orthodox and Jewish movable holidays for this year.

# The places


Each event entered can be localized to a given location.

Add an event to the person's data entry form. See Input events (voir page 171).

As soon as you enter the first few letters, Heredis suggests places that might match your entry. The list depends on the countries selected in Heredis Preferences. See the article Heredis' Preferences (voir page 100) paragraph The "Countries" tab.

## Heredis has the right place for you

After entering the event date, add the location.



The screenshot shows a text input field labeled "Place" containing the text "lon don - Greater London - ENGLAND". Below the input field is a dropdown menu with a scroll bar. The menu is divided into two sections: "----- Places registered in this genealogy file -----" and "----- All Places -----". The first section contains a single item, "London - Greater London - ENGLAND", which is highlighted with a blue background. The second section contains a list of locations: "Lon - Webster County - MO - UNITED STATES", "Lonaconing - Allegany County - MD - UNITED STATES", "London - ONTARIO - CANADA", "London - Greater London - ENGLAND", "London - Madison County - OH - UNITED STATES", "London - Tulare County - CALIF - UNITED STATES", and "London - Pope County - ARK - UNITED STATES".

Heredis first suggests the places already used in the file, then all the towns that might match. The more you write, the smaller the list becomes.

If a location is suitable, click on it to confirm.

You can also use the arrows on your keyboard to scroll down to the one you're interested in. Then press the Enter key on your keyboard.

## The location is not offered by Heredis

There are several possibilities:

- the location is in a country not selected in Heredis' preferences. Heredis therefore does not offer you the locations of this country. See the article Heredis' Preferences (voir page 100) paragraph The "Countries" tab to learn more about selectable countries.
- the location is in a country not included in the list of selectable countries in Heredis' Preferences (voir page 100). In this case, you'll need to create the location and geolocate it. See the article Geolocating places (voir page 413) for all you need to know on this subject.
- the site is a former town that has now disappeared. Indeed, the databases consulted by Heredis offer current locations only.  
In this case, create the location as a new location. Finish entering the location and move on to the next field. A window opens to create a new location.

## Input data

In the **Suggestions** section (**Map** tab on Windows), enter the name of the current location to launch the OpenStreetMap search.

Once you've found the location, check the map. If it's the right place, click on **Complete** to automatically fill in the missing information.

**Note:** If you click on Replace, the location will have the current information and not its old name.

If the location does not appear in the list, it has been entered differently in OpenStreetMap. Try different formulation. Try searching with the name in the local language. –

If it doesn't appear in the local language, it hasn't been entered into OpenStreetMap. Enter the information manually after using a search engine.

OpenStreetMap is a database of places accessible to all. This database is completely independent of Heredis. We can therefore not guarantee that all locations are present and correctly indicated.

Each time a location is created or used, it is added to the places index. See Places index (voir page 396) for more details.

### Associate an existing location with an event

- Select the event in the **Personal data** screen.
- Take the location from the **Places** panel and release it on the event display area. The

## The places

town is displayed in the event **place** section. Other location information is displayed in gray under the **Place** heading.

*Drag from places panel > drop into an event*

The screenshot shows a family tree software interface. On the left is a 'Places' panel with a search bar and a list of locations. A red arrow points from 'Boston - Suffolk County' in this list to the 'Birth' event in the timeline. The main area displays a person's profile for 'THOMAS, Christopher Edward', including a photo, personal data, and a family table. The family table shows a spouse, 'DAVIS Katherine "Emily" (1896-1988)', with a birth year of 1925 and a status of 'Divorced'. Below the family table is an 'Events' table with columns for event type, year, and age. The 'Birth' event is highlighted, and its details are shown on the right, including the date 'April 26, 1885' and the location 'Boston - Suffolk County - MASSACHUSETTS - UNITED S...'. The 'Place' field is set to 'Boston'.

**Places Panel:**

- Amsterdam - NORTH HOLL...
- Bamako - BAMAKO - MALI
- Basingstoke (RG21 7NX) -...
- Boston - Suffolk County -...**
- Brussels - BRUSSELS-CAPIT...
- Cambridge - Cambridgeshir...
- Chicago - Cook County - IL...
- Geneva - GENEVA - SWITZ...
- Hanover - Region Hannover...
- Harwich - Barnstable Count...
- London - London - ENGLA...
- Lundenwic - London - ENG...
- Miami - Miami-Dade Count...
- Montreal (06) - QUEBEC -...
- New York City - NEW YORK...
- Newton - Middlesex County...
- Paris - Paris - ILE-de-FRAN...
- Philadelphia - Philadelphia...
- Phuket Province - PHUKET...
- Port-au-Prince - DÉPARTE...
- Sudbury (01776) - Middles...
- Tokyo - TOKYO - JAPAN
- Vitry-le-François (51300) -...
- Waterloo - Black Hawk Cou...

**Person Profile:**

Surname: THOMAS  
Given Names: Christopher Edward  
Occupation: Physician  
Child Status: Legitimate  
Signature: Yes  
Gender: M  
Title: [blank]  
User Number: [blank]

**Family Table:**

	Year	Status
1 DAVIS Katherine "Emily" (1896-1988)	1925	Divorced

**Events Table:**

Event	Year	Age
Birth	1885	
1 Marriage	1925	40
S Census	1926	40
Death	1983	97

**Event Details (Birth):**

Date (Sunday): April 26, 1885  
Place: Boston - Suffolk County - MASSACHUSETTS - UNITED S...  
Place Subdivision: Boston

## Add witnesses and participants

Based on the act or document that you possess, indicate who are the persons who attended the event, or who are cited (witnesses, those present, registrar, etc..).

**Witnesses and participants** are displayed on the **Personal Data** tab. For each selected event, you may access them by clicking the **Witnesses** or **Participants** tab. If at least one person was linked to the event, a visual indicator (blue bar) is displayed on the tab, in the list of events.

## Add a new person

### Add a witness

Details Sources Witnesses Media Map			
▼ Role	Witness	Age/Record	Comment
Present	RUCASTLE Gilbert (1870-1955)		

1. Click the **Witnesses** or **Participants** tab in the event information fields. The **Witnesses** tab becomes **Participants** if the event is shared.
2. On the button bar at the bottom, click **+** (Link a witness or participant to the event).
3. The **Assign a Witness or Participant to...** screen opens. Enter the information you know about the person.
4. Click **Add**. The person is now available in the existing persons list of your file.

## Link an existing person

### During data entry for an event

1. Click the **Witnesses** or **Participants** tab in event information fields.
2. On the button bar at the bottom, click **+** (Link a witness or participant to the event).
3. The **Assign a Witness or Participant to...** screen opens. Enter the surname or first name in the **Personal Data** field and select the person to be linked from the list of **Matching Persons** to the right of the screen. Click the **Choose** button or double-click the name in the list.




4. Complete the information field on the link and press **OK**.

### Drag and drop

1. Select the event concerned on the **Personal Data** tab.
2. Take the person to be linked from a side panel (**Persons, Bookmarks, Relations...**), and release him/her on the information fields of the event.
3. Complete the link information fields and press **OK**.

### Add a new person with his/her witnesses

To add witnesses to an event during the data entry for a new person, use the **Comprehensive** or **Customized** display mode by clicking the cogwheel  icon at the top right of the **Add or Choose...** screen. See also *Customize Heredis – Heredis Preferences* article.

1. Add the person you want (see also *Add persons* (voir page 153))
2. Disclose the **Witnesses** field (click the disclosure triangle if it is folded).
3. In the button bar at the bottom of the **Witnesses** field, click the **+** button.
4. The **Assign a Witness to...** screen opens. Enter the information you know about the witness and click **Add**. Or select an existing person and click **Choose**.
5. Provide information on the link with the witness and press **OK**. The witness is added to the **Witnesses** fields of the input screen.
6. Enter another witness or continue typing the data for the primary person.

*(Windows) Add a witness while adding a new person*

## Input data

Entering New Person

Add a new person or choose a matching person

**Personal Data**

Surname Prefix Suffix

Given Names Gender Nickname

Occupation Title

Child Status Signature User Number

**Birth/Christening**

Event Type Date Time

Place Subdivision

Sources

**Witnesses**

**Death/Burial**

Type Date Time Age/Record

Place Subdivision

Cause/Information

**Matching Persons**

- BAKER Matthew (1948-)
- BAKER Thomas (1992-)
- BERNSTEIN Helena (1899-)
- von BORK Jeanne (1863-1921)
- CARFAX Mary (1961-)
- DAVIES Henry James (1840-1905)
- DAVIS Violet Elizabeth (1875-1966)
- DOBNEY Anna (1818-1858)
- GREGSON Vivian (1932-)
- HALL Edna (1882-)
- HAYFS Ann (1833-1915)

BAKER Matthew

Film director

Bi. 16.01.1948 - Brisbane

Preferred Picture

Choose Cancel

*(Mac) Add a witness while adding a new person*

## Add witnesses and participants

Entering New Person

**Add**

**Personal Data**

Surname:

Given Names:

Gender:

Occupation:

Child Status:

Signature:

**Birth**

Date:

Place:

Subdivision:

☐ Private Event

**Witnesses (0)**

Role	Name	Age	Comments
<input type="button" value="+"/>	<input type="button" value="-"/>	<input type="button" value="✎"/>	

**Sources (0)**

**Death**

**Choose**

**Matching Persons**

- BAKER Matthew (1948-)
- BAKER Thomas (1992-)
- BERNSTEIN Helena (1899-)
- von BORK Jeanne (1863-1921)
- CARFAX Mary (1961-)
- DAVIES Henry James (1840-...
- DAVIS Violet Elizabeth (1875...
- DOBNEY Anna (1818-1858)
- GREGSON Vivian (1932-)
- HALL Edna (1882-)
- HAYES Ann (1833-1915)
- HENRY Michael Erwin (1958-)
- HENRY Shannon Jean (1988-)
- KAGANOVITCH Elias (1934-)
- KAGANOVITCH Sacha (1966-)
- LOWENSTEIN Paula (H 5701-)
- MORLEY Andrew (1899-1932)
- MULLAN David (1975-)
- MULLAN Jonathan (1931-)
- de NEMOURS Josephine (18...
- PINKERTON Ann Elizabeth (1...
- ROCTON Adrian (1988-)
- ROCTON Christian (1962-)
- RUCASTLE Adam (1818-1906)
- RUCASTLE Alice Jean (1908...
- RUCASTLE Gilbert (1870-19...

## Change a Witness or Participant link

Every person in the genealogy file may be assigned to one or more events. Enter the information known about his/her role in the event.

Change or supplement this information on the **Personal Data** tab.

1. Select the event and click the **Witnesses** or **Participants** tab.
2. Select the Witness link to be changed and click the **Edit and modify the link with the selected witness or participant** button, or double-click the line.
3. Edit the information of the link.

## Role

Specify the role of the person in the selected event: it may be a participant in the event (witness, religious officiant, godfather, etc..) or be quoted as not having participated (deceased relative, lawyer who has registered a contract, etc. ).

Choose the role to assign from the pop-up menu.

(Windows) *Witness role*

## Input data

Associating a Witness

BERNSTEIN Helena (1899-)

Role  
 Godfather - Godmother

Age/Record

Comments

Cancel OK

(Mac) Witness role

Associate a Witness to Birth of THOMAS Judy (1962-)

Witnesses	
Add	Choose
<b>Personal Data</b> Surname: <input type="text"/> Given Names: <input type="text"/> Gender: ? Occupation: <input type="text"/> Signature: ? <input type="text"/>	<b>Matching Persons</b> BAKER Matthew (1948-) BAKER Thomas (1992-) BERNSTEIN Helena (1899-) von BORK Jeanne (1863-...) CARFAX Mary (1961-) DAVIES Henry James (184...) DAVIS Violet Elizabeth (18...) DOBNEY Anna (1818-1858) GREGSON Vivian (1932-) HALL Edna (1882-) HAYES Ann (1899-1915)

Add Choose

Details about the link to BERNSTEIN Helena (1899-)

Role: Godfather - God...

Age/Rec.:  Effective Age: 63 years

Comments:

Cancel OK

## Age

- **Age on record:** many deeds indicate the age of the witness on the day of the event. Fill in the field **Age/Record**.
- **Effective Age:** to help you verify the choice of an existing person as a witness, Heredis calculates and displays their actual age on the day of the event. If it is very different from the

age on the record, you have probably selected a homonym. Cancel the link and select another person or check the dates which may be incorrect.


If the witness or participant has no known date of birth, the age on the record allows Heredis to calculate the date of birth automatically.

### Comments

Type a comment on the link between the person and the event. In most cases, you will use here references to occupation, residence and kinship as shown on the acts.

Once you have validated the entry or modification of the witness or participant, the comment appears in the list of witnesses or participants.

### Unlink a witness or participant and an event




1. On the **Personal Data** tab, select the event and click the **Witnesses** or **Participants** tab.
2. On the bar at the bottom of the event, click  (Unlink the selected witness or participant from the event).
3. Press **OK** to validate.

The person is detached from the event but remains available in your genealogy file.

## Add other linked persons





The concept of a linked person allows you to specify a link between two persons when:

- The kinship is uncertain. You know that Paul is the uncle of John, but you do not know if he is the paternal or maternal uncle, or the husband of an aunt. Create a personal link between the two individuals until the exact kinship may be determined.
- There are no events to link the two persons. You know that Jane was a friend of Maria. Create a personal link *Friend* between these two persons.

Linked persons are displayed on the **Personal Data** tab. Click the **Sundry Links** tab to add, edit or delete them with   . When at least one person is linked, a visual indicator (blue spot) is displayed on the **Sundry Links** tab. The personal link appears in the **Personal Data** tab of both related persons.





### (Windows) Linked Persons

<div> Families Facts Notes Person Sources Sundry Links Alternate Names </div>			
Surname	Role	Comments	
RUCASTLE Gilbert	Father-in-law		
BERNSTEIN Helena	Friend		


### (Mac) Linked Persons

<div> Families Facts Person Sources Sundry Links Alternate Names </div>		
Name	Role	Comments
Rucastle Gilbert	Father-in-law	

## Add a new person

Put the person you want to add a related person as the primary person.

Click on the **Sundry Link** tab in the **Personal Data** screen. In the button bar of this tab, click the button  (link a person to the primary person).

or Click the  **Add** /  **Add Link**

The windows **Linking a person** opens. Enter the information you know about the person. Make sure the person doesn't already exist in the matching persons list (in the list on the right).

## Add other linked persons

Select the possible duplicate and check out the summary. Click on **Add** or select the matching person and click on **Choose** if the person is already in your file. You may access the detailed data of that person later if you wish to expand on the information about the person.

### (Windows) Linking a Person

Linking a Person to THOMAS Michael George (1933-)

**Add a new person or choose a matching person**

**Personal Data**

Surname  
Given Names  
Gender  
Occupation  
Child Status  
Signature  
Legitimate  
Birth/Christening  
Event Type  
Date  
Place  
Subdivision  
Sources  
Death/Burial  
Type  
Date  
Age/Record  
Place  
Subdivision  
Sources

**Matching Persons**

- BAKER Matthew (1948-)
- BAKER Thomas (1992-)
- BERNSTEIN Helena
- von BORK Helena (1842-1921)
- CAREY Andreas
- CARFAX Mary (1961-)
- DAVIES Henry James (1850-1905)
- DAVIS Violet Elizabeth (1875-1966)
- DOBNEY Anna (1818-1858)
- GREGSON Vivian (1932-)
- HAYES Ann (1833-1915)

**BAKER Matthew**

Film director

16.01.1948 - Brisbane

Parents unknown

Spouse (1)  
THOMAS Judy (1962-)  
xP 09.08.1997 - Hudson

Child (1)  
BAKER Thomas (1992-)

Other events

Shared events

Facts  
Nationality: British

Add Choose Cancel

### (Mac) Linking a Person

## Input data

Linking a Person to Thomas Michael George (1933-)

Sundry Links

Add Choose

Personal Data

Surname:

Given Names:

Gender:

Occupation:

Signature:

Matching Persons

- ☐ Baker Matthew (1948-)
- ☐ Baker Thomas (1992-)
- ☐ Bernstein Helena
- ☐ von Bork Helena (1842-1921)
- ☐ Carey Andreas
- ☐ Carfax Mary (1961-)
- ☐ Davies Henry James (1850-1905)
- ☐ Davis Violet Elizabeth (1875-1966)
- ☐ Dobney Anna (1818-1858)
- ☐ Gregson Vivian (1932-)
- ☐ Hayes Ann (1833-1915)
- ☐ Henry Michael Erwin (1958-)
- ☐ Henry Shannon Jean (1988-)
- ☐ Kaganovitch Elias (1934-)
- ☐ Kaganovitch Sacha (1966-)
- ☐ Lowenstein Paula (H 5701-)
- ☐ Morley Andrew (1899-1932)
- ☐ Mullan David (1975-)
- ☐ Mullan Jonathan (1931-)
- ☐ de Nemours Josephine (1855-1920)
- ☐ Pinkerton Ann Elizabeth (1845-1930)
- ☐ Rocton Adrian (1988-)
- ☐ Rocton Christian (1962-)
- ☐ Rucastle Adam (1818-1906)
- ☐ Rucastle Alice Jean (1908-1998)

vents for the primary person


In the **Linking a person** window,

- Precise the link by unrolling the **Type of Link** menu and select friend, heir, cousin, etc.
- Complete with a possible **Comment** of the link to indicate the nature or origin of the bond that unites these two people as for example “maternal side”.
- Check the wording of the link at the top of the window and, if necessary, reverse the terms of the link with the button. The related person then appears in the **Sundry Link** tab in the **Personal Data** tab. Its link will depend on its gender, if you choose Uncle for example for a woman, then the bond will be Aunt.
- Click **OK** to validate the creation.


*(Windows) Creation of the link*



## Add other linked persons



*(Mac) Creation of the link area at the bottom of the Person information section window*



## Personal links with an existing person

### Personal Data tab

1. Click the **Sundry Links** tab.
2. On the button bar at the bottom, click **+** (Add a link to the primary person).
3. The **Linking a Person to...** screen opens. Enter the surname and given name in the **Personal Data** fields and select the individual from the list of **Matching Persons** to the right of the screen. Click the **Choose** button or double-click the name in the list.
4. Complete the information fields for the link and press **OK**.

### Drag and drop

1. Click the **Sundry Links** tab.
2. Take the person to be linked from one of the side panels (**Persons**, **Bookmarks**, **Relations...**), and release on the **Sundry Links** tab.
3. Complete the information fields on the link and press **OK**.

## Change a personal link

Every person in the genealogy file may be linked to one or more individuals by a personal link. Indicate the information known about the nature of the link in the input fields.

## Input data


Change or supplement the information in the **Personal Data** tab.

### *Windows' Links*

Families	Facts	Notes	Person Sources	Sundry Links	Alternate Names
Surname	Role	Comments			
RUCASTLE Gilbert	Father-in-law				
BERNSTEIN Helena	Friend				

### *Mac's Sundry Links*

Families	Facts	Person Sources	Sundry Links	Alternate Names
Name	Role	Comments		
DUROUCHET Marie-Louise	Testatrix	Elle fait de son petit-fils son légataire universel.		

1. Click the **Sundry Links** tab.
2. Select the link to edit and click **Edit and modify the selected link** , Mac: or double-click the line.
3. Edit the information concerning the link.

### Type of link

Choose the type of link between the two persons from the pop-up menu.

**Info** • The position of the two persons may be meaningful (Mark is the heir of Peter therefore Peter is the testator of Mark), or non-differentiating (Maya and Brenda are friends).

### Meaning of the link

*(Windows) Meaning of the link*

## Add other linked persons

Linking a Person

THOMAS Edward (> 1804-1874)  
is linked 'Ancestor' to CAREY Andreas

Type of Link  
Ancestor/Descendant

Comment

Cancel OK

### *(Mac) Meaning of the link*

Person Linked to DUCHAMP Alexandre Joseph (1849-1947)

JONGKING Alfred is the son-in-law of DUCHAMP Alexandre Joseph

Type of Link: Father/Son-in-law

Comments:

Cancel OK

Check the link in the window title (Is Mark really said to be the heir of Peter, or the testator?). To change the link, click the **Swap the link** icon ⇄.


## Comment

Type a comment justifying the link between these two people.

Once you have validated the entry or modification of the linked person, the comment will appears in the list of linked persons.

The appropriate type of link is specified in the **Sundry Links** tab for each of the two persons and the comment of the link is identical.

## Unlink a person

1. On the **Personal Data** tab, open the **Sundry Links** tab.
2. On the button bar at the bottom, click  (Unlink the selected person).
3. Validate with **OK** and the personal link between these two people no longer exists, but both persons remain available in your genealogy file.

# Facts

With **Facts**, enrich your genealogy with new data and attach witnesses, places, sources, medias and dates to it.

You can add as much as you wish, unlimited number, and you can organize them.

These facts are displayed in the central part of the screen **Data > Personal Data** in the **Facts** tab.

When a **Fact** is filled, the tab is marked with a blue spot.

## Facts

Fact	Description
Nationality	

- To add a **Facts**, click on the **+** button and select the fact to add then write directly in the **Description** area.
- If you wish to complete this fact with other information, a date, a place, a source, a media, search data... click on the pencil button displayed in the tab.
- To delete a **Fact**, select it and click on the **-** button.

**Note:** If you confirm a delete, all information linked to this fact will be lost.

- To organize the display of the facts of your genealogy, click on the cogwheel . Select the facts then click on the **Before** and **After** to change the order of this field.


## Create customized facts

You can add facts that are not already in the list proposed by Heredis.


1. Click on **+** button.
2. Choose **Other** and select **Generic fact** or an other fact you wish to add a subcategory to. (for example, Health to add Surgical intervention)
3. Double-click on the name of the new fact in order to customize it. A window opens to edit and rename the fact.

*(Windows) Customize facts*

## Facts



*(Mac) Customize facts*




4. Enter a new title.


Now this new type of fact will automatically appear in the list of fact to be created. You will now be able to use this fact anytime you need it.

## Search Data

Since Heredis 2023, you can, as for events, add search data.

- Select the fact for which you want to add search data.
- Click the button  to edit the topic.
- Click the **Search Data** tab.

*(Mac) Facts Search Data Tab*



The screenshot shows the Heredis 2023 Mac interface. On the left, a portrait of an elderly man is visible. Below it, a table lists facts and their descriptions:

Fact	Description
Nationality	American

Below the table are icons for adding (+), removing (-), editing (pencil), and settings (gear). At the bottom left, an 'Events' section lists 'Birth', 'Marriage', and 'Burial'.

The main window is titled 'SMITH Peter (1960-1999) - Nationality'. It has tabs for 'Details', 'Search Data' (selected), 'Sources', 'Witnesses', 'Media', and 'Map'. The 'Search Data' tab contains the following fields:

- Search record**: A dropdown menu with a blue arrow icon.
- Project**: A text field containing 'US Branch'.
- Document**: A text field containing 'Citizen Ship'.
- Search Place**: A text field.
- Search Date**: A text field.
- Call #**: A text field.
- URL**: A text field.
- Note**: A large text area with a pencil icon for editing.

At the bottom right of the window are 'Cancel' and 'OK' buttons.

*(Windows) Facts Search Data Tab*

## Facts

U	Events	Year
	Birth	1960
1	Marri...	1990
	Burial	1999

- Choose the search status that suits you: **No Search Record**, **Search Record**, **Untraceable record**, **Search in progress**.
- Indicate:
  - the name of the project if necessary.
  - the type of document,
  - the place of search,
  - the expected date of search,
  - the call number of the document to search for,
  - the URL of the website concerned by the search
  - a note in the notepad that you can make private with the **Private** box. (**Mac**)  
Edit the note with the pencil button to tick the Private Box.
- Validate by clicking **OK**.

The search data will appear in the Research Journal.

See the articles Research Journal (voir page 518), Input Events (voir page 171).

# Alternate names

Our ancestors may have had several first and last names. It is not uncommon to have a first or last name at birth that is different from the first or last name used.

Here are some examples of the reasons for this:

- voluntary change of name on immigration
- change of name on immigration to adapt to the new country
- change of spelling because our ancestors relied solely on spoken language, i.e. with an accent, or if the priest was not from the region, there may have been differences in the way the name was written
- the desire to change one's name in the event of adoption or a change of sex
- etc.

## How do I enter other surnames/givennames?

Place the person concerned in the primary person.

Click on the **Data** tab > **Personal Data**.

Click on the **Alternate names** tab in the centre of the entry screen.

Click on the **+** to add another name.

Enter the surname and givenname.

Select the type of other name. If you can't find what you're looking for, choose **Other** and change the type.

On Windows, replace **Other** with the name you want.

On a Mac, enter the other name type in the empty field provided.

### *(Windows) Alternate names*

Surname & Given Names	Type
Mickey	Also ...

Surname: MICKEY Prefix: Suffix:

Given Names: Nickname:

Type: Also Known As

### *(Mac) Alternate names*

Surname & Given N...	Type
Clodio	Also Known As

Surname: Clodio

Given Names:

Type: Also Known As

When alternate name is entered, the tab is marked with a blue bullet.




## Spelling changes


In the **Alternate names** field, indicate the different spellings of the name you have found and to which type of record. For example: Smith as a married name and Smit as a name at death. This will allow you to see the spelling differences for a person. However, it is also useful to indicate in the Surnames index that this spelling is a variant of a main name. For example, Smith is a variant of Smit.

Indicate variant spellings in the names index.

Use the Surnames index to indicate spelling variants.


- Open the Surnames index.
- Select the main name.
- Click on the pencil  to edit the main name.
- Click on the **+** in the variants area.
- Select the spelling variant.

### (Windows) Name variants



### (Mac) Name variants

## Input data



It is possible to have several spelling variants for the same name. Indicating the variants will allow Heredis to include the spelling variants in the list of existing persons when you add new person. In this way, you can avoid entering a duplicate entry.

*(Windows) Add a person*

## Alternate names

Entering New Person

Add a new person or choose a matching person

**Personal Data**

Surname  
smi

SMIT  
SMITH  
SMITS

Occupation

Child Status Legitimate Signature ?

**Birth/Christening**

Event Type Birth Date

Place Subdivision

Sources

**Death/Burial**

Type Death Date Age/Record

Place Subdivision

Sources

**Matching Persons**

- SMIT Hertha (1749-)
- SMIT Kunigunde (1751-)
- SMIT Peter (1770-)
- SMIT Ralf (1755-)
- SMIT Wilhelmine (1753-)
- SMITH Alexander (1843-)
- SMITH Annegret
- SMITH Aude
- SMITH Audrey
- SMITH Bernhard (1910-)
- SMITH Rilla


**SCHMID Karl Christian**

Arzt in Heidelberg

Bi. 09.11.1847 - Heidelberg Deutschland

D. 07.23.1879 - Heidelberg Deutschland - Krämergasse

Media (1) details



Alternate Names

Add Choose Cancel

(Mac) Add a person

## Input data

**Entering New Person**

**Add** **Choose**

**Personal Data**

Surname:

Given Names:

Gender:

Occupation:

Child Status:

Signature:

**Birth**

Date:

Place:

Subdivision:

**Death**

Date:

Place:

Subdivision:

**Matching Persons**

- SMIT Peter (1770-)
- SMIT Ralf (1755-)
- SMIT Wilhelmine (1753-)
- SMITH Alexander (1843-)
- SMITH Annegret
- SMITH Aude
- SMITH Audrey
- SMITH Bernhard (1910-)
- SMITH Billal
- SMITH Bruno
- SMITH Caroline (1881-)
- SMITH Caroline (1881-)
- SMITH Charles (1898-)
- SMITH Chloe

**SCHMID Karl Christian**

Arzt in Heidelberg

Bi. 09.11.1847 - Heidelberg  
Deutschland

D 07.23.1879 - Heidelberg  
Deutschland - Krämergasse

**Media (1)** [details](#)

**Buttons:** Cancel, Add, Choose

## Deleting another name


To delete another name, select it from the list and click the button.

**Note:** in the index of surnames and givennames, you will not be able to delete these other surnames and givennames as long as they are used by a person in your genealogy. The alternate names associated with the persons in your genealogy are automatically managed in the various import and export operations in GEDCOM or Heredis format, as well as in mergers.


# Input notes

Add specific details to your genealogy by using the available notes. You will find entry boxes for notes on persons, families, events, media, sources, surnames, given names, occupations and places. The notes are equipped with formatting tools integrated in the Heredis software. One may also paste formatted text from other applications (word processors, browsers, desktop publishing tools, etc.) though images are ignored. A note is a text block, it is not made to integrate images.

## *(Windows) Input Notes*






## *(Mac) Input Notes*



## Individual, family and research notes



1. Display the notes:




- **(Mac)** Choose **Person** menu > **Edit Person Note** or **Edit Family Note**.
- **(Windows)** Choose **Person** menu > **Edit Notes**
- or Click the  ou  button in the toolbar if it is displayed.
- Click directly in the Note field when displayed on the navigation or data input screens (input tabs, indexes, media, etc..).
- In the **Data** screens, click on the pencil  to access the note.

2. Enter the text of the note or paste the contents of the clipboard.

3. Use the formatting tools in the text editor.

4. Tick the **Private Note** box if you wish to keep this note excluded from export of the file, printing or publishing on the Internet.


**Windows Info** • When a note is filled in, the **Notes** tab is preceded by a blue bullet and the button  displayed in the toolbar changes its appearance to .

**Mac Info** • When a note is filled in, the **Notes** tab is preceded by an icon  and the button  displayed in the toolbar changes its appearance to .

**Info** • If the note is not visible on the data input tabs, change the data display mode. See Customize Heredis > Select data entry method for further details.

## Note of an event

*(Windows) Note of an event*



Details Sources Witnesses Media Map

Date  Time  Age/Rec.


Place  Place subdivision

☐ Private Event No Search Record  Description/Cause

*(Mac) Note of an event*

## Input notes

The screenshot shows the 'Details' tab of a data entry form. At the top, there are tabs for 'Details', 'Sources', 'Witnesses', 'Media', and 'Map'. The 'Details' tab is active. Below the tabs, there are several input fields: 'Date (Tuesday)' with the value '22 June 1971', 'Age/Record' (empty), 'Place: London - Greater London - London - ENGLAND' with the value 'London', and 'Place Subdivision' with the value 'Simons & Tapply'. Below these fields, there is a 'Private' checkbox which is checked, and a 'No search record' button. At the bottom, there is a large text box labeled 'Note' which contains the text 'Lawyer - Hanover Square'. A pencil icon is visible in the top right corner of the note box.

- Type directly your comment in the text box of **Details** tab
- or Click on the pencil  to open the text box in a new window. You can write and modify the format of your note.

They can be formatted with the usual word processing tools.


**Info** • If the note is not visible on the data input tabs, change the data display mode. See Customize Heredis > Select data entry method for further details.

### Options of notes


For each notes, you can add a specific format with the text editor:

*(Windows) Options of notes*

## Input data




*(Mac) Options of notes*





## Input notes




- Typeface: Bold – Italic – Underline
- Alignment: Align Center – Left – Right – Justify
- Choose the font style and size
- Manage the hypertext link
- Cut – Copy – Paste – Print

Text formatting tools are similar to the usual tools in your operating system.

### Make a note private

Check the **Private** note box to prevent the note being exported or published if it contains information you do not wish to pass on.

The private box is available when you edit the note, or by clicking on the key  under the pencil.

*(Windows) Note privacy in Personal Data tab*

# Input data

Family

Data


History

Search

Graphs

Personal Data

Family Group Data



Surname

SMITH

Prefix

Suffix

Given Names

Christopher Edward

Gender

M

Nickname

Occupation

engineer

Title

Child Status

Legitimate

Signature

Yes

User number

Families

Facts

Notes

Person Sources

Sundry Links

Alternate Names

Person Note

Research note

Family Note with CUMBERBATCH Nora

Family Note with DAVIS Katherine "Emily"

U

Events

Year

Age

Birth

1881

2

Marri...

1925

44

Death

1973

91

Details

Search Data

Sources

Witnesses

Media

Map

Date (Tuesday)

April 26, 1881

Time

Place: New York City - NY - UNITED STATES

New York City

Place subdivision

Description/Cause

Private Event

His mother delivered in a cab on the way to the hospital.

(Mac) Note privacy in Personal Data tab

Family

Data


History

Search

Graphs

Personal Data

Family Group Data



Surname

SMITH

Prefix

Suffix

Given Names

Christopher Edward

Gender

M

Nickname

Occupation

engineer

Title

Child Status

Legitimate

Signature

Yes

User Number

Families

Facts

Person Sources

Sundry Links

Alternate Names

Spouses

Year

Status

1

CUMBERBATCH Nora (1885-< 1925)

1925

Married

2

DAVIS Katherine "Emily" (1896-1988)

1925

Married

Events

Year

Age

Birth

1881

2

Marriage

1925

44

Death

1973

91

Details

Search Data

Sources

Witnesses

Media

Map

Date (Tuesday)

April 26, 1881

Time

Place: New York City - NY - UNITED STATES

New York City

Place Subdivision

Description/Cause

Private

Note

# Sources

The information gathered about your ancestors will be more or less reliable depending on their origin. Assign one or more sources to each event, fact, or person in order to justify the information recorded.

Each source (an act, a website, a historical work...) may be detailed and illustrated at the time of its creation or later.

- For each source, specify in the proposed boxes, the title, reference, author, quality of data.... A free text box allows you to enter a note or record the transcript of an act.
- You can mark a source as private in order not to export it when exchanging files, nor to publish it.
- Each source may be illustrated with media.

Once a source has been created, you may assign it to one or more events. Each event can have one or more related sources. When you assign a source to an event, add a comment indicating the link between the event and the source.

## Create a new source and assign it to an event

*Source tab*

Source	Comments	Evidence
Family Archives, Misc.		Direct

1. Select the event from the **Personal Data** tab.
2. Click the **Sources** tab.
3. Click the **+** button.
4. Click the (Mac) **New Source** button or (Windows) the **+** button in the **Source index** screen.
5. Enter the information for the source and press **OK**. The new source is assigned to the event.

## Input data

### (Mac) Create a source

Entering Source

Type:   ☐ Private Source

Source Title:  Document:


Repository:  Author:

Call #:  Email:

Date:  Website:  Medium:

Archive:

Quality of Data:



☐ Private ☒ Preferred

### (Windows) Create a source

## Sources

**New Source**

Type: **Nameslist (census, passengers, elections...)** Quality of Data: **0** **3** ☐ Private Source

Source Name: **Alameda, California - 1900** Document: **Census**

Repository: **California Archives** Call #:  Date:  Medium: **Digitizing**

Author:  Email:  Website (URL):  Archive:

**Media** **Note** **Transcription**

**TWELFTH CENSUS OF THE UNITED STATES**  
**SCHEDULE No. 1.—POPULATION.**

State **California**  
County **Alameda**  
Township or other division of county **Alameda**  
Name of incorporated city, town, or village, within the above-named division, **Alameda**  
Enumerated by me on the **9** day of June, 1900, **B. H. Brown**

LOCATION		NAME	RELATION	DATE OF BIRTH		SEX	AGE	PLACE OF BIRTH	NATIVITY			CITIZENSHIP
IN CITY	IN RURAL DISTRICT	of each person whose place of abode on June 1, 1900, was in this family.	Relationship of each person to the head of the family.	Month	Year				Place of birth of father	Place of birth of mother		
		Charles	Head	10	1863	M	37	California	Germany	Germany		
		Rosa	Wife	10	1864	F	36	California	Germany	Germany		
		Albert	Son	10	1892	M	8	California	Germany	Germany		
		Charles	Son	10	1894	M	6	California	Germany	Germany		
		Theresa	Daughter	10	1895	F	5	California	Germany	Germany		
		Joseph	Son	10	1896	M	4	California	Germany	Germany		
		William	Son	10	1897	M	3	California	Germany	Germany		
		Elizabeth	Daughter	10	1898	F	2	California	Germany	Germany		
		John	Son	10	1899	M	1	California	Germany	Germany		

**Save** **Display Mode** **OK** **Cancel**

At least enter : Source type, Title, Call#, Repository and Certainty.

Add media, note, transcription, make the source private by ticking the Private Source box.

## Create a source from the source index to attach it later

Open the Source index, click the (Mac) **New Source** button or (Windows) the **+** button in the **Source index** screen.

**Note:** To save time, you can duplicate a source. Select the source you want to duplicate and click . Edit the source with to edit the fields you want to edit. So if you have the same source but just a reference that is different, you can duplicate the source and only change the reference. This is very useful when you create a source for a complete registry. See also The different modes for Sources & Citations (voir page 232) or see below.

## Assign an existing source by drag and drop

1. Select the event from the **Personal Data** tab.
2. Drag the source in the **Sources** panel and drop it in the display field of the event. The source is then assigned.

## Assign an existing source from the Sources tab of the event

1. Click the **+** (Link a source) on the button bar to open the **Entering source...** screen.
2. Select the source from the list then validate by clicking **OK**. The source is assigned to the event.

## Create Person Sources

You can link sources directly to a person, click on the **Person Sources** tab in the middle of the screen **Data > Personal Data**.

The association of a person source works exactly as the association of a source for an event.

## Information for the source

The input/modify screen for a source is composed of fields to be completed, a Note field that can be used for full or partial transcription of the document and a display field for the media assigned to the source.

Type	Record (civil registry, church record, Court...) ▼			Quality of Data	0	3	<input type="checkbox"/> Private Source
Source Name	Arlo E Bernstein in household of Fred Bernstein, "United States Census, 1930"			Document	"United States Census, 1930," database with images, <i>FamilySear		
Repository	Call Nb.	Date	Medium				
			Internet ▼				
Author	Email	Site WEB (URL)	Archive				
		https://familysearch.org/ark:/61903/					

- **Type:** Specify the type of information that allows you to advance in your genealogy. Is it a deed? A family document? A historical work? Etc.
- **Source Name:** Type a pertinent title for recognizing the document. The title of the source appears in the **Sources** panel and in the **Sources** tab of events, as well as in the genealogy documents you may print.
- **Document:** Specify the type of deed (death certificate, marriage contract, etc.) or what document, official or private, which contains the information (census, invitation, family book, etc.).
- **Repository:** Indicate where the original source is archived or the body where you found the information.
- **Call Number:** If the document is from an archive or library and is listed, enter this here. Specify the volume and page number if it is a published book.
- **Date:** Enter the date of the document that allowed you to find the information. Indicate the date of publication for a book, the date of dispatch for correspondence.

**Info** • Remember to specify the date of the source if it differs from the date of the event to which it relates (date of birth certificate issued 20 years after the event).

- **Author:** Enter the author of the document that allowed you to find information. The author of the source can be very different depending on the source. Quote a journalist for an article in a magazine, an amateur genealogist for a GEDCOM file, a ministry

department or local authority for an administrative document, a parent who took a photo...

- **Email:** Note the email of the person or organization that holds the information.
- **URL:** Specify the address (URL) of the Internet website where you found the information.
- **Medium:** Select the medium where you store information or where you saw it. Do you have the original family book? Do you have a copy of the original or do you have a scanned image of the deed? Have you seen the information by consulting a microfilm? Have you found the information in an online genealogy?
- **Archive:** This section concerns only you and allows you to specify where the document is in your personal archives: in a specific file, in a specific folder of your hard disk, etc.
- **Quality of Data:** To qualify the validity of the information, set the certainty of the source by using the cursor, from 0 (not sure) to 3 (completely certain).
- **Note:** In the **Note and transcription** field, enter the information on the source: the details of the genealogist who gave you the information, the circumstances when you collected it by interviewing an old aunt, etc. You can type in the partial or complete transcript of the act. You have available the text editing tools for formatting.
- Tick the **Private Note** box to exclude the note from exports or from printed documents.

### Transcript your sources

Heredis understands the difficulty of your work in deciphering the acts and proposes a **Display mode** get the best possible display of the media and of the note. Click on Display mode button of a source or citation to view the media next to the transcription text block.

Click the **Horizontal Display** button to visualize the entire width of the scanned document, even if you have zoomed the image. You may enter text below the displayed lines.

Click the **Vertical Display** button to visualize the document as a whole, including marginal notes. You may enter text to the right of the displayed image.

### Generalities

All sources entered are managed by the **Sources Index** .

**Warning:** Any modification in a source will be applied to all its uses.

*(Mac) Source index*

## Input data

Demo-Sample Family File - Sources Index

Search 10/10 ☐ Unused Sources Options

T	N	M	P	Title	Document	Repository	Type	Author	Call #	Archive	Medium	Quality	W...	Er
			<input type="checkbox"/>	1841 UK Cens...	Census	National Ar...	Namelist				Internet	2	htt...	
			<input checked="" type="checkbox"/>	Alice's will	Will	Simons & T...	Record				Copy	3		
			<input type="checkbox"/>	Bachelor of A...	Pass list	University...	Namelist		Year 18...		Digitizing	2		
			<input type="checkbox"/>	Death Robert...		Parish reco...	Record		1947		Other	0		
			<input type="checkbox"/>	Diary	Journal	Family arc...	Private D...		1947		Original	3		
			<input type="checkbox"/>	Family Archives	Misc.		Private D...				Original	3		
			<input type="checkbox"/>	Marriage certi...	M.Cert. A.P. (10)	City of We...	Record		D 22915		Internet	3		
			<input type="checkbox"/>	Newspapers	Caledonian Mercury	British Ne...	Publication				Internet	0		
			<input type="checkbox"/>	Old Parish Re...	Baptisms-Marriages-...	ScotlandsP...	Namelist				Internet	2	htt...	
			<input type="checkbox"/>	Statutory Regi...	Births-Marriages-Dea...	ScotlandsP...	Namelist				Internet	2	htt...	

3 entries for 1841 UK Census - National Archives, Census

Type	Source Owner	Date	Place	Place Subdivision	Comment	Evidence
Event	Birth - DOBNEY Anna (1...	1818				Direct
Event	Birth - HAYES Ann (183...	1833	Plymouth			Direct
Event	Birth - RUCASTLE Adam...	06.07.1818	Canterbury			Direct

Type: Namelist (census, passengers, electio...  
 Title: 1841 UK Census  
 Document: Census  
 Repository: National Archives  
 Call #:   
 Author:   
 Date: 1841  
 Email:   
 Website: http://www.nationalarchives.gov.uk...  
 Medium: Internet  
 Archive:   
 Quality:   
☐ Private Source  
 Note Transcription  
☐ Private

(Windows) Source index

Sources Index (10 sources)

Search:  ☐ Unused Sources Only ☐ Private Sources Only

N	T	M	P	Title	Type	Repository	Document	Call #	Medium	Archiv
				1841 UK...	Namelist	National Archives	Census		Internet	
			<input checked="" type="checkbox"/>	Alice's will	Record	Simons & Tapply	Will		Copy	
			<input type="checkbox"/>	Bachelo...	Namelist	University archi...	Pass list	Year ...	Digitizing	
			<input type="checkbox"/>	Death R...	Record	Parish records		1947	Other	
			<input type="checkbox"/>	Diary	Private Do...	Family archives	Journal	1947	Original	
			<input type="checkbox"/>	Family A...	Private Do...		Misc.		Original	
			<input type="checkbox"/>	Marriage...	Record	City of Westmin...	M.Cert. A....	D 22...	Internet	
			<input type="checkbox"/>	Newspa...	Publication	British Newspa...	Caledonia...		Internet	
			<input type="checkbox"/>	Old Pari...	Namelist	ScotlandsPeople	Baptisms-...		Internet	
			<input type="checkbox"/>	Statutor...	Namelist	ScotlandsPeople	Births-Mar...		Internet	

3 entries for 1841 UK Census - National Archives, Census

Type	Sourc...	Date	Place	Subdi...	Comm...	Evide...
Ev...	Birth ...	1818				Direct
Ev...	Birth ...	1833	Plym...			Direct
Ev...	Birth ...	07.06...	Cant...			Direct

Record

Note  
No note

Transcription  
No note

Tools Print Close




## Sources


When you attach a source, add a comment to indicate the connection between the event, the facts or person and the source.

You can also register the quality of the proof you have, click on the displayed list in Evidence column and select the appropriate value according to the detained certificates.

*(Mac) Source tab*



*(Windows) Source tab*



**Direct:** the source responds to the searched question by itself.

**Indirect:** the source is relevant but needs more information.

**Negative:** the source is relevant by the lack of information it should contained.

**Note:** When you add a source to an event, the proof is automatically fixed to direct. You can change this setting in Format tab of Heredis's preferences. (Mac) **Heredis** menu > **Preference** > **Format tab** > **Evidence**, (Windows) **Tools** menu > **Preferences** > **Heredis Preferences** >

**Evidence**, choose the option that matches best to your work.

Report to Source index (voir page 383) and Indexes: Generalities (voir page 356) for more details.

## Managing citations in comprehensive mode

Heredis allows you to enrich the note associated to the sources in order to make it a full citation.

To switch in comprehensive mode,

- (Mac) click **Heredis** menu > **Preference > Format tab**,
- (Windows) **Tools** menu > **Preferences > Heredis Preferences**,
- Tick the **Comprehensive mode** box and check the “**Comprehensive mode**” alternative in the Default source citation options.

New options appear allowing you to register the quality of the source and the information.

**Original**: the source is in its original form.

**Derivative**: the source is extracted, transcribed, translated or derived from the original.

**Primary**: the source comes from a person who did have direct knowledge of the event or person.

**Secondary**: the source comes from a person who did not have a direct knowledge of the event or person (local history, tradition, family history...).

### Source's Preferences

Quality		
Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?


Original: the source is in its original form.  
Derivative: the source is extracted, transcribed, translated or derived from the original.



In comprehensive mode, when you want to associate a source to an event, Heredis display a citation windows allowing you to:

- link the citation to a generic source, a specific record for example
- qualify and eventually declare as private citation
- add the certificate that you detain as media of the citation
- transcribe this certificate and add a note

### (Windows) Source Citation

## Sources

 Source citation for 'Marriage - THOMAS Christopher Edward (1910-1991) & RUCASTLE Alice Jean (1908-1998)'

**Source**  
Marriage certificate - City of Westminster, M.Cert. A.P. (10)  

**Citation**  

Details **Media** Note Transcription

  
Comments:   
  
☐ Private Citation  
Quality  

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Direct: information in the source plainly states the fact by itself.  
Indirect: the source is relevant but needs to be combined with additional information.  
Negative: the source is relevant because of the lack of information it should contain.

Display mode

OK

Cancel

*(Mac) Source Citation*

Input data

Source citation for the Marriage event of THOMAS Christopher Edward

**Source**

Marriage certificate - City of Westminster, M.Cert. A.P. (10) 👁️ ➡️

**Citation**

Details Media Note Transcription

Comments:

**Quality**



Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Primary: the information was provided by someone having firsthand knowledge of the event or person.  
 Secondary: the information was provided by someone having secondhand knowledge of the event or person (local history, tradition, family history...).

☐ Private Citation

Display mode Cancel OK

## Duplicate a citation of a source

If you want to duplicate the citation and all the elements which compose it in another event, use the  copy & paste  buttons.

[illegible]

## Summary of the source

In the **Data** screen > **Personal Data**, next to the list of **Events**, click once on any source under the **Sources** tab: a summary of the source – or of the source citation if you have selected the **Comprehensive** mode under the Default Source Citation Options – will be displayed in the **Summary** panel.

### *Source Citation*

Source Citation
Family Archives, Misc.
<a href="#">1 media</a>
Comments
Quality
Source: original
Information: primary
Evidence: direct
Note
No note for this citation
Transcription
No transcription for this citation

For further details, see The different mode for Sources & Citations (voir page 232)

# The different mode for Sources & Citations

The information gathered about your ancestors will be more or less reliable depending on their origin. Assign one or more sources to each event in order to justify the information recorded.

## Basic Mode

This source management mode is set by default in Heredis. It corresponds to 1 source = 1 deed. The source can then be used for the information resulting from this deed.


Add a source to an event by clicking **+** button on Sources tab. See also Sources (voir page 221).

*(Windows) Source's Basic Mode*

The screenshot shows the 'New Source' dialog box in Heredis software. The window title is 'New Source'. It features a 'Type' dropdown menu set to 'Record (civil registry, church record, Court...)' and a 'Quality of Data' slider ranging from 0 to 3. A 'Private Source' checkbox is also present. The form includes several input fields: 'Source Name', 'Document', 'Repository', 'Call Nb.', 'Date', 'Medium' (with a dropdown menu set to 'Other'), 'Author', 'Email', 'Site WEB (URL)', and 'Archive'. Below these fields are three tabs: 'Media', 'Note', and 'Transcription'. The 'Media' tab is active, showing a large area with the text 'Add a picture'. At the bottom, there is a toolbar with icons for adding, deleting, and editing sources, as well as navigation arrows. The bottom of the dialog has four buttons: 'Save', 'Display Mode', 'OK', and 'Cancel'.

*(Mac) Source's Basic Mode*

## The different mode for Sources & Citations



Each source (an act, a website, a historical work...) may be detailed and illustrated at the time of its creation or later.

- For each source, specify in the proposed boxes, the title, reference, author, quality of data.... A free text box allows you to enter a note or record the transcript of an act.
- You can mark a source as private in order not to export it when exchanging files, nor to publish it.
- Each source may be illustrated with media.


### Comprehensive Mode

To switch in comprehensive mode,

- (Mac) click **Heredis** menu > **Preference** > **Format tab**,
- (Windows) **Tools** menu > **Preferences** > **Heredis Preferences**,
- tick the **Comprehensive mode** box and check the “**Comprehensive mode**” alternative in the Default source citation options.

The comprehensive mode allows to have a generic source associated with a citation for several uses, 1 source = several deed. For example a source created for a registry and a citation per deed inside of this registry.

## Input data

In comprehensive mode, when you click  on Sources tab of an event, you can associate a source already in your Source Index or create a New source if not already created.

### (Windows) Source's Comprehensive Mode

Sources Index (10 sources)

Search:

☐ Unused Sources Only  
☐ Private Sources Only

N	T	M	P	Title	Type	Repository	Document	Call #	Medium	Archiv
				1841 UK...	Namelist	National Archives	Census		Internet	
				Alice's will	Record	Simons & Tapply	Will		Copy	
				Bachelo...	Namelist	University archi...	Pass list	Year ...	Digitizing	
				Death R...	Record	Parish records		1947	Other	
				Diary	Private Do...	Family archives	Journal	1947	Original	
				Family A...	Private Do...		Misc.		Original	
				Marriage...	Record	City of Westmin...	M.Cert. A....	D 22...	Internet	
				Newspa...	Publication	British Newspa...	Caledonia...		Internet	
				Old Pari...	Namelist	ScotlandsPeople	Baptisms-...		Internet	
				Statutor...	Namelist	ScotlandsPeople	Births-Mar...		Internet	

+

-

3 entries for 1841 UK Census - National Archives, Census

Type	Sourc...	Date	Place	Subdi...	Comm...	Evide...
Ev...	Birth ...	1818				Direct
Ev...	Birth ...	1833	Plym...			Direct
Ev...	Birth ...	07.06...	Cant...			Direct

Record

▼ Note

No note

▼ Transcription

No note

Tools ▼

Print

Close



## The different mode for Sources & Citations

Source citation for 'Marriage - THOMAS Christopher Edward (1910-1991) & RUCASTLE Alice Jean (1908-1998)'

Source

Marriage certificate - City of Westminster, M.Cert. A.P. (10)

Citation

Details

Media

Note

Transcription

Comments:

☐ Private Citation

Quality

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Direct: information in the source plainly states the fact by itself.

Indirect: the source is relevant but needs to be combined with additional information.

Negative: the source is relevant because of the lack of information it should contain.

Display mode

OK

Cancel

*(Mac) Source's Comprehensive Mode*

## Input data

Demo-Sample Family File - Sources Index

Search 10/10 ☐ Unused Sources Options

T	N	M	P	Title	Document	Repository	Type	Author	Call #	Archive	Medium	Quality	W...	Er
			<input type="checkbox"/>	1841 UK Cens...	Census	National Ar...	Namelist				Internet	2	htt...	
			<input checked="" type="checkbox"/>	Alice's will	Will	Simons & T...	Record				Copy	3		
			<input type="checkbox"/>	Bachelor of A...	Pass list	University...	Namelist		Year 18...		Digitizing	2		
			<input type="checkbox"/>	Death Robert...		Parish reco...	Record		1947		Other	0		
			<input type="checkbox"/>	Diary	Journal	Family arc...	Private D...		1947		Original	3		
			<input type="checkbox"/>	Family Archives	Misc.		Private D...				Original	3		
			<input type="checkbox"/>	Marriage certi...	M.Cert. A.P. (10)	City of We...	Record		D 22915		Internet	3		
			<input type="checkbox"/>	Newspapers	Caledonian Mercury	British Ne...	Publication				Internet	0		
			<input type="checkbox"/>	Old Parish Re...	Baptisms-Marriages-...	ScotlandsP...	Namelist				Internet	2	htt...	
			<input type="checkbox"/>	Statutory Regi...	Births-Marriages-Dea...	ScotlandsP...	Namelist				Internet	2	htt...	

3 entries for 1841 UK Census - National Archives, Census

Type	Source Owner	Date	Place	Place Subdivision	Comment	Evidence
Event	Birth - DOBNEY Anna (1...	1818				Direct
Event	Birth - HAYES Ann (183...	1833	Plymouth			Direct
Event	Birth - RUCASTLE Adam...	06.07.1818	Canterbury			Direct

Type: Namelist (census, passengers, electio...  
 Title: 1841 UK Census  
 Document: Census  
 Repository: National Archives  
 Call #:   
 Author:   
 Date: 1841  
 Email:   
 Website: http://www.nationalarchives.gov.uk...  
 Medium: Internet  
 Archive:   
 Quality:   
☐ Private Source  
 Note Transcription  
☐ Private

Source citation for the Marriage event of THOMAS Christopher Edward

**Source**  
 Marriage certificate - City of Westminster, M.Cert. A.P. (10)

**Citation**

Details Media Note Transcription

Comments: Marriage of Christopher Thomas and Alice Ruscatle

Quality

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Primary: the information was provided by someone having firsthand knowledge of the event or person.  
 Secondary: the information was provided by someone having secondhand knowledge of the event or person (local history, tradition, family history...).

☐ Private Citation

Display mode Cancel OK

New options appear allowing you to register the quality of the source and the information.

**Original:** the source is in its original form.

**Derivative:** the source is extracted, transcribed, translated or derived from the original.

**Primary:** the source comes from a person who did have direct knowledge of the event or person.

**Secondary:** the source comes from a person who did not have a direct knowledge of the event or person (local history, tradition, family history...).


### Source's Preferences

Quality		
Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Original: the source is in its original form.  
Derivative: the source is extracted, transcribed, translated or derived from the original.

In comprehensive mode, when you want to associate a source to an event, Heredis display a citation windows allowing you to:

- link the citation to a generic source, a specific record for example
- qualify and eventually declare as private citation
- add the certificate that you detain as media of the citation
- transcribe this certificate and add a note

You can modify the Source by clicking on the  eye button. Be aware that if you do modify it, it will be changed for all the utilisation of this source.


### (Windows) Source's Comprehensive Mode

## Input data

Source citation for 'Marriage - THOMAS Christopher Edward (1910-1991) & RUCASTLE Alice Jean (1908-1998)'

Source

Marriage certificate - City of Westminster, M.Cert. A.P. (10)



Citation

Details

Media

Note

Transcription

Comments:

☐ Private Citation

Quality

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Direct: information in the source plainly states the fact by itself.

Indirect: the source is relevant but needs to be combined with additional information.

Negative: the source is relevant because of the lack of information it should contain.

Display mode

OK

Cancel


*(Mac) Source's Comprehensive Mode*

## The different mode for Sources & Citations

Source citation for the Marriage event of THOMAS Christopher Edward

**Source**

Marriage certificate - City of Westminster, M.Cert. A.P. (10)



**Citation**

Details Media Note Transcription

Comments: Marriage of Christopher Thomas and Alice Ruscatle

Quality

Source	Information	Evidence
<input checked="" type="radio"/> Original	<input checked="" type="radio"/> Primary	<input checked="" type="radio"/> Direct
<input type="radio"/> Derivative	<input type="radio"/> Secondary	<input type="radio"/> Indirect
<input type="radio"/> ?	<input type="radio"/> ?	<input type="radio"/> Negative
		<input type="radio"/> ?

Primary: the information was provided by someone having firsthand knowledge of the event or person.  
Secondary: the information was provided by someone having secondhand knowledge of the event or person (local history, tradition, family history...).

☐ Private Citation

Display mode Cancel OK

# Input a Family Group Data

The **Data** tab > **Family Group Data** tab is designed to add easily to expanded family groups and is particularly suited for the entry of descendants.

## Family Group Data

The screenshot shows the 'Family Group Data' input form. It has two main sections: 'Parents (2)' and 'Families (1)'. The 'Parents' section contains a table with columns: Surname, Given Names, B (Birth), Birth Date, Birth Place, D (Death), Death D... (Death Date), and Death Place. There are two rows of parent data. The 'Families' section contains a table with columns: Surname, Given Names, x (Marriage), Marriage Date, and Marriage Place. There is one row of family data. Below each table are '+' and '-' buttons for adding or removing entries.

Parents (2)								
	Surname	Given Names	B	Birth Date	Birth Place	D	Death D...	Death Place
F	Thomas	George	B	7/4/1872	Oxford	D	8/1/1947	Oxford
M	Davis	Violet Elizabeth	B	1875	Blackpool	D	1966	Oxford


  

Families (1)					
	Surname	Given Names	x	Marriage Date	Marriage Place
1	Rucastle	Alice Jean	M	11/22/1935	London

Each generation has an adapted data entry field: parents, spouses and children and their spouses may be entered one after another.

Click on the **+** button to add parents, a spouse or a child.

Enter the surname and given name. Then type the date and place of the required events (Birth, Death or Marriage).

To avoid duplicates, Heredis will indicate with a red arrow , any existing person who may match the person you are entering. Click the red arrow to see the list of potential duplicates. If you think you have identified the person you wish to add, stop typing and select the person from the list and then click **Choose**.

## Family Group Data

The screenshot shows the 'Family Group Data' input form with a dropdown menu open. The dropdown shows a list of potential duplicates with columns: #, Surname, Given Names, M (Marriage), Marriage Date, and Marriage Place. There are three entries in the list. A red arrow points to the first entry, indicating a potential duplicate.

Parents (2)					
Families (3)					
#	Surname	Given Names	M	Marriage Date	Marriage Place
1	GREGSON	Vivian	M	07/01/1954	Hudson
2	LOWENSTEIN	Paula	M	03/03/1976	Troy
3	DAVES				

If no person displayed in the list corresponds to your individual, continue filling out the data fields.


Each data input is validated as soon as you click outside the line. Thus, without displaying any other screen, individuals are simply added generation after generation.

Each field of the **Family Group Data** tab is equipped with the same tools as the other input

## Input a Family Group Data


screens (modular input modes, drag and drop input, automatic formatting, real-time duplicate control).

To delete a person from the family data group, simply select it and click on the  button.

To modify it use the  button in the selected line.

To add a spouse to a child, use the rings icon .

To display the selected person, click on the  button.


Note: As usual in Heredis, you can display more or less fields by using the  cogwheel and change the entering mode.

See also Add children (voir page 148), Add parents (voir page 132), Add spouses (voir page 142).

# Census

## Entering Data from a Census

During your searches, you may need to consult census records. As a matter of fact, such documents can help you narrow down the range of a search period. Imagine you are missing the death date for one of your ancestors. If he/she appears on the records of the 1830 census but is no longer listed on the 1840 one, then you can hypothetically presume that he/she passed away between 1830 and 1840. Moreover, the census will provide data on the household composition, occupations, place of dwelling...

To easily enter data from census records, click on the shortcut  Census of your toolbar or from the menu **Person > Census**.

A window opens up so you can easily enter the data found on this type of documents. An area is available for you to add a media. Click the + button to add the media from your hard-drive disk, from the media index, or from the clipboard.

*(Windows) Entering data from a census*



# Census

Enter Data from a Record: Census

Add a picture

Record Reference | Source | Household | Family links | Additional info

**Record Reference**

Country: United States Year: 1940  
Date: 1940 City:

**Optional entry fields**

**Facts**

- ☐ Nationality
- ☐ Disease-disability
- ☐ Literacy
- ☐ Spoken languages
- ☒ Race/color

**Summary**

**Census United States - 1940**  
Document: Census  
Medium: Digitizing  
Certainty

**Record Reference**  
Country: United States  
Date: 1940

Validate Cancel

*(Mac) Entering data from a census*

## Input data

Enter Data from a Record - Census

**Summary**

**Census United States - 1860**  
Document: Census  
Medium: Digitizing  
Certainty

**Record Reference**  
Country: United States  
Date: 1860

**Record Reference** | Source | Household | Family links | Additional info

Country: United States Year: 1860 Date: 1860  
City:

**Optional entry fields**

**Facts**

- ☐ Nationality
- ☒ Disease-disability
- ☒ Literacy
- ☐ Spoken languages
- ☒ Race/color
- ☒ Land/Properties

**Events**

- ☐ Birth

Cancel Validate

The usual Heredis tools are available so you can **zoom in** and **out**, **add**, **delete**, or **edit** a media.

In the lower area, several tabs are available for you to easily enter data from the census.

### The Record Reference tab

First, start with the **Record Reference** tab. Select the desired **Country**. If the country is not listed, select **Other** in the scroll-down menu. In the same way, you can modify the year in the **Date** field.

Enter the **City**.

You will probably notice that **Optional entry fields** will vary according to the year and country selected. Indeed, Heredis has prerecorded for you the most frequent entry fields for each census, year after year, in the US and in some other countries. You are given the possibility to modify them by selecting or unselecting each entry field according to your needs. Optional entry fields are listed according to the place where the data you enter will be stored. As an example, you will be able to later find the data on Nationality in Facts section.

*(Windows) Record Reference Tab*

## Census

The screenshot shows the 'Record Reference' tab in a Windows application. At the top, there are five tabs: 'Record Reference' (selected), 'Source', 'Household', 'Family links', and 'Additional info'. Below the tabs, the 'Record Reference' section contains four fields: 'Country' (dropdown menu showing 'United States'), 'Year' (dropdown menu showing '1850'), 'Date' (text field showing '1850'), and 'City' (empty text field). Below this is the 'Optional entry fields' section, which contains a list of checkboxes under the heading 'Facts': 'Nationality' (unchecked), 'Disease-disability' (checked), 'Literacy' (checked), 'Spoken languages' (unchecked), and 'Race/color' (checked).

### *(Mac) Record Reference Tab*

The screenshot shows the 'Record Reference' tab in a Mac application. At the top, there are five tabs: 'Record Reference' (selected), 'Source', 'Household', 'Family links', and 'Additional info'. Below the tabs, the 'Record Reference' section contains four fields: 'Country' (dropdown menu showing 'United States'), 'Year' (dropdown menu showing '1860'), 'Date' (text field showing '1860'), and 'City' (empty text field). Below this is the 'Optional entry fields' section, which contains a list of checkboxes under the heading 'Facts': 'Nationality' (unchecked), 'Disease-disability' (checked), 'Literacy' (checked), 'Spoken languages' (unchecked), 'Race/color' (checked), and 'Land/Properties' (checked). There is also an 'Events' section with one checkbox: 'Birth' (unchecked).

You may then enter the data related to the **Source**. As you will see, fields are partially filled out. You can modify them as you please.

## Source Tab

You are given the option to enter source details for your census. Some data are already filled based on what you previously entered in Record References. You may change it if you wish.

### *(Windows) Source Tab*

## Input data

Record Reference Source Household Family links Additional info

**Source**

Title  
Census United States - 1850 ☐ Private Source

Origin of the document

Document Census	Medium Digitizing	Quality of Data Certainty
Repository	Call #	Date
Author	Email	Website

Archive

### (Mac) Source Tab

Record Reference Source Household Family links Additional info

**Source**

Title  
Census United States - 1860 ☐ Private Source

Origin of the document

Document Census	Medium Digitizing	Quality of Data Certainty
Repository	Call #	Date
Author	Email	Website

Archive

Then, go to **Household** tab.

## Household Tab

Under the **Household** tab, enter the **Address** then the household **Composition** – in other words, the number of persons living together under the same roof.

In the **Persons** area, click the + button to add a person; by default, the first person you enter will be considered the Head of Household.

Specify his/her **Surname** and **Given Names**. Just like every time a person is entered in Heredis, the magnifying glass will turn into a red arrow when the person is possibly already in the file. If you know he/she is in your file but his/her name is written in a different way, click on the magnifying glass to select him/her. If you don't and keep entering you'll create a duplicate.

Specify **Occupation**.

## Census

Select this person's **Household Status** by clicking on the pull-down list. Continue entering data according to the fields available for your census.

### *(Windows) Household Tab*

The screenshot shows the 'Household' tab in a software interface. At the top, there are five tabs: 'Record Reference', 'Source', 'Household' (selected), 'Family links', and 'Additional info'. Below the tabs, the 'Household' section contains two input fields: 'Address/Place Subdivision' and 'Composition'. The 'Persons' section lists one person: 'THOMAS\* - Head of Household'. To the right of this list, there are input fields for 'Surname' (THOMAS), 'Given Names' (Michael), and 'Occupation'. Below these is a 'Household Status' section with a pull-down menu currently set to 'Head of Household'. A red plus icon is visible next to the Surname field, and a red minus icon is next to the Gender field.

### *(Mac) Household Tab*

The screenshot shows the 'Household' tab in a software interface. At the top, there are five tabs: 'Record Reference', 'Source', 'Household' (selected), 'Family links', and 'Additional info'. Below the tabs, the 'Household' section contains two input fields: 'Address/Place Subdivision' and 'Composition'. The 'Persons (1)' section lists one person: 'THOMAS\* - Head of Household'. To the right of this list, there are input fields for 'Surname' (THOMAS), 'Given Names' (Michael), and 'Occupation'. Below these is a 'Household Status' section with a pull-down menu currently set to 'Head of House...'. Below the 'Household Status' section is a 'Facts' section with three input fields: 'Disease-disability' (Health Fact - renamed), 'Literacy' (Instruction Fact - renamed), and 'Race/color' (Physical Description Fact - ...). A red plus icon is visible next to the Surname field, and a red minus icon is next to the Gender field.

**Note:** If necessary, entry fields can be added at any time by going back to the **Optional Entry Fields**.

Add the other persons. For each one of them, specify his/her **Household Status** in relation to the Head of Household.

**Note:** The persons who are not already part of your genealogy file are marked with an asterisk and will be created after the census record is validated.

**Mac only:** You can drag and drop from the **Persons** panel in order to add a person to a household.

Make sure to check **Family Links** or to create them if needed.

## Family Links tab

Under the **Family Links** tab, double check the links between each person and the head of household. When entering data from a census, Heredis will assist you in creating persons and the links between them.

If you do not find the appropriate link, select **Other** and specify, under the **Family Links** tab, the relationship between the two persons.

Heredis allows you to specify the links between two persons, even if they are not blood related. Therefore, no data is lost and you will be able to find them again under **Sundry Links** in the **Personal Data** tab.

### *(Windows) Family Links Tab*

Record Reference	Source	Household	Family links	Additional info
<b>THOMAS John: Head of Household</b>				
Click the + button to create a family link.				+
<b>von BORK Jeanne: Spouse of THOMAS John</b>				
Click the + button to create a family link.				+
<b>HALL Edna: Servant</b>				
Has a personal link with		THOMAS John		- +
Other type of link				

### *(Mac) Family Links Tab*

## Census

The screenshot shows the 'Household' tab of a census form. At the top, there are five tabs: 'Record Reference', 'Source', 'Household' (which is selected and highlighted in blue), 'Family links', and 'Additional info'. Below the tabs, the 'Household' section contains two input fields: 'Address/Place Subdivision' and 'Composition'. Underneath, the 'Persons (3)' section lists three individuals: THOMAS John (1854-> 1921) - Head of Household, von BORK Jeanne (1863-1921) - Spouse, and HALL Edna \* - Servant. To the right of this list, a detailed form for the selected person (Edna HALL) is visible. This form includes fields for 'Surname' (HALL), 'Given Names' (Edna), and 'Gender' (F). There is also an 'Occupation' field. A 'Household Status' dropdown menu is set to 'Servant'. Below these are 'Facts' sections for 'Disease-disability' (Health Fact - renamed), 'Literacy' (Instruction Fact - renamed), and 'Race/color' (Physical Description Fact -...). At the bottom left of the form, there are '+' and '-' icons for expanding or collapsing sections.


**Note:** Pre-existing spouses/parents/children links in your file will not be modified – if necessary, an alert will notify you of a conflict.

The non-existing links will be created for you automatically.

### Additional Info tab

Add any extra data you may have under the **Additional Info** tab.

### Validation Window

When you are done entering data, click on **Validate**. Double check the data entered under the **Persons** area. If a  red triangle appears, it means there is a conflict between the new data you have just entered and what was previously recorded in Heredis: choose what suits you best by clicking on the list of suggestions.

*(Windows) Validation Window*

## Input data

Check data before creating

Matching Persons

THOMAS John: Head of Household

Surname: THOMAS      Given Names: John

Gender: M

Birth

Date: May 1854

City: ?

Occupation: clerk US Office engineer - clerk

von BORK Jeanne: Spouse of THOMAS John

Surname: von BORK      Given Names: Jeanne

Gender: F

Birth

Date: December 1862

Source

☒ Create source

☐ Do not create a source

☐ Choose an existing source

< Choose which events to assign the source to >

Comment

Summary

**Census United States - Alameda - 1900**  
Document: Census  
Medium: Digitizing  
Certainty  
Repository: National Archives

**Record Reference**  
Country: United States  
Date: 1900  
City: Alameda

**Household**

- THOMAS John**  
M  
Household Status: Head of Household  
Occupation: clerk US Office engineer - clerk  
Birth - May 1854 - ?
- von BORK Jeanne**  
F  
Household Status: Spouse  
Birth - December 1862

Save in:  
Source note

Assign media to:  
Source

Next    Validate    Back

(Mac) Validation Window



# Census

Check data before creating

Persons created

▼ HALL Edna \*: Servant

Gender: F      Surname: HALL      Given Names: Edna

Matching Persons

▼ THOMAS John: Head of Household

Gender: M      Surname: THOMAS      Given Names: John

Occupation:

▼ von BORK Jeanne: Spouse of THOMAS John

Gender: F      Surname: von BORK      Given Names: Jeanne

Summary

Census United States - 1860

Document: Census  
Medium: Digitizing  
Certainty

Record Reference

Country: United States  
Date: 1860

Household

• THOMAS John  
M  
Household Status: Head of Household  
Occupation: clerk US Office engineer - clerk

• von BORK Jeanne  
F  
Household Status: Spouse

• HALL Edna \*  
F  
Household Status: Servant

Source

☒ Create Source

☐ Do not Create a Source

☐ Choose an existing source

Comments:

Save in:

Assign media to:

Back

Next

Validate

You are free to **create a new source**, to **choose an existing source**, or even **not to create a source**.

Remember to assign the source either to the census or to the events and facts related to the census.

On the right-hand side, you will see the summary of your recent data entry, which you can:

- Save in the source note,
- Save in the source transcription,
- Save in the note or citation transcription if you work in Comprehensive Mode (see the The different mode for Sources & Citations (voir page 232) article),
- Decide not to save.

## Input data

Source note
Source transcription
Citation Note
Citation Transcription
Event Note
Do not save

You are also given the option to choose where the media should be saved: in the source, in the citation, or in the event.

Source
Citation
Event

Then click on **Validate** once you are certain you are done.

**Note:** if you have several entries to make from a single census, all you need to do is click on the **Next** button.

Check out our online video on Census on our Youtube channel for more explanations.

# How to input a same-sex couple?

By default, when you add a spouse to a person, Heredis suggests the opposite gender of that of the person already entered.

Click **Add Spouse**.

If you create a new person, you can change the gender of the person you are entering as a spouse.

The screenshot shows a software window titled "Add or Choose Spouse of BAKER Louis". The window is divided into two main sections: "Add" and "Choose".

**Add Section:**

- Spouse:** A tab at the top left.
- Personal Data:**
  - Surname: [Text Field]
  - Given Names: [Text Field]
  - Gender: [Dropdown menu showing 'M' with a lock icon]
  - Occupation: [Text Field]
  - Child Status: [Dropdown menu showing 'Legitimate']
  - Signature: [Text Field with a question mark]
- Birth:**
  - Date: [Text Field]
  - Place: [Text Field]
  - Subdivision: [Text Field]
- Death:** [Text Field]

**Choose Section:**


- Matching Persons:** A list of names with person icons:
  - BAKER Louis
  - BECKER Leon Joseph
  - von BORCKE Louis "Henry" (1778-18...
  - CARPENTER Michael (1958-)
  - DAVIS Louis (1863-)
  - JONGKING Alfred
  - MARTIN Jonathan
  - MORLEY Andrew ((c) 1848-)
  - MULLAN Julian
  - de NEMOURS John (1737-> 1787)
- BAKER Louis:** A section showing details for the selected person:
  - Mayor
  - Parents
  - Spouse (1): [List of spouses]
  - No Known Child

At the bottom of the window, there are buttons for "Add", "Choose", "Cancel", and "OK".

If the person is chosen from the list of existing persons, change the gender (on Mac, click on the lock to be able to change it) in the **Create a new spouse** screen or choose a spouse from the **existing persons**. The list of existing persons is updated according to the chosen gender.

On Windows, a window alerts you that you are trying to put a spouse of the same gender. This alert is indicative to ensure that you are not making a mistake. If you are certain that it is a homosexual union, validate the message.

## Input data



# How to input adoptive-biological parents?

You have a small adopted child but you know the biological family? One of your persons was taken in by a family that is not his biological family? You have a homosexual couple in your genealogy and want to also put the biological parent(s)?

You have to ask yourself a question: what do I want to do? Heredis follows a simple biological principle: biologically, we all have a father and a mother. But in reality, we can have adoptive parents, 2 fathers or 2 mothers. So, depending on what you want to do, you have several possibilities.

## **You want to do the genealogy of the biological family AND the adoptive family**

It is better to have 2 files. In one of the files, associate the adopted child with his or her biological parents. Click add father and add mother and enter the biological parents. Then add the adoptive parents as sundry links.

In another file, associate the adopted child with his or her adoptive parents. Click add father and add mother and enter adoptive parents. Then add the adoptive parents as sundry links.

Advantages: you will be able to edit books and trees with adoptive and biological branches but in several documents.

Disadvantages: you will have 2 files to manage, be careful not to make a mistake. In addition, you will not see, if in the ancestry there are implexes (common ancestors between the adoptive and biological branch).

See also Create a new genealogy (voir page 43), Add parents (voir page 132), Add sundry links (voir page 200)

## **You want to do the genealogy of the adoptive OR biological family**

In this case, you can have a single file in which you will choose which parents you want to appear in the immediate family screen of Heredis.


Add the biological or adoptive father and mother and do the genealogical research to do the ancestry.

You can mention parents not present as father or mother as sundry links, but won't do the research of their ancestors. Click the Syundry tab and add the adoptive or biological father, do the same for the mother.


See also Add Parents (voir page 132), Add Sundry Links (voir page 200)

# How to delete?


## Delete a link or a person

Sometimes you need to fumble about, make mistakes, and be able to fix them. The toolbar has a **Delete**  button and offers a list of persons to be “deleted”.

This feature actually allows you to unlink a person from the primary person without deleting it. The primary person is the only one who can be (completely) deleted this way.

If the “father” is not the right person, you can unlink him from the primary person by selecting  **Unlink father**. You may still link him as a father to another primary person at a later time. The same thing is true for any other person in your genealogy. In the same manner, you may delete a family link such as a spouse or a child.

## Delete an item from an index

- Open the index you are interested in and select the item to be deleted.
- Click the  button (Delete). Confirm you want it removed from the index by clicking **OK**.

**Info** • Surnames, given names, and places cannot be deleted if they are in use.

## Delete unused items from an index

You may choose to remove, in one simple process, all unused items in your genealogy file. As a precaution, start with displaying a list of all unused items by checking the **Unused [...]** box next to the Search field.

- **(Mac)** Click the **Options** button in the toolbar of the index then select **Remove all unused [...]**
- **(Windows)** Click the **Tools** button of the index then select **Remove all unused [...]**
- Confirm their removal by clicking **OK**.

## The – button to delete

Generally speaking, when you see this button , it means you will be able to delete data.

## Delete a Heredis file

Your genealogy file is stored on your computer hard drive. Heredis needs it to be on the hard drive to be able to work properly, you should not launch the file from a removable drive (USB drive or external hard drive).

## How to delete?

You can delete a genealogy by placing the file in the recycle bin of your computer.

Heredis is a desktop software, which means that your files are saved on your computer. Only you can access it, we do not have your files. This is why it is always necessary to make backups on USB drive or cloud or external hard drive.

To find your files, see the article [Find a file on your computer](#) (voir page 266).

# How do I delete a genealogy?

Your genealogy file is stored on your computer hard drive.

Heredis is a desktop software, which means that your files are saved on your computer. Only you can access it, we do not have your files. That's why you should always make backups to USB key or external hard drive.

To find your files, see Find a file on your computer.

Heredis needs it to be on the hard drive of the computer to be able to work properly, you should not launch the file from a removable disk (USB key or external hard drive) and even less from a cloud.

You can delete a genealogy by placing the file in your computer's Recycle Bin.

## On Windows

- Select the folder with the name of your genealogy and with the extension .hmw.

Ce PC > Documents > BSD Concept > Heredis > Mes généalogies				Rechercher dans : Mes généalogies
Nom	Modifié le	Type		
Fichier Exemple.hmw	17/06/2022 09:49	Dossier de fichiers		
Fichier Exemple_export.hmw	15/06/2022 14:49	Dossier de fichiers		
Fichier Exemple_export-Medias	19/05/2022 08:03	Dossier de fichiers		

- Right-click on your mouse.
- Choose **Delete**.
- Windows puts your file in the Recycle Bin. It will be totally deleted when you will empty it.

## On Mac

- Select the file on behalf of your genealogy.
- Hold down the left mouse click to drag the file to the Recycle Bin.
- Drop the file to the Recycle Bin.
- It will be totally deleted when you will empty it.

**Note** : Once this is done, if you empty the Recycle Bin, the file will be deleted and cannot be restored. If you have not made a backup, we do not have your file. It is therefore useless to contact us to recover it.



# Implex (duplicate branches)

The same person may appear several times in an ascendancy, and appear in several branches of a tree. This is due to consanguineous marriages.

The ratio between the total number of ancestors and the number of ancestors that really exist (smaller) is called the Implex rate. One person may therefore bear several Ahnentafel numbers.

Imagine that Jack marries Marianne. However, Jack's father was the brother of the grandfather of Marianne. Jack and Marianne therefore have common ancestors, which will appear in two different branches of the family tree.

Heredis manages the different numbers automatically and symbolizes it with ++ symbol after the Ahnentafel number.

In the Immediate Family view, if you click on the Ahnentafel number, you'll see all numbers corresponding to the same person. Heredis will show you all Ahnentafel numbers for the person and the way to the root person for each number. Therefore you'll see how the implex was created.

The screenshot displays the Heredis software interface for a family tree. At the top, a box for **de NEMOURS John** (parliamentary lawyer, b. 1737, d. after 1787) is shown with the Ahnentafel number **198++ (G 8)**. Below him is a box for **de NEMOURS Mary Katherine** (b. 1787, d. 1856) with the Ahnentafel number **99++ (G 7)**, which is highlighted with a red rectangle. Below Mary Katherine are two boxes for her children: **von BORCKE Louis "Henry"** (b. 1815, d. 1842) and **SMITH Mary Madeline** (b. 1810, d. 1900). The interface uses a dark blue background with white text and yellow highlights for the Ahnentafel numbers.

*(Mac) Multiple Ahnentafel Numbering*

## Input data

Sample\_Family\_File\_2021 - Different Ahnentafel Numbers

**HAYES Ann (1833-1915)**

This person has 2 different Ahnentafel numbers

Ge...	Ahnentafel Number
6	53
7	111

- HAYES Ann (1833-1915)
- RUCASTLE Gilbert (1870-1955)
- RUCASTLE Alice Jean (1908-1998)
- THOMAS Michael George (1933-)
- THOMAS Judy (1962-)
- BAKER Thomas (1992-)

### *(Windows) Multiple Ahnentafel Numbering*

Multiple Ahn. Numbers

**de NEMOURS Mary Katherine (1787-1856)**

This person has 2 Ahnentafel numbers

Generation	Ahn. numbers
7	99
7	103


- de NEMOURS Mary Katherine (1787-1856)
- von BORK Mary Jane (1816-1900)
- THOMAS Alexander Joseph (1849-1947)
- THOMAS Christopher Edward (1885-1983)
- THOMAS Michael George (1931-)
- THOMAS Sophie (1965-)
- THOMAS Matthew (1991-)

Close

In Descendants view (Family tab) and in Search Tracking, the name of implex persons will appear in red.

Implex (duplicate branches)

Family	Data	History	Search	Graphs
<b>Immediate Family</b>	<b>XXL Family</b>	<b>Ancestors</b>	<b>Descendants</b>	


**Mary Katherine de NEMOURS - Ahn. # 99++ (G 7)**  
 Bl.: Sun, Nov 18, 1787 - D: Sun, Nov 16, 1856

---

- de NEMOURS Mary Katherine - (11.18.1787 - Amsterdam / 11.16.1856 - Amsterdam)
  - SMITH née??? Mary Madeline - (1810 - / - )
    - PINKERTON Francis - ( - / - )
      - PINKERTON Jane "Emily" aka Milie - novelist (10.29.1860 - Geneva / 4.17.1949 - Boston)
        - (12.27.1886 - Geneva) THOMAS Alexander Joseph - general practitioner (11.16.1849 - London / 3.3.1947 - Boston)
        - THOMAS Christopher Edward - Physician (4.26.1885 - Boston / 3.26.1983 - Boston)
          - (10.12.1925 - Boston) DAVIS Katherine "Emily" - none (9.8.1896 - Harwich / 1.25.1988 - Boston)
          - THOMAS Michael George - Engineer (2.3.1931 - Boston / - )
            - (8.12.1951 - Boston) KLEIN Charlotte - journalist (3.21.1930 - Boston / 9.11.1953 - Boston)
              - THOMAS Peter - bookseller (12.6.1952 - Boston / - )
                - (6.29.1977 - Philadelphia) RUCASTLE Alicia Mary - ( - / - )
              - (7.16.1955 - Boston) BERNSTEIN Marie Emily - accountant (3.10.1935 - London / - )
                - THOMAS Paul - physicist (10.8.1956 - Boston / - )
                  - (5.10.1980 - New York City) LOWENSTEIN Maggie - none (7.23.1957 - New York City / - )
                    - THOMAS Lucas - Physical therapist (4.23.1982 - Paris / - )
                      - (7.9.2011 - New York City) WRIGHT Elizabeth - ((c) 1983 - / - )
                    - THOMAS Judy - school teacher (5.18.1960 - Paris / - )
                      - 
                      - THOMAS Melkior - research assistant (5.18.1989 - Montreal (06) / - )
                        - ( - ) CARPENTER Michael - farmer (8.6.1958 - Waterloo / - )
                          - CARPENTER Marion Zoe - student in marketing (1.8.1992 - Waterloo - Waterloo / - )
                        - THOMAS Sophie - editorial writer (8.25.1965 - Boston / - )
                          -
                      - THOMAS Matthew - student (5.1991 - Port-Au-Prince / - )
                    - THOMAS Paul Andreas - film director (H 2.3.5695 - Boston / - )
                      - (10.8.1957 - Paris) LIBENSTEIN Paula - violinist (H 5.6.5698 - Paris / - )
            - (1.24.1815 - Amsterdam) von BORCKE Louis "Henry" - Physicist (10.12.1778 - Hanover / 8.18.1842 - London)
            - von BORK Mary Jane - (2.9.1816 - Amsterdam / 6.7.1900 - Amsterdam)
              - (2.7.1843 - London) THOMAS John - pharmacist (4.29.1817 - London / 2.15.1878 - Amsterdam)
                - TOMAS Charles Mary - medical coroner (9.11.1847 - London / 7.23.1879 - London)
                - THOMAS Alexander Joseph - general practitioner (11.16.1849 - London / 3.3.1947 - Boston)
                  - (5.12.1877 - Geneva) HENRY Anna-Carolyn - teacher (11.13.1848 - Geneva / 1.20.1895 - Amsterdam)
                  - THOMAS George - military officer (1.23.1883 - Geneva / 9.7.1914 - Vitry-Le-François)
                  - (12.27.1886 - Geneva) PINKERTON Jane "Emily" aka Milie - novelist (10.29.1860 - Geneva / 4.17.1949 - Boston)
                    - THOMAS Christopher Edward - Physician (4.26.1885 - Boston / 3.26.1983 - Boston)

The ancestors, descendants and mixed wheels show duplicate branches in relation to the primary person. Check the **Duplicate branches** box to see the text in the boxes of the persons in implexes appear in red. You can view the occurrences of implexes by right-clicking on the box of one of the duplicate branch.

## Input data



Search tracking tool can also be used to identify implexes. The number of implexes is indicated in the generation heading. The first occurrence of an implex is indicated in red, while subsequent occurrences are not mentioned.

## Implex (duplicate branches)

| All Persons |     | Root Person  | Ancestors of SMITH Jack (02.07.1981 - ) |                      |
|-------------|-----|--|---|----------------------|
| >           | G2  | Ancestors found : 2, findable : 2                          | Search progress 80%                     | Found ancestors 100% |
| >           | G3  | Ancestors found : 3, findable : 3                          | Search progress 63%                     | Found ancestors 100% |
| >           | G4  | Ancestors found : 6, findable : 6                          | Search progress 67%                     | Found ancestors 100% |
| >           | G5  | Ancestors found : 11, findable : 12                        | Search progress 64%                     | Found ancestors 92%  |
| >           | G6  | Ancestors found : 12, findable : 21 Duplicate branches : 1 | Search progress 26%                     | Found ancestors 57%  |
| >           | G7  | Ancestors found : 9, findable : 24                         | Search progress 43%                     | Found ancestors 38%  |
| >           | G8  | Ancestors found : 9, findable : 18                         | Search progress 35%                     | Found ancestors 50%  |
| >           | G9  | Ancestors found : 6, findable : 18                         | Search progress 67%                     | Found ancestors 33%  |
| >           | G10 | Ancestors found : 10, findable : 12                        | Search progress 40%                     | Found ancestors 13%  |
| >           | G11 | Ancestors found : 6, findable : 20                         | Search progress 40%                     | Found ancestors 30%  |
| >           | G12 | Ancestors found : 2, findable : 12                         | Search progress 0%                      | Found ancestors 17%  |

## Edit a report of implexes

You can use the smart search to search for implexes persons and edit a report of it. Iplexes are findable only on a direct line from the root person.

- Launch **Smart Search** from **Search** tab
- Choose **Persons** > **Ahn. number** > **Duplicate branch** > **Yes**
- Click on **Search**.
- Check the results.
- To edit a report of the results, click on the **Edit** button (from the Processing selected persons area) and choose the type of report you want.

Input data

[illegible]

# Searching

# Find a file on your computer


Heredis is a desktop software, which means that your files are saved on your computer.

**Note:** It is essential that your files are stored and launch from your computer's hard drive disk and not from a USB key or an external drive or a cloud. If the device is disconnected for any reason even for a second, Heredis will shut down and your file can be damage.


You are the only one who can retrieve them, as we do not have access to your files. Which is why you should always back them up either on a USB drive, a cloud, an external hard drive (just use it to store a backup not open it).

## Find your files in Windows

To find your Heredis files in Windows, look in Documents / BSD Concept / Heredis / Heredis files, as this is where they are usually stored. If not, on the Heredis home page, click on the cogwheel near the name of your recently used file. Then select **Show the File Location in computer...**



Heredis will open Windows Explorer to show you the content of your .hmw folder. Click on the folder before the .hmw folder on the address bar.



You'll be able to copy the .hmw folder with a right click on it and click on Copy. Then Paste it



Find a file on your computer

on a USB key or external hard drive.


### Find files missing from your list of Recent Files

If your file is no longer showing in your recently used files, it does not necessarily mean that it has been deleted. It is simply not displayed in the list of recent ones.

Heredis will not remove genealogy files. If your files are no longer on the computer, it means they were manually deleted, e.g. during a disk cleanup or by your antivirus software.

You can start a search from the Heredis home page to scan your entire computer for all potential genealogy files. It can be a lengthy process.


From the home page, click **Search File on Hard Drive** on the left side banner.



### How to find your files on Mac

From the Heredis home page, click on the cogwheel next to the name of your recently used file. Then select **Reveal in Finder**.

## Searching




You'll be able to copy the .hmw folder with a right click on it and click on Copy. Then Paste it on a USB key or external hard drive.

### How to find files missing from your list of Recent Files

If your file is no longer showing in Recent Files, it does not necessarily mean that it has been deleted. It is simply not displayed in the list of recent ones. Heredis will not remove genealogy files. If your files are no longer on the computer, it means they were manually deleted, e.g. during a disk cleanup or by your antivirus software or the list has been cleaned in the Mac system.

- Open Finder
- Enter .hmw into the search box
- Launch the search



# (Windows) Searching by theme (enhanced criteria) from Persons panel

Heredis offers a simple and rapid search for persons based on their **Surname**, **Given Names** and **Gender**. If this research does not easily isolate the person you are looking for, you have available other search criteria corresponding to all the information you have entered. These advanced research criteria are grouped in the **Persons** tab and are classified by research theme (**Personal Data**, **Relations**, **Events**, etc.).

The screenshot shows the Heredis search interface. At the top, there are tabs for 'Sources' and 'Branches'. Below them are tabs for 'Persons', 'Places', and 'Media'. The 'Persons' tab is selected. There are three input fields: 'Surname', 'Given Name', and 'Gender'. The 'Gender' field has a dropdown menu set to 'All'. Below these fields is a section labeled 'Enhanced criteria' with a right-pointing arrow. Below this is a list of search results:

| Icon               | Name (Year-)             | Gender |
|--------------------|--------------------------|--------|
| Blue person icon   | BAKER Matthew (1948-)    | M      |
| Blue person icon   | BAKER Thomas (1992-)     | M      |
| Purple person icon | BERNSTEIN Helena (1899-) | F      |

1. Open the **Persons** tab in the **Search** panels.
2. Enter if needed the **Surname**, **Given Names** and **Gender**.

*Refine the search by Surname, Given names, Gender*

This screenshot is similar to the previous one, but the 'Gender' dropdown menu is open, showing the following options: 'All', 'M', 'F', and '?'. The search results list now only shows two entries:

| Icon             | Name (Year-)          | Gender |
|------------------|-----------------------|--------|
| Blue person icon | BAKER Matthew (1948-) | M      |
| Blue person icon | BAKER Thomas (1992-)  | M      |

When the list of results is too long and fails to isolate the search person, click the **Show/Hide Enhanced Criteria** > arrow to unfold the advanced search criteria.

*Search in Persons' panel*

## Searching

The search interface includes the following elements:

- Tabs:** Sources, Branches, Persons, Places (selected), Media.
- Search Criteria:**
  - Surname: [Text Field]
  - Given Name: [Text Field]
  - Gender: [All] (dropdown)
  - Enhanced criteria: [v] (checkbox)
  - Search in Entire File: [v] (dropdown)
  - Place: [Text Field]
  - Spouse's name: [Text Field]
  - Years Betw.: [Text Field] and [Text Field]
  - Any Event: [v] (dropdown)
  - Without Source: [ ] (checkbox)
  - None: [v] (dropdown)
  - Direct-Line: [ ] (checkbox)
- Search Button:** Search
- Search Results:**
  - BAKER Matthew (1948-)
  - BAKER Thomas (1992-)
  - BERNSTEIN Helena (1899-)
  - von BORK Jeanne (1863-1921)
  - CARFAX Mary (1961-)
  - DAVIES Henry James (1840-19...)
  - DAVIS Violet Elizabeth (1875-1...)
  - DOBNEY Anna (1818-1858)
  - GREGSON Vivian (1932-)
  - HALL Edna (1882-)
  - HAYES Ann (1833-1915)
  - HENRY Michael Erwin (1958-)

- Select from the drop-down menu which data is to apply to the search: **Search Entire File, Search Ancestors, Search Descendants, Ascendancy and Descendancy, Inconsistent data, Smart Search Results, Last added or modified persons.**

The dropdown menu options are:

- Search in Entire File (selected)
- Search Ancestors
- Search Descendants
- Ascendancy and descendancy
- Inconsistent Data
- Smart Search
- Last added or modified persons

- Indicate a place, name of spouse and define a range of years.
- Apply a filter by **Any event, Birth, Marriage, or Death.**


The dropdown menu options are:


- Any Event (selected)
- Birth
- Marriage
- Death

- Tick the **Without source** box if you wish to search for person with event without

(Windows) Searching by theme (enhanced criteria) from Persons panel

source.

- Make limitations on **Direct-Line** ancestors (Anhentafel line)
- Choose to display only **Childless Family**, **Single-Parent Family**, **Parents Unknown** or **Linked to FamilySearch**. Since Heredis 2021 , it is also possible to search for untraceable parents.




To display the persons corresponding to these Enhanced criteria, click the **Search** button to update the list.

The list of corresponding individuals is updated as you enter details. When you click the name of a person in the list, his/her summary appears in the **Summary Tool** panel. To view a person as primary person in a new **Immediate Family**, just double-click the name. To start a new search, click **Remove criteria** icon. All individuals in the file are displayed again.

# Searching for persons



## Find the Root Person

The Root Person is the individual who lies at the base of your genealogical research and who bears the Ahnentafel No. 1.


- Click  **Root** on the toolbar.
- Choose **Find** menu > **View Root Person**.

See also The Root Person (voir page 131) for more details.

## Search by Name

- Select **Find** menu > **Search by Name**
- or click the **Find**  button on the toolbar and then click  **Search by Name**.

*(Mac) Search by Name window*



*(Windows) Search by Name window*

## Searching for persons

Search by Name (72 Person(s))

Search Contains  
Surname:  Given Name:

Gender: ☒ M ☒ F ☒ ? ☐ Direct-line Ancestors Only

Results:

- KAGANOVITCH Sacha (1966-)
- LOWENSTEIN Paula (5701-)
- MORLEY Andrew (1899-1932)
- MULLAN David (1975-)
- MULLAN Jonathan (1931-)
- de NEMOURS Josephine (1855-1920)
- PINKERTON Ann Elizabeth (1845-1930)
- ROCTON Adrian (1988-)
- ROCTON Christian (1962-)
- RUCASTLE Adam (1818-1906)
- RUCASTLE Alice Jean (1908-1998)
- RUCASTLE Gilbert (1870-1955)
- RUCASTLE Reginald (< 1860-1942)
- SMITH Charlotte (1805-1872)
- SMITH John
- THOMAS Christopher Edward (1910-1991)
- THOMAS Edward (> 1804-1874)
- THOMAS Elizabeth (Tic) (1882-)
- THOMAS George (1870-1871)
- THOMAS George (1872-1947)
- THOMAS Glenn Samuel Bruce (1997-)
- THOMAS John (1994-)
- THOMAS Judy (1962-)
- THOMAS Kate Elsie (1941-)
- THOMAS Marion (1900-1985)
- THOMAS Michael George (1933-)

Summary for THOMAS Michael George:

Ahn. # 1 (Generation 1)  
cabinet maker  
\* 06.02.1933 - Margate

Parents (2)  
P THOMAS Christopher Edward (1910-1991)  
M RUCASTLE Alice Jean (1908-1998)

Spouses (2)  
1 GREGSON Vivian (1932-)  
x 07.01.1954 - Hudson  
2 LOWENSTEIN Paula (5701-)  
x 03.03.1976 - Troy

Children (3)  
1 THOMAS Peter (1956-)  
1 THOMAS Paul (1960-)  
1 THOMAS Judy (1962-)

Other events  
\* Census: 25.03.1965 - Hudson (Columbia)

Shared events  
\* Census: 25.03.1965 - Hudson (Columbia)  
- GREGSON Vivian (1932-) - Participant  
- THOMAS Peter (1956-) - Participant  
- THOMAS Paul (1960-) - Participant  
- THOMAS Judy (1962-) - Participant

Buttons: Print, View, Cancel

1. Type the first letters of the Surname in the **Surname** input field. Heredis will display all persons with this surname and variations that you will have defined in the **Names Index**.  
(**Windows**) The search is carried out in the mode you have chosen. To change it, select **Tools** menu > **Heredis Preferences**. Select the **Search** option on the first letters of the name (**Search Starts with**) or Search the name (**Search Contains**) in the **General** tab.
2. In the **Given Name** box, type the first letters of the given name to narrow your search.
3. Tick the boxes **M**, **F** or **?** to limit the search to men, women or persons of indeterminate gender.
4. Tick the **Direct-Line Ancestors** box to limit the search to direct ancestors.

**Info •** In front of each individual, a colored square indicates the gender of the individual: blue for men, pink for women and green for individuals whose gender is not determined. If a square appears with yellow in the center, it is that of a direct ancestor bearing a Sosa number.

To be sure to correctly identify the person you want, select him/her and check all the information that appears in the Summary area. Click View or double-click the name to display the selected individual as the primary person in a new Immediate Family.

## Search for a direct ancestor

If the person is a direct ancestor in the lineage of the **Root Person**, Heredis has automatically assigned an **Ahnentafel number** to this person.

*(Mac) Search by Ahnentafel number*

Sample\_Family\_File - Search by Number

Ahnentafel Number   User Number   FamilySearch Number

Type in the Ahnentafel Number to be searched

Cancel   OK

*(Windows) Search by Ahnentafel number*



Search by Number

Ahnentafel Number:

User Number:

FamilySearch Number

OK   Cancel

- Click **Find**  > **Search by Number**  on the toolbar or choose **Find** menu > **Search by Number**.
- Click the **Ahnentafel Number** tab and type the number to be searched. You can type any one of the numbers carried by the person you are searching for if there is more than one (implex).
- Click **OK** to display the person corresponding to the selected number as the primary person.


If no person corresponds to the number typed, try another number. Click **Cancel** to abandon the search.




## Search for a person by his/her personal number or FamilySearch number

You may perhaps have indicated a personal number to some persons in your genealogy. You can find these people with this number.

**Info** • Use the **Comprehensive** or **Customized** input mode to view the **User Number** input field.

1. Click the **Find > Search by Number**  button on the toolbar or choose **Find** menu > **Search by Number**
2. Click the **User Number** or **FamilySearch Number** tab and type in the number to search.
3. Click **OK** to display the person corresponding to the number as the primary person.

*(Windows) Search by number*



Search by Number


Ahnentafel Number:

User Number:

FamilySearch Number

OK Cancel

*(Mac) Search by number*



Sample Family File 2018 - Search by Number

Ahnentafel Number User Number FamilySearch Number

Type in the FamilySearch Number to be search

Cancel OK

## Search for a bookmarked person

Open the **Bookmarks** panel that will display a temporary list of persons you require to access

## Searching

frequently.


Double-click a person in the list to view as the primary person.

**Info** • To add a person to the **Bookmarks** list, use drag and drop, or click the **+** (Add primary person to bookmarks) button on the panel toolbar.

*(Windows) Bookmarks*



*(Mac) Bookmarks*




## Search for family connections

Open the **Relations** panel. It displays all the persons who are directly linked to the primary person: they are related, they are cited in one of the events, they played a role in his/her life or you have established a personal link between them.


## Searching for persons

Unfold the fields according to the type of relation linking the individual and the primary person: **Parents-in-Law**, **Cousins**, **Grandchildren**, etc.

*(Windows) Relations Panel*



*(Mac) Relations Panel*



**Info** • When a category contains persons connected with an event (godfather, declarant, witness...), it is marked with a blue symbol in Sundry Links tab of personal Data screen. See also Sundry Links.

### *Level 1 Information*

Open the top level to see the names of parents or persons related to the primary person. Consult the list of direct relatives, persons connected to an event for the primary person (godfather, best man, etc.) or those for whom you have created a personal link.

**Info** • The step relations (aunts and uncles by marriage, step-brothers and sisters, etc.) are

shown in italics under the name of their spouse. Half-brothers and sisters are shown in grey.

### *Level 2 Information*

If additional information is available, click the disclosure triangle next to their name to unfold this level.

Double-click the person sought to display him/her as the primary person on a new **Immediate Family** screen. Double-click the event to open it directly in the **Personal Data** tab.

### **Look for links between two individuals**

Heredis allows you to search for links between two persons. For further details, see Find Relationship article.

### **Search for duplicates in the file**

The search for duplicate identifies persons entered several times in the genealogy file.

For further details, see Find duplicates (voir page 279).

# Find Duplicates

Starting with Heredis 2023, the duplicates search feature has been reviewed and improved. Prior to that, Heredis for Mac and Heredis for Windows used two distinct algorithms, each coming with its advantages and disadvantages.

In Heredis 2023, the two versions of Heredis have been merged, only to keep the best of both worlds.

## Find Duplicates

Launch Heredis.

Open your genealogy file.

In the pulldown menu, click on **Find > Find duplicates...**, or click the icon **Find** then **> Find duplicates...** or even directly the **Find Duplicates** icon if you have added it to your toolbar.

## Set the Search Options


The screenshot shows the 'Find Duplicates' search options dialog in Heredis. At the top, there are two tabs: 'Search Options' (selected) and 'Search Results'. The dialog is divided into three main sections for different search methods:

- Search Method for Given Names:** A dropdown menu is set to 'At least one of the Given Names is Identical'. Below it, the checkbox 'One Given Name of One Parent is identical' is checked.
- Search Method for Events:** A dropdown menu is set to 'Dates Strictly Identical'. Below it, a 'Margin of Error in Years' is set to 20. Two checkboxes are checked: 'Exclude Minor Events' and 'Exclude persons with specify but different birth dates'.
- Search Method for Surnames:** The checkbox 'Limit to a Surname and its variants' is unchecked. Below this, there is a link 'Select a Surname' and a magnifying glass icon.

At the bottom of the dialog, there is a 'Start Search' button.

Choosing the Search Method for Given Names.

## Searching

A screenshot of a web application's search interface. It features a dropdown menu titled "Search Method for Given Names". The menu is open, showing four options: "Ignore Given Names", "✓ At least one of the Given Names is Identical" (which is highlighted in blue), "The First Given Name is Identical", and "At least two of the Given Names are identical". To the right of the menu is a scroll bar with a blue arrow icon.


In the scroll-down menu, select the setting you wish to apply.

- **Ignore:** given names will not be compared.
- **At least one of the Given Names is Identical:** all given names will be checked and if one is identical, Heredis will display a duplicate.
- **The first Given Name is Identical:** only the first given name will be checked.
- **At least two of the Given Names is Identical:** all given names will be checked and if two are identical, Heredis will display a duplicate.

Check the box entitled “**One Given Name of One Parent is Identical**” if you wish to include this criterion.

**Note:** if one of the duplicates shows no parent then the duplicate won't be found.

Choosing the Search Method for Events.

A screenshot of a web application's search interface. It features a dropdown menu titled "Search Method for Events". The menu is open, showing four options: "Ignore Events", "✓ Dates Strictly Identical" (which is highlighted in blue), "Years Strictly Identical", and "Define a Range of Years". Below the menu, there is a checkbox labeled "Exclude persons with specify but different birth dates" which is checked. To the right of the menu is a scroll bar with a blue arrow icon.

In the scroll-down menu, select the setting you wish to apply.

- **Ignore Events:** events won't be taken into consideration.
- **Dates Strictly Identical:** only persons with events on the exact same date will be identified.
- **Years Strictly Identical:** only persons with events in the exact same year will be identified.
- **Define a Range of Years:** select a range of years, for instance to identify duplicates if one has a calculated date while the other shows an exact date, or if one has a birth date while the other shows a baptism date.

Research is done on major and minor events, check the box **Exclude minor events** so that all minor events (other than Birth/Baptism, Union, Death/Burial) are not taken into account.

You may also limit the search to a surname of your choice.

Check the box entitled “**Limit to a Surname and its variants**”

**Note:** variants will be taken into consideration only if you have indicated variants in the Surnames Index.

Click on **Select a Surname** and choose among the Surnames listed in your genealogy. Validate your choice by clicking **Choose**.

It may be worth launching several searches, modifying only one criterion at a time to broaden the possibilities.

Once you are done setting your options, click on **Start Search**.

## Find Duplicates

### Search Results

Heredis switches to the **Search Results** tab.

The screenshot displays the Heredis 'Find Duplicates' search results interface. At the top, there are tabs for 'Search Options' and 'Search Results'. Below these, a search bar is followed by two dropdown menus: 'Potential Duplicates Only' and 'By persons'. A counter indicates '18/18' results. The main area is divided into two columns, 'Person 1' and 'Person 2', each showing a list of potential duplicates. Below these lists, two person cards are expanded, showing family trees and details for DAVIS Katherine 'Emily' (1896-1988). The interface includes buttons for 'Mark persons', 'Edit Duplicates Report', and 'Prepare Merger'.

The search bar allows you to narrow down the results to a given name or to a surname.

The first dropdown list allows you to display

- **Potential Duplicates Only:** it exclude the declared Not a duplicate.
- **Not a Duplicate Persons Only:** this shows only those that you have declared as not a duplicate, allowing you to reverse your decision and uncheck the Not a duplicate box in the event of an error.
- **All Results:** shows all potential duplicates persons and those you have declared as Not a duplicate.

The second dropdown list allows you to change the way your results are presented.

Duplicates can be displayed:

- By pairs of duplicates, if you select **By duplicates**.

# Searching

Search Options

Search Results

Q Search

Potential Duplicates Only

By duplicates

15/15

| First Person                         | Second Person                        | Not A Dupli...                      |
|--------------------------------------|--------------------------------------|-------------------------------------|
| AMBROISE Melissa (1961-)             | AMBROISE Melissa (1961-)             | <input type="checkbox"/>            |
| DAVIS Katherine "Emily" (1896-1988)  | DAVIS Katherine "Emily" (1896-1988)  | <input checked="" type="checkbox"/> |
| DAVIS Katherine "Emily" (1896-1988)  | DAVIS Katherine "Emily" (1896-1988)  | <input type="checkbox"/>            |
| DAVIS Katherine "Emily" (1896-1988)  | DAVIS Katherine "Emily" (1896-1988)  | <input type="checkbox"/>            |
| DAVIS Louis (1863-1955)              | DAVIS Louis (1863-1955)              | <input type="checkbox"/>            |
| DAVIS Louis (1863-1955)              | DAVIS Louis (1863-1955)              | <input type="checkbox"/>            |
| DAVIS Louis (1863-1955)              | DAVIS Louis (1863-1955)              | <input type="checkbox"/>            |
| PINKERTON Jane "Emily" (1860-1949)   | PINKERTON Jane "Emily" (1860-1949)   | <input type="checkbox"/>            |
| SMITH Caroline (1881-)               | SMITH Caroline (1881-)               | <input type="checkbox"/>            |
| SMITH Christopher Edward (1881-1973) | SMITH Christopher Edward (1881-1973) | <input type="checkbox"/>            |
| SMITH Christopher Edward (1881-1973) | SMITH Christopher Edward (1881-1973) | <input type="checkbox"/>            |
| SMITH Christopher Edward (1881-1973) | SMITH Christopher Edward (1881-1973) | <input type="checkbox"/>            |
| WALLACE Brenda (1870-1927)           | WALLACE Brenda (1870-1927)           | <input type="checkbox"/>            |
| WALLACE Brenda (1870-1927)           | WALLACE Brenda (1870-1927)           | <input type="checkbox"/>            |
| WALLACE Brenda (1870-1927)           | WALLACE Brenda (1870-1927)           | <input type="checkbox"/>            |


DAVIS Katherine "Emily"

none

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

Media (2) details



DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable County - MA...

D: January 25, 1988 - Boston - Suffolk County - MA - UNIT...

Spouses

SMITH Christopher ... (1881-1973)

December 10, 1925 - ...

Children

DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable County - ...

D: January 25, 1988 - Boston - Suffolk County - MA - U...

Spouses

SMITH Christophe... (1881-1973)

December 10, 1925...

Children

SMITH Michael Ge... (1931-)

SMITH Vivian (1945-)

DAVIS Katherine "Emily"


Ahn. # 5 (G 3)

none

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

Media (2) details



Mark persons

Edit Duplicates Report

Prepare Merger

- **By persons.** If you click on one of the persons in the list on the left, you'll see the person(s) potentially matching as duplicate(s). This feature comes in handy when you have several potential duplicates for one single person.



## Find Duplicates

Whichever presentation you choose, you can select a duplicate from the list in each column and use the summaries and mini comparison charts to make sure they are indeed duplicates.

If they are not actual duplicates, check the **Not A Duplicate** box at the end of the line on the right-hand side. This person will no longer be suggested as a duplicate. This duplicate will appear if you choose **Not a duplicate Persons Only** or **All Results** but you will see that they are already processed. If you made a mistake, you can uncheck the box to put them back in the potential duplicates.

If you have located an actual duplicate, click on **Prepare Merger...**


Do consult the article entitled *Merging Two Persons* (voir page 285) for more details on how to merge duplicates.

### Edit the list of duplicates

Click the **Edit Duplicate Report** button to get a document from the duplicate list in the file. Click **OK** to get a .rtf document that opens with your default word processor. Click **Export** to have a plain text document that opens with any notepad on your computer.


### Mark Duplicates

If you don't have time to manage the duplicates immediately or if you want to process the duplicate list, you can mark them.

Click **Mark Duplicates** to have the Marked Persons  tag checked in the Personal Data entry for each person. Persons who will be marked are those whose list is displayed. If you have chosen the filter **Not a duplicates Persons Only**, the persons you declared not duplicates will be marked. Similarly, if you have chosen the **Potential Duplicates Only** filter, then only persons with potential duplicates will be marked.

# Merging Two Persons

While entering data in Heredis, you realize you have created a person who may already exist in your genealogy. Or you have imported your cousin's genealogical data into yours and now find yourself with a bunch of duplicates...

Starting with Heredis 2022 , a brand-new merge module is now at your disposal! It will assist you from A to Z during this usually tricky process.

To locate a duplicate, you may:

- Start a search for duplicates – read the article Find Duplicates (voir page 279) in the file. Select two potential duplicates then click on **Prepare merger**.
- Try to find potential duplicates in the persons' panel. Once you have spotted a pair, choose one of them as the primary person and click on the drop-down menu **Person > Merge with another person**. Select the second person by clicking on the magnifying glass button (you will then access the list of existing persons to choose from).

Take a look at the summaries and comparison trees to make sure they are indeed duplicates. Should the person's parents be duplicates, start merging them first. Once you have reviewed the summaries and comparison trees, click on **(Mac) Compare the 2 persons, (Windows) Prepare Merger** to prepare the merger.

*(Mac) Merging Persons popup window from the Person menu*

# Searching

Merging Persons

Merging persons may modify your file considerably! Always save your file before undertaking this operation.

Choose First Person

DAVIS Katherine "Emily" (1896-1988)

Choose second person

DAVIS Katherine "Emily" (1896-1988)

**DAVIS Katherine "Emily"**


Ahn. # 5 (G 3)

None

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

**Preferred Picture**



**Parents**

F DAVIS Louis (1863-1955)

M WALLACE Brenda (1870-1927)

**Spouse (1)**

• SMITH Christopher Edward (1881-1973)

M 12.10.1925 - Boston

DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable County - M...

D: January 25, 1988 - Boston - Suffolk County - MA - UNI...

| Spouses  | Children  |
|--|---|
| SMITH Christopher... (1881-1973)<br>December 10, 19... | SMITH Michael Ge... (1931-)<br>SMITH Vivian (1945-) |

DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable County - MA...

D: January 25, 1988 - Boston - Suffolk County - MA - UNIT...

| Spouses  | Children |
|--|----------|
| SMITH Christopher ... (1881-1973)<br>December 10, 192... |          |


**DAVIS Katherine "Emily"**

None

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

**Preferred Picture**



**Parents**

F DAVIS Louis (1863-1955)

M WALLACE Brenda (1870-1927)

**Spouse (1)**

• SMITH Christopher Edward (1881-1973)

M 12.10.1925 - Boston

No Known Child

Cancel

**Compare the 2 persons...**

(Windows) Merging Persons popup window from the Person menu

Merging People

Merging persons may modify your file considerably! Always save your file before undertaking this operation.

Choose first person

DAVIS Katherine "Emily" (1896-1988)

Choose second person

DAVIS Katherine "Emily" (1896-1988)


**DAVIS Katherine "Emily"**

None

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

**Preferred Picture**



**Parents**

F DAVIS Louis (1863-1955)

M WALLACE Brenda (1870-1927)

DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable Count...

D: January 25, 1988 - Boston - Suffolk County - MA - ...

| Spouses  | Children   |
|--|--|
| SMITH Christoph... (1881-1973)<br>December 10, ... | SMITH Michael G... (1931-)<br>SMITH Vivian (1945-) |

DAVIS Louis (1863-1955)

WALLACE Brenda (1870-1927)

DAVIS Katherine "Emily"

Bi.: September 8, 1896 - Harwich - Barnstable Count...

D: January 25, 1988 - Boston - Suffolk County - MA - ...

| Spouses  | Children |
|--|----------|
| SMITH Christoph... (1881-1973)<br>December 10, ... |          |

**DAVIS Katherine "Emily"**


Ahn. # 5 (G 3)

None

Bi. 09.08.1896 - Harwich

D 01.25.1988 - Boston - Mass General Hospital

**Preferred Picture**



**Parents**

F DAVIS Louis (1863-1955)

M WALLACE Brenda (1870-1927)

Prepare merger...

Close

## Merging Two Persons

See also Find Duplicates (voir page 279) for all details on search for duplicate feature.

Heredis will open a window to prepare your merger. This window contains several columns, colored bullets, arrow buttons, and switches. Let's take a closer look at how to use them.

| PERSONAL DATA  | Merged person  | DAVIS Katherine "Emily" - 5                            |
|--|--|--|
| Gender: F  | F  | F  |
| Surname: DAVIS   | DAVIS  | DAVIS  |
| Given Names: Katherine "Emily"                         | Katherine "Emily"                                      | Katherine "Emily"                                      |
| Occupation: None                                       | None   | None   |
| Child Status: Legitimate                               | Legitimate   | Legitimate   |
| Signature: Can sign                                    | Can sign   | Can sign   |
| Flags  |  |  |
| PERSON NOTE  |  |  |
| Note: Took care of her dad when her mum died           | had a strong personality                               | had a strong personality                               |
| Private Note: No                                       | No   | No   |
| MEDIA (2)  |  |  |
| PERSON EVENTS (2)                                      |  |  |
| Birth: September 8, 1896 - Harwich (Barnstable County) | Birth: September 8, 1896 - Harwich (Barnstable County) | Birth: September 8, 1896 - Harwich (Barnstable County) |
| Death: January 25, 1988 - Boston (Suffolk County)      | Death: January 25, 1988 - Boston (Suffolk County)      | Death: January 25, 1988 - Boston (Suffolk County)      |
| FAMILIES (2)   |  |  |

**Note:** a duplicate merger is irreversible; once you have validated and saved the changes to your file, you can no longer cancel it. Remember to back up your file before merging persons.

## Columns and lines

The first column shows the names of the data categories and fields.

The “person” column on the left-hand side shows the first duplicate; the person’s name, and his/her potential Ahnentafel number can be found in the column heading.

The “person” column in the middle shows the data of the person who will result from the merger; this column is entitled “Merged person”.

The “person” column on the right-hand side shows the second duplicate; the person’s name, and his/her potential Ahnentafel number can be found in the column heading.

To save some screen space, data is organized into categories (or “sections”). These categories are folded; by clicking on the arrow ► preceding the category title, you can unfold it and view all the information available. The arrow will then point downwards; by clicking on it, you will be able to fold the section again.

## Searching

► PARENTS  
▼ PERSONAL DATA  
Gender  
Surname  
Given Names  
Occupation  
Child Status  
Signature  
► Flags  
▼ PERSON NOTE

## Colors

Heredis has prepped up the work for. The data with a green background (in the middle column) has been pre-selected by Heredis. If there is no doubt that the data is identical for both duplicates, then Heredis will show the result in the middle column, colored in green. However, we advise you take the time to doublecheck this data, just in case.

F  
DAVIS  
Katherine "Emily"  
None  
Legitimate  
Can sign

If there is any conflict, Heredis displays the line in the middle column in pink. It's up to you to choose which data to keep and to resolve all conflicts before you validate the merger.



▼ PERSON NOTE  
Note had a strong personality Took care of her dad when her mum died  
Private Note No No


If the line is grayed out, it means that the data has been ignored. Heredis will not ignore data systematically, it is up to you to click on the switch to ignore a set of data. We will go back to this later.

▼ PERSON NOTE  
Note had a strong personality Took care of her dad when her mum died  
Private Note No No

### Bullets

A system of colored bullets, located at the end of the line for each item, shows you which items have conflicts and which do not, i.e., data that might be questionable for the merger.

The pink  bullet indicates that there is at least one conflict. The green  bullet means that Heredis has not encountered any potential issue.

A gray  bullet shows that the dataset has been ignored.

At the bottom of the screen, you can visualize the progress of the conflict resolution. When it reaches 100%, the merger can be validated.

#### *Uncomplete progress bar*





#### *Complete progress bar*




To resolve conflicts more rapidly, we have created a “**Next Conflict**” button (lower-right corner of the window) that allows you to move from one conflict to the next without checking the data already in green. Click on it to move from one conflict to the next if you don’t want to check the remaining data.

The list of information to be checked may be shorter or longer depending on the amount of data entered. Everything is detailed, nothing has been put aside. Therefore, you should take your time.

### Arrows and crosses

To select the data you wish to save from one of the two duplicates, click on the  or  arrow located next to the Merged person column.



| PERSONAL DATA |            |                   |
|---------------|------------|-------------------|
| Gender        | F          | F                 |
| Surname       | DAVIS      | DAVIS             |
| Given Names   | Emily      | Katherine "Emily" |
| Occupation    | Teacher    | None              |
| Child Status  | Legitimate | Legitimate        |
| Signature     | Can sign   | Can sign          |
| Flags         |            |                   |

Some fields could be concatenated. Hence, if you want to retain data from both duplicates for Occupation, Given Names, Notes, etc., you can do so by clicking on the left arrow and then on the right one (or from right to left, it works too).

On the other hand, some fields do not allow you to cumulate data from both sides. For example, you need to be either a Natural or a Legitimate child, you can sign or you cannot.

## Searching

Such fields cannot be combined. Similarly, the same rule applies to Flags: Confidential, Marked, Secondary...

| Field        | Source 1   | Source 2                | Merged                  |
|--------------|------------|-------------------------|-------------------------|
| Gender       | F          | F                       | F                       |
| Surname      | DAVIS      | DAVIS                   | DAVIS                   |
| Given Names  | Emily      | Katherine "Emily" Emily | Katherine "Emily" Emily |
| Occupation   | Teacher    | Teacher                 | Teacher                 |
| Child Status | Legitimate | Legitimate              | Legitimate              |
| Signature    | Can sign   | Can sign                | Can sign                |

| Flag               | Source 1 | Source 2 | Merged |
|--------------------|----------|----------|--------|
| Confidential       | No       | No       | No     |
| Marked             | No       | No       | No     |
| Secondary          | No       | No       | No     |
| Childless          | No       | No       | No     |
| Unmarried          | No       | No       | No     |
| Untraceable Father | No       | No       | No     |
| Untraceable Mother | No       | No       | No     |
| Complete           | No       | No       | No     |

If you made a mistake when selecting the 2 pieces of information, click on the cross **X** to remove the information. Both will be removed, then you will only need to click on one of the 2 arrows to select the data you wish to keep. You can also choose not to keep any data at all. In this case, the central rectangle will read [data ignored].

| Field        | Source 1   | Source 2                | Merged         |
|--------------|------------|-------------------------|----------------|
| Gender       | F          | F                       | F              |
| Surname      | DAVIS      | DAVIS                   | DAVIS          |
| Given Names  | Emily      | Katherine "Emily" Emily | [data ignored] |
| Occupation   | Teacher    | Teacher                 | Teacher        |
| Child Status | Legitimate | Legitimate              | Legitimate     |
| Signature    | Can sign   | Can sign                | Can sign       |

| Flag               | Source 1 | Source 2 | Merged |
|--------------------|----------|----------|--------|
| Confidential       | No       | No       | No     |
| Marked             | No       | No       | No     |
| Secondary          | No       | No       | No     |
| Childless          | No       | No       | No     |
| Unmarried          | No       | No       | No     |
| Untraceable Father | No       | No       | No     |
| Untraceable Mother | No       | No       | No     |
| Complete           | No       | No       | No     |

## Switches

Switches allow you to ignore an entire set of data versus individual pieces of data, as described above (using the cross). For example, if the merger allows me to gather all the information I need on a person, my Person Notes will no longer be of any use to me. By clicking the switch in the Person Note section, I intend to ignore my research notes and therefore will no longer have this information available in the merged person.

*Switch icon is "on" so as to retain all data from this section*

| Field        | Source 1                 | Source 2  | Merged  |
|--------------|--------------------------|---|---|
| Note         | had a strong personality | had a strong personality Took care of her dad when her mum died | had a strong personality Took care of her dad when her mum died |
| Private Note | No                       | No  | No  |

*Switch icon is "off" so as to ignore all data from this section*

| Field        | Source 1                 | Source 2  | Merged |
|--------------|--------------------------|---|--------|
| Note         | had a strong personality | had a strong personality Took care of her dad when her mum died |        |
| Private Note | No                       | No  | No     |

## Events

Heredis places events of the same type side by side for the 2 persons to be merged. For example, both persons have a Birth event. Heredis puts on each side the 2 Birth events, even if they differ. It's then up to you to solve the conflict. To do so, scroll down to the Person Events section, then to the Birth event line. Colored in pink, it will let you identify the issue right away.



## Merging Two Persons

As an example, the capture below shows 2 different dates of birth.

| PERSON EVENTS (2) |  |   |  |
|-------------------|--|---|--|
|                   | Birth: September 8, 1895 - Harwich (Barnstable County) | Birth: - Harwich (Barnstable County)              | Birth: September 8, 1896 - Harwich (Barnstable County) |
| Type              | Birth  | Birth   | Birth  |
| Date              | September 8, 1895                                      | September 8, 1895                                 | September 8, 1896                                      |
| Place             | Harwich (Barnstable County)                            | Harwich (Barnstable County)                       | Harwich (Barnstable County)                            |
| Private Event     | No   | No  | No   |
| Search Status     | No Search Record                                       | No Search Record                                  | No Search Record                                       |
|                   | Death: January 25, 1988 - Boston (Suffolk County)      | Death: January 25, 1988 - Boston (Suffolk County) | Death: January 25, 1988 - Boston (Suffolk County)      |

You may only choose 1 of the 2 dates as it is not possible to cumulate both of them. If you need to investigate some more before validating the date for good, you still have the option to save the 2 events. Click on the white rectangle, i.e. Birth: September 8, 1896 – Harwich (Barnstable County), and choose None. A second Birth event line appears so the 2 events are no longer on the same line. After validation of the merger, the merged person will own 2 birth events. You will later need to manually remove the incorrect birth event from the list of events in the Personal Data entry screen.

| PERSON EVENTS (3) |  |  |  |
|-------------------|--|--|--|
|                   | Birth: September 8, 1895 - Harwich (Barnstable County) | Birth: September 8, 1895 - Harwich (Barnstable County) | None   |
| Type              | Birth  | Birth  |  |
| Date              | September 8, 1895                                      | September 8, 1895                                      |  |
| Place             | Harwich (Barnstable County)                            | Harwich (Barnstable County)                            |  |
| Private Event     | No   | No   |  |
| Search Status     | No Search Record                                       | No Search Record                                       |  |
|                   | None   | Birth: September 8, 1896 - Harwich (Barnstable County) | Birth: September 8, 1896 - Harwich (Barnstable County) |
|                   | Death: January 25, 1988 - Boston (Suffolk County)      | Death: January 25, 1988 - Boston (Suffolk County)      | Death: January 25, 1988 - Boston (Suffolk County)      |

Despite the various suggestions made by Heredis, you remain in full control and can choose what you wish to keep or not.

As for Families (spouses), Parents, and Children, the same principle applies. You can choose to keep one or the other or simply both by selecting **None**. Remember to unfold each section to doublecheck the data.

| FAMILIES (2)      |  |  |  |
|-------------------|--|--|--|
|                   | SMITH Christopher Edward (1881-1973) - Married | SMITH Christopher Edward (1881-1973) - Married | SMITH Christopher Edward (1881-1973) - Married |
| Spouse            | SMITH Christopher Edward (1881-1973)           | SMITH Christopher Edward (1881-1973)           | SMITH Christopher Edward (1881-1973)           |
| Status            | Married  | Married  | Married  |
| Children (2)      |  |  |  |
| Family Events (2) |  |  |  |
| Media (1)         |  |  |  |
|                   | Unnamed Spouse                                 | Unnamed Spouse                                 |  |

If the person has a child but no spouse (e.g. a child with an unknown father), an **“Unnamed Spouse”** line will appear so the child can be displayed.

| FAMILIES (2)      |  |  |  |
|-------------------|--|--|--|
|                   | SMITH Christopher Edward (1881-1973) - Married | SMITH Christopher Edward (1881-1973) - Married | SMITH Christopher Edward (1881-1973) - Married |
| Spouse            | SMITH Christopher Edward (1881-1973)           | SMITH Christopher Edward (1881-1973)           | SMITH Christopher Edward (1881-1973)           |
| Status            | Married  | Married  | Married  |
| Children (2)      |  |  |  |
| Family Events (2) |  |  |  |
| Media (1)         |  |  |  |
|                   | Unnamed Spouse                                 | Unnamed Spouse                                 |  |
| Children (1)      | DAVIS John                                     | DAVIS John                                     |  |

### In short:



- **Colored bullets** indicate whether conflicts are present or not. Green means everything seems consistent, pink means you must doublecheck your data, grey means the data has been ignored.
- **Switches** allow you to ignore a set of data, a section, or an entire event (date, place, status...). The section's bullet point is grey if you chose to ignore this data.
- **Dropdown lists** under Person Events allow you to select the event you wish to compare between both persons.
- The **cross** allows you to ignore one single piece of information.
- The **Next Conflict** button lets you move forward at a faster pace when resolving conflicts, without dwelling on what was predefined by Heredis.

When everything is set up properly and the progress bar shows 100%, the **MERGE** button becomes clickable at the bottom right of the screen. You can then click on it to validate the merger.



# Research of Branches




The **Branches** panel allows you to memorize the different family branches as a base for your research and its evolution.

If the **Branches** panel is not open, it will be displayed and updated by clicking

- the  **Display Family Branch** icon on the **Search** tab > **Search Wizard** of the primary person displayed.
- or click on  on the left of the name of the person whose branch is displayed.

This function allow you to work through each family branch and carry out all the necessary research.


Click the  **Ancestors** or  **Descendants** button to display the required lineage in the **Branches** panel.

Each person displayed in the branch has an icon showing the completeness of data for the three main life events: Birth or Baptism in violet  / Marriage in yellow  / Death or Burial in black . Double-click any person to display the details. A simple click displays the summary in the summary panel.


You have a display filter available in a pop-up menu. You may choose between **All people, Treetops, Hide Complete Persons, Search Status is 'Search Record', Complete Persons Only** and **Sort by Change Date**. As an example, you will display **Complete Persons Only** to display a positive status of your work on this branch. If you **Hide Complete Persons**, you will have a clear idea of the work still to be done on the branch.

*(Mac) Display criteria in the Branches tab.*

## Searching



*(Windows) Display criteria in the Branches tab.*



If you decide that there is much more work to be done on the descendants of a given ancestor, you may select **Memorize This Branch** from the pop-up menu.

The list of persons displayed in the pop-up menu corresponds to the family branches you will have memorized, both ancestors and descendants. Select the name to redisplay the memorized branch.

## Research of Branches

When you select a memorized branch from the pop-up menu, it will replace the previous branch displayed. You may also display the branch of the primary person by clicking the button to the left of the pop-up menu.

Do not overlook to suppress the memorized branch once you have finished your research of this lineage. Open the pop-up menu and select **Clear This Branch**.



# Search for Sources

Find a source simply among all the sources assigned to events in your file.

## With the Sources panel


Use the **Search** box in the **Sources** panel to type a word contained in any input field for the source selected: the document, the name of the author, the call number, etc.

The number of items found matching your search is displayed at the bottom of the panel.


To cancel a search on any word, click the (Windows)  (Mac)  Delete icon to the right of the search box.

Refine the search by selecting sort criteria from the pop-up menu: **Recently Used Sources**, **Unused Sources**, **Private Sources**, **Sources Linked to Primary Person**. The list is updated according to the selected criteria.

### Windows Sources Panel Filter




### Mac Source Panel Filter



To cancel the sort criteria, select **All Sources** from the pop-up menu.


## With the Sources Index



Open the **Sources Index** from the **Tools** menu, or by clicking the button  **Sources Index** on the toolbar.

## Search for Sources

In the **Search** box, type any word contained in any input field of the source desired.

The number of items found matching your search is displayed beneath the Search box.

(Mac) Click on the magnifying glass icon  to select the search mode: **Search Contains** the word entered, or **Search Starts With** the entered letters.

To cancel a search on any word, click the (Windows)  (Mac)  **Delete** icon to the right of the search area.

You will limit the search to unused sources by checking the **Unused Sources** box.

The results can be classified by the presence of a note (N), media (M), private source (P) or Title, Document, Origin... by clicking on the column header.

See the list of events in which this source is used in the (Windows) **Entries** (Mac) **Usage** field at the bottom of the screen. Double-click the line of the event to navigate and view this person and this event.

See the Sources Index and The different mode for Sources & Citations (voir page 232) articles for further details.

## Search for Places



You know that the person has lived in this city or region? Consider using the event places to find someone in your genealogy.

To find a place among the places of your file, you have several options:

### With the Places panel

Use the search box on the **Places** panel to type a word in any entry field for the place you are looking for: the city, postal code, county, state, country.


The number of items found matching your search is displayed at the bottom of the panel.

To cancel a search on one element of the place, click the (Windows)  (Mac)  **Delete** icon to the right of the Search box.


Refine the search by selecting sort criteria from the pop-up menu: **Unused Places**, **Places Linked to Primary Person**. The list is updated according to the selected criteria.

To cancel the sort criteria, select **All Places** in the pop-up menu.



*(Windows) Places Panel*



*(Mac) Places Panel*




### With the Places Index

Open the **Places Index** from the **Tools** menu, click the **Index** button  on the toolbar or **(Mac)** click on the book symbol  on the **Places Panel**.



In the **Search** box, type a word in any input field of the source being searched.

The number of items found matching your search is displayed **(Windows)** in the Title of the Index **(Mac)** beneath the search box.

(Mac) Click on the magnifying glass  to select the search mode: **Search Contains** the word entered, or **Search Starts With** the entered letters.



## Search for Places

To cancel a search on elements of the index, click the (Windows)  (Mac)  **Delete** icon to the right of the **Search** box.

You will limit the search to unused places by checking the **Unused Places** box.

(Mac) The results can be classified by the presence of a variant (V), note (N), media (M), or City, County... by clicking on the column header.

See the list of events/facts in which this place is used by clicking the **Usage** tab. Double-click the line of the event to navigate and view this person and this event.



See the Places Index article for further details.

Heredis also has tools to Geolocating Place subdivisions (voir page 419), Zoom in on a place (voir page 426), Zoom in on the World-Family Tree Mapping, (voir page 432)consult these article to know all details.


# Search for Media

You have several tools available for finding an item of media for assignment to data or for replacement.


## With the Media panel

1. Open the **Media** panel.
2. Type the name or partial name of the media sought in the search box. Cancel the search by clicking on the (Windows)  (Mac)  Delete icon to the right of the search area.
3. Refine the search by selecting sort criteria from the pop-up menu: **Recently Used Media, Unused Media, Private Media, Media Linked to Primary Person, Missing Media**. The list is updated according to the chosen criteria. To cancel the sort criteria, select **All Media** on the pop-up menu.
4. To better identify the media selected, change the display mode for the media, as a list or in thumbnail images, by clicking the corresponding buttons. You may also enlarge the thumbnails by using the zoom slider.

### *Windows Media Panel – Search Criteria*





### *Mac Media Panel – Search Criteria*






The number of items found matching your search is displayed at the bottom of the panel.

The media may be easily assigned to a data item of your file by drag and drop.

### In the Media Index

Open the **Media Index** from the Tools menu, click the **Index** button  on the toolbar or **(Mac)** click on the book symbol  on the **Media Panel**.

- In the **Search** box, type all or part of the name of the desired media. The number of items found matching your search is displayed **(Windows)** in the title of the Media Index oder **(Mac)** beneath the Search box.  
(Mac) Click on the magnifying glass  to select the search mode **Search Contains** the word entered, or **Search Starts With** the entered letters.  
To delete or replace the search word, click the (Windows)  (Mac)  Delete icon to the right of box.
- Limit the search to a type of media by selecting from the pop-up menu: (Windows) **All Media, All Pictures, Other Media, Missing Media, Private Media** (Mac) **All Media, All Image Files, Audio Files, Video Files, Other Types, Missing Media, Private**.
- Limit the search based on the type of data to which the media is assigned by selecting from the second pop-up menu: **Whole Index, Persons, Families, Events, Facts usw...**

To better identify the media selected,

- Sort the thumbnails or (Mac) the list by the name of the media file or the date you entered.
- (Mac) Change the display mode of the media, as a list or thumbnails, by clicking the corresponding buttons in the first pop menu.

**Info:** You may also enlarge the thumbnails by using the zoom slider.


**Mac Info** • The results displayed in a list can be classified according to the presence of a note (N), a private media (P) or by the file name or date, by clicking the column header.

When media are selected from the list, see the data to which the media are assigned in the table at the bottom. **(Mac)** Double-click the data for display in a new screen.


For further details, see Media Index.

## Search for other data types

The indexes list the information you have entered and display the uses for each type of data. By using the Indexes, you can find sources, places, media, but also occupations, surnames, given names and repositories . Each item of data can be illustrated or commented, which brings infinite richness to your genealogical research. What village was part of the «Pencader Hundred»? What was the family crest of «Bolgan»? What is the origin of the name «Andrew»? What was a «balancer»? You have taken care to note this information relating to the life of your ancestors and you will find them by searching in the index in question.

- Open each of these indexes, from the **Tools** menu, or clicking the  **Indexes** button on the toolbar.
- Scroll the contents of the Index or use the search box to limit the number of items displayed.  
Type all or part of the search item. The number of items found matching your search is displayed beneath the search box.

### Mac

- Click on the magnifying glass  to select search mode: **Search Contains** the word entered, or **Search Starts With** the entered letters.
- **(Mac)** Click the **Statistics** tab to see periods of use of the element.


## Search for other data types

Sample\_Family\_File - Places Index

Search 49/49 ☐ Unused Places Options

| V | N | M | City           | Postal... | County         | State/Provin...    | Country       | Latitude          | Longitu...        | S |
|---|---|---|----------------|-----------|----------------|--------------------|---------------|-------------------|-------------------|---|
|   |   |   | ?              |           |                |                    | GERMANY       | 51.500000         | 10.5000...        |   |
|   |   |   | ?              |           |                |                    | ENGLAND       |                   |                   |   |
|   |   |   | Alameda        |           | Alamed...      | CALIFORNIA         | UNITED STA... | 37.765210         | -122.24...        |   |
|   |   |   | Allegan        |           | Allegan...     | MICHIGAN           | UNITED STA... | 42.5292...        | -85.855...        |   |
|   |   |   | Anaheim        |           | Orange         | CALIFORNIA         | UNITED STA... | 33.835278         | -117.913...       |   |
|   |   |   | Baker Township |           | Kingsb...      | SOUTH DAK...       | UNITED STA... | 44.361109         | -97.379...        |   |
|   |   |   | Belleville     |           | Essex          | NEW JERSEY         | USA           | 40.793710         | -74.150...        |   |
|   |   |   | Blackpool      |           | Lancas...      | NORTH WEST         | ENGLAND       | 53.816670         | -3.0500...        |   |
|   |   |   | <b>Boston</b>  |           | <b>Suffolk</b> | <b>MASSACHU...</b> | <b>USA</b>    | <b>42.3584...</b> | <b>-71.059...</b> |   |
|   |   |   | Brisbane       |           |                | QUEENSLA...        | AUSTRALIA     | -27.4679...       | 153.028...        |   |
|   |   |   | Camberley      |           | Surrey         | SOUTH EAST         | ENGLAND       | 51.337050         | -0.7426...        |   |
|   |   |   | Canterbury     |           | Kent           | SOUTH EAST         | ENGLAND       | 51.279040         | 1.079920          |   |
|   |   |   | Dover          |           | Kent           | SOUTH EAST         | ENGLAND       | 51.133330         | 1.300000          |   |

Details Map




City: Boston  
☐ Handle Characters Manually  
 Postal Code:   
 County: Suffolk  
 State/Province: MASSACHUSETTS  
 Country: USA  
 Latitude: 42.358430  
 Longitude: -71.059770  
 Note: ☐ Private Note  
<http://www.cityofboston.gov/http://www.cityofboston.qov/>

**Boston**  
 Variants

Usage Subdivisions **Statistics**

3 events in Boston between 1932 and 2016



Number of dated events

1925 1950 1975 2000 2025

- Click the **Usage** tab and check the list of persons for whom you typed the given name, the surname or occupation.

## Searching


Sample\_Family\_File - Places Index

Search  ☐ Unused Places

49/49

| V | N | M | City           | Postal... | County         | State/Provin...    | Country       | Latitude          | Longitu...        | S |
|---|---|---|----------------|-----------|----------------|--------------------|---------------|-------------------|-------------------|---|
|   |   |   | ?              |           |                |                    | GERMANY       | 51.500000         | 10.5000...        |   |
|   |   |   | ?              |           |                |                    | ENGLAND       |                   |                   |   |
|   |   |   | Alameda        |           | Alamed...      | CALIFORNIA         | UNITED STA... | 37.765210         | -122.24...        |   |
|   |   |   | Allegan        |           | Allegan...     | MICHIGAN           | UNITED STA... | 42.5292...        | -85.855...        |   |
|   |   |   | Anaheim        |           | Orange         | CALIFORNIA         | UNITED STA... | 33.835278         | -117.913...       |   |
|   |   |   | Baker Township |           | Kingsb...      | SOUTH DAK...       | UNITED STA... | 44.361109         | -97.379...        |   |
|   |   |   | Belleville     |           | Essex          | NEW JERSEY         | USA           | 40.793710         | -74.150...        |   |
|   |   |   | Blackpool      |           | Lancas...      | NORTH WEST         | ENGLAND       | 53.816670         | -3.0500...        |   |
|   |   |   | <b>Boston</b>  |           | <b>Suffolk</b> | <b>MASSACHU...</b> | <b>USA</b>    | <b>42.3584...</b> | <b>-71.059...</b> |   |
|   |   |   | Brisbane       |           |                | QUEENSLA...        | AUSTRALIA     | -27.4679...       | 153.028...        |   |
|   |   |   | Camberley      |           | Surrey         | SOUTH EAST         | ENGLAND       | 51.337050         | -0.7426...        |   |
|   |   |   | Canterbury     |           | Kent           | SOUTH EAST         | ENGLAND       | 51.279040         | 1.079920          |   |
|   |   |   | Dover          |           | Kent           | SOUTH EAST         | ENGLAND       | 51.133330         | 1.300000          |   |

Details Map



City: Boston

☐ Handle Characters Manually

Postal Code:

County: Suffolk

State/Province: MASSACHUSETTS

Country: USA

Latitude: 42.358430

Longitude: -71.059770

Note: ☐ Private Note

<http://www.cityofboston.gov/http://www.cityofboston.gov/>

**Boston**

Variants

Usage Subdivisions Statistics

3 entries for Boston - Suffolk - MASSACHUSETTS - USA

| Event/Fact | Persons                       | Date       | Subdivision  |
|------------|-------------------------------|------------|--------------|
| Birth      | GREGSON Vivian (1932-)        | 07.11.1932 | Mass Gen     |
| Birth      | GREGSON Vivian (1932-)        | 07.11.1932 |              |
| Residence  | THOMAS Michael George (1933-) | 2016       | Nursing Home |

- Double-click the line to display the individual as the primary person.

## Windows

- Select the desired item from the list and consult all the details you entered.

## Search for other data types

Sources Index (10 sources)

Search:

☐ Unused Sources Only  
☐ Private Sources Only

| N | T | M | P | ▲ Title      | Type          | Repository          | Document      | Call #   | Medium     | Archiv |
|---|---|---|---|--------------|---------------|---------------------|---------------|----------|------------|--------|
|   |   |   |   | 1841 UK...   | Namelist      | National Archives   | Census        |          | Internet   |        |
|   |   |   |   | Alice's will | Record        | Simons & Tapply     | Will          |          | Copy       |        |
|   |   |   |   | Bachelo...   | Namelist      | University archi... | Pass list     | Year ... | Digitizing |        |
|   |   |   |   | Death R...   | Record        | Parish records      |               | 1947     | Other      |        |
|   |   |   |   | Diary        | Private Do... | Family archives     | Journal       | 1947     | Original   |        |
|   |   |   |   | Family A...  | Private Do... |                     | Misc.         |          | Original   |        |
|   |   |   |   | Marriage...  | Record        | City of Westmin...  | M.Cert. A.... | D 22...  | Internet   |        |
|   |   |   |   | Newspa...    | Publication   | British Newspa...   | Caledonia...  |          | Internet   |        |
|   |   |   |   | Old Pari...  | Namelist      | ScotlandsPeople     | Baptisms-...  |          | Internet   |        |
|   |   |   |   | Statutor...  | Namelist      | ScotlandsPeople     | Births-Mar... |          | Internet   |        |

3 entries for 1841 UK Census - National Archives, Census

| Type  | Sourc...  | Date     | Place   | Subdi... | Comm... | Evide... |
|-------|-----------|----------|---------|----------|---------|----------|
| Ev... | Birth ... | 1818     |         |          |         | Direct   |
| Ev... | Birth ... | 1833     | Plym... |          |         | Direct   |
| Ev... | Birth ... | 07.06... | Cant... |          |         | Direct   |

Record


▼ Note  
No note

▼ Transcription  
No note

Tools ▼ Print Close


- Click the **Entries** tab (or consult them in the lower part of the index depending on the type of index) and check the list of persons for whom you typed the given name, the surname or occupation. Double-click the line to display the individual as the primary person.


# Search Wizard

Visual cues tell you whether or not a search is necessary for the primary person displayed, based on the criteria you set in **Heredis' Preferences**, see Heredis' Preferences (voir page 100) for more details on data completeness. The completeness icon  appears in the status bar, in the **Searches** tab, in the **Persons** and **Branches** tabs in the search panel. It tells you whether, for the main life events (Birth or Baptism – Union – Death or Burial), the information entered is complete, incomplete or missing.

- Click on the **Search** tab > **Search Wizard**.






## Primary Person data


- Heredis allows you to see events that have been experienced or of importance to your ancestor's history and gives you the age he was if he were alive. You see the data of the primary person and his/her loved ones (Parents, Spouses, Children, Fratrie), click on the cogwheel at the  top right to change the display. Choose to view only the primary person's data by unchecking all the crossover events, or select which events you want to see.




| Events   | Date                     | Age       | Place         | Subdivision                     |
|--|--------------------------|-----------|---------------|---------------------------------|
| Marriage of the parents                            | Mon, Oct 12, 1925        |           | Boston        |                                 |
| Birth of his spouse Charlotte                      | Fri, Mar 21, 1930        |           | Boston        |                                 |
| <b>Birth</b>                                       | <b>Tue, Feb 3, 1931</b>  |           | <b>Boston</b> |                                 |
| Christening  | 1932                     | 10m       | Boston        |                                 |
| Birth of his brother Paul                          | Heshr 3, 5695            | 3         | Boston        |                                 |
| Birth of his spouse Marie                          | Sun, Mar 10, 1935        | 4         | London        |                                 |
| <b>Marriage with KLEIN Charlotte (1930-1953)</b>   | <b>Sun, Aug 12, 1951</b> | <b>20</b> | <b>Boston</b> | Gordon Hospital                 |
| Birth of his son Peter                             | Sat, Dec 6, 1952         | 21        | Boston        |                                 |
| Death of his spouse Charlotte                      | Fri, Sep 11, 1953        | 22        | Boston        |                                 |
| <b>Marriage with BERNSTEIN Marie Emily (1935-)</b> | <b>Sat, Jul 16, 1955</b> | <b>24</b> | <b>Boston</b> |                                 |
| Birth of his son Paul                              | Mon, Oct 8, 1956         | 25        | Boston        |                                 |
| Birth of his daughter Judy                         | Wed, May 18, 1960        | 29        | Paris         | Clinique Geoffroy Saint-Hilaire |
| Birth of his daughter Sophie                       | Wed, Aug 25, 1965        | 34        | Boston        |                                 |
| Marriage of his son Peter                          | Wed, Jun 29, 1977        | 46        | Philadelphia  |                                 |
| Marriage of his son Paul                           | Sat, May 10, 1980        | 49        | New York City |                                 |
| Death of his father                                | Sat, Mar 26, 1983        | 52        | Boston        |                                 |
| Death of his mother                                | Mon, Jan 25, 1988        | 56        | Boston        |                                 |

The search wizard also displays:

- the completeness icon of major events 
- blue chips if you have a Note, a Source, a Witness, a Media attached to the event
- the primary person's event search status. Click on the icon to change the search status to  **No Search Record**,  **Search Record**,  **Search in progress** or  **Not Found**. You will then be able to see which event requires research.


Indicate manually that a person is complete by clicking on  if you do not have more data to search for. Since Heredis 2021, this icon is also available in **Data** tab > **Personal Data**.

Click on  to display the branch of the primary person in the **Branches** panel.



## The lower area of the search wizard

To complete your analysis of the searches to be undertaken, check out the tabs located in the lower area of the screen.



- **Sources** attached to all the events mentioned above may contain a crucial element for your approach.
- **Media** allows you to view documents that may have clues.
- The **Map** will allow you to see if the cities mentioned in the events displayed are close to each other or not.

Don't hesitate to fill out the **Research Note** by indicating which track you want to focus on. You will be able to resume your steps later and continue your reasoning.

## Start a search on the Internet

In the lower area of the **Search Wizard**, you can search one or more websites with a publishing database.

# Searching

**Family** **Data** **History** **Search** **Graphs**

Search Wizard Smart Search Find/Replace Family Search

**Michael George THOMAS - Ahn. # 6 (G 3)**  
Bl: Tue, Feb 3, 1931  
Engineer

**Events**

| Events   | Date                     | Age        | Place         | Subdivision                     |
|--|--------------------------|------------|---------------|---------------------------------|
| Marriage of the parents  | Mon, Oct 12, 1925        |            | Boston        |                                 |
| Birth of his spouse Charlotte  | Fri, Mar 21, 1930        |            | Boston        |                                 |
| <input checked="" type="checkbox"/> <b>Birth</b>                                       | <b>Tue, Feb 3, 1931</b>  |            | <b>Boston</b> |                                 |
| <input checked="" type="checkbox"/> <b>Christening</b>                                 | <b>1932</b>              | <b>10m</b> | <b>Boston</b> |                                 |
| Birth of his brother Paul  | Heshv 3, 5695            | 3          | Boston        |                                 |
| Birth of his spouse Marie  | Sun, Mar 10, 1935        | 4          | London        |                                 |
| <input checked="" type="checkbox"/> <b>Marriage with KLEN Charlotte (1930-1953)</b>    | <b>Sun, Aug 12, 1951</b> | <b>20</b>  | <b>Boston</b> | Gordon Hospital                 |
| Birth of his son Peter   | Sat, Dec 6, 1952         | 21         | Boston        |                                 |
| Death of his spouse Charlotte  | Fri, Sep 11, 1953        | 22         | Boston        |                                 |
| <input checked="" type="checkbox"/> <b>Marriage with BERNSTEIN Marie Emily (1935-)</b> | <b>Sat, Jul 16, 1955</b> | <b>24</b>  | <b>Boston</b> |                                 |
| Birth of his son Paul  | Mon, Oct 8, 1956         | 25         | Boston        |                                 |
| Birth of his daughter Judy   | Wed, May 18, 1960        | 29         | Paris         | Clinique Geoffroy Saint-Hilaire |
| Birth of his daughter Sophie   | Wed, Aug 25, 1965        | 34         | Boston        |                                 |
| Marriage of his son Peter  | Wed, Jun 29, 1977        | 46         | Philadelphia  |                                 |
| Marriage of his son Paul   | Sat, May 10, 1980        | 49         | New York City |                                 |
| Death of his father  | Sat, Mar 26, 1983        | 52         | Boston        |                                 |
| Death of his mother  | Mon, Jan 25, 1988        | 56         | Boston        |                                 |

**Web Search** Research Note Sources Media Map

Search Location: Heredis-Online EN

Surname: THOMAS

Place: ☐ Period: ☐

Search

Ahn. # 6 (G 3) 2 Spouses 4 Children: 2

Click on the **Web Search** tab to select which data to take into account and which operator you want to search on.

1. Choose the search operator. Unroll the **Search Location** menu to select **Heredis Online** or another site suggested in the **cogwheel** ⚙.
2. Choose the criteria from those available from the selected operator. Some criteria may be grayed out if they are not usable in the operator's search fields.

- Keep the surname of the primary person or type in another surname.
- Choose a given name or all given names from the list on the drop-down menu. The given name selected by default is the usual given name.
- Check the **Place** box to include this data in the search if the chosen operator can manage it. Choose a location in the drop-down menu: a common one that corresponds to events related to the primary person, department or country.
- Check the **Spouse** box to include this data in the search. Choose a spouse from the drop-down menu if the primary person has more than one. To search with a new spouse, type his/her surname and given name into the entry fields.
- Check the **Period** box to indicate a range of dates. Validate or change the start and end years for online search.

3. Click **Search** to send your search criteria to the selected operator. Heredis opens your Internet browser and displays the requested site. It's up to you to complete the search based on any additional tools available at the default selected operator.

## Search Wizard

heredis

Q Helene Debaq

Main person:  
Name: smith  
First names:

Spouse:  
Spouse name:

Place / Date:  
Place:  
Year started: Year end:

Event Type:  
All

Published since:

Q

X RESET

50/146 results

| Name   | First names             | Birth-Death | Spouses            | Places            | Author      |
|--|-------------------------|-------------|--------------------|-------------------|-------------|
| SMITH  | Abel                    | 1717 - 1788 | BIRD / de BEAUMONT |                   | greg_herdis |
| Occupation: Banquier à Nottingham<br>Birth: about 14th March 1717<br>Spouse: BIRD Mary<br>Marriage: 1713 - Spouse: de BEAUMONT Jane<br>Death: 12th July 1788 |                         |             |                    |                   |             |
| SMITH  | Abel                    | 1748 - 1779 |                    |                   | greg_herdis |
| SMITH  | Abel                    | 1788 - 1859 |                    |                   | greg_herdis |
| SMITH  | Ada                     | 1863 - 1881 |                    | London            | greg_herdis |
| SMITH  | Addison                 |             | TEEPLES            | Michigan          | henrikub    |
| SMITH  | Adella Estella          | 1867 - 1951 |                    | Vermont / Vermont | henrikub    |
| SMITH  | Alfred                  | 1815 - 1886 |                    |                   | greg_herdis |
| SMITH  | Alice                   | 1478 - 1515 | CAVENDISH          | ?                 | greg_herdis |
| SMITH  | Alice Maud Smith        | 1859 - 1931 |                    |                   | greg_herdis |
| SMITH  | Alyssa Whitall Pearsall | 1867 - 1951 |                    | Philadelphie      | greg_herdis |

If you want to add a search operator or change the proposed list, click on the cogwheel icon. See also Search on Heredis Online (voir page 769).

Check or uncheck the boxes to see, in the drop-down menu, the sites you are interested in. Some websites are available in several languages, they are offered by default in English. You may be familiar with other websites that may help you find information about your ancestors. You can add websites, which will always appear in the drop-down menu of the operator's choice.

### To add a personal website:

- Click on the cogwheel icon.
- Click the **button +** at the bottom of the **Web Sites** window.
- In the first column, type the name of the website as you want to see displayed in the list of available operators.
- Open your Internet browser and log on to the search page of this site.
- Copy the URL address in your browser's address bar and paste it in the **URL** area of the Web Sites window.

To remove a website added by you, select it from the bottom of the Web Sites window and click the button **—**.

## Searching

Web Sites

Sites Proposed by Heredis

- ☐ Heredis-Online DE
- ☒ Heredis-Online EN
- ☐ Heredis-Online FR
- ☐ Heredis-Online FR Premium
- ☐ Ancestry DE
- ☒ Ancestry EN
- ☐ Ancestry FR
- ☒ Archives.com
- ☐ Facebook DE

Your Own Sites


| Site Name | URL address |
|-----------|-------------|
|           |             |

+ -

OK Cancel

## Relaunch a previous search

Haven't found the information you need? Didn't have time to study all the data on the genealogical website you were looking at? You can, at any time, restart a search you've already done.

1. Click the **History** button. All previous searches for the primary person can be found in this window.  
Rank them by date, or by operator name by clicking on column headers.
2. Just click the button  to restart the same search, with the same criteria.  
Click the **Clear History** button to clear the list of previous searches for that person.


*(Windows) Search history*



## Search Wizard

Search History

Web search

You can restart a previous Web Search



| ▼   | Date                | Web Search Query  |
|---|---------------------|---|
|  | 2020-08-03 12:15:21 | Ancestry EN - Surname: THOMAS - Given Name: Michael       |
|  | 2020-08-03 12:15:15 | Heredis-Online EN - Surname: THOMAS - Given Name: Michael |


Clear History

Close

*(Mac) Search history*

Search History

You can restart a previous Web Search

| Date                | Web Search Query                                   |   |
|---------------------|--|---|
| 2020-08-03 12:16:34 | Heredis-Online EN - Surname: THOMAS - Given Nam... |  |
|                     |  |   |


Clear History

Close

# Search Tracking

Heredis displays, by generation, indicators of progress concerning the persons found and the level of completion of their major events, birth, union and death.

To display the **Search Tracking**,

- select **Find** menu > **Search Tracking**
- or from Heredis' toolbar click on the  button.

## Search Tracking Tab

All Persons

Root Person

Root Person

Primary Person

Ancestors of SMITH Peter (12.06.1960 - 02.02.1999)

G2

rs found: 2, findable: 2

Search progress

80%

Found ancestors

100%

G3

Ancestors found: 4, findable: 4

Search progress

90%

Found ancestors

100%

G4

Ancestors found: 8, findable: 8

Search progress

65%

Found ancestors

100%

| Ahn. # | Surname              | Filiation | Date       | Place                                  | Status | Source | Date       | Place                   | Status | Source | Date       | Place                         | Status | Source | Note | Modified   |
|--------|----------------------|-----------|------------|--|--------|--------|------------|-------------------------|--------|--------|------------|-------------------------------|--------|--------|------|------------|
| 8      | SMITH Alexander      |           | 11.16.1843 | London (Greater London)                |        |        | 04.04.1880 | Boston (Suffolk County) |        |        |            |                               |        |        |      | 04.27.2021 |
| 9      | PINKERTON Jane E.    |           | 10.29.1860 | Geneva (GENEVA)                        |        |        | 04.04.1880 | Boston (Suffolk County) |        |        | 04.17.1949 | Boston (Suffolk County)       |        |        |      | 04.27.2021 |
| 10     | DAVIS Louis          |           | 12.20.1863 | Boston (Suffolk County)                |        |        |            |                         |        |        | 03.15.1955 | Harwich (Barnstable County)   |        |        |      | 04.27.2021 |
| 11     | WALLACE Brenda       |           | 03.13.1870 | Newton (Middlesex County)              |        |        |            |                         |        |        | 01.24.1927 | Harwich (Barnstable County)   |        |        |      | 01.22.2021 |
| 12     | KLEIN Carl           |           | 03.03.1877 | Metz (Moselle)                         |        |        |            |                         |        |        |            |                               |        |        |      | 01.21.2021 |
| 13     | MICHALOWSKA Stefanja |           | 1880       | Szczecin (POLAND)                      |        |        |            |                         |        |        |            |                               |        |        |      | 01.26.2021 |
| 14     | JACOB Isaiah         |           | 01.06.1893 | Cologne (Cologne)                      |        |        |            |                         |        |        | 11.10.1978 | Somerville (Middlesex County) |        |        |      | 04.27.2021 |
| 15     | ROSENBAUM Ruth       |           | 05.07.1895 | Stuttgart (Regierungsbezirk Stuttgart) |        |        |            |                         |        |        | 05.21.1972 | Boston (Suffolk County)       |        |        |      | 04.27.2021 |

G5

Ancestors found: 8, findable: 16

Search progress

25%

Found ancestors

50%

G6

Ancestors found: 5, findable: 16

Search progress

38%

Found ancestors

31%

G7

Ancestors found: 4, findable: 10

Search progress

50%

Found ancestors

40%

G8

Ancestors found: 2, findable: 8

Search progress


80%

Found ancestors


25%

Search progress

Found ancestors

Each generation has a synthetic view and a more detailed one. You can switch from one to the other by clicking on the arrow on the left .

The search tracking function can stay open while you continue to work in Heredis.

Remember to refresh the information of this page by clicking the  button, so the changes you just made are included.

## Synthetic view

|   |    |                                 |                 |                            |                 |                             |
|---|----|---------------------------------|-----------------|----------------------------|-----------------|-----------------------------|
| ▶ | G2 | Ancestors found: 2, findable: 2 | Search progress | <div><div></div></div> 80% | Found ancestors | <div><div></div></div> 100% |
| ▶ | G3 | Ancestors found: 2, findable: 4 | Search progress | <div><div></div></div> 60% | Found ancestors | <div><div></div></div> 50%  |

On each generation, the following information is displayed:

- the number of the generation, G2 for generation number 2 for example
- the number of ancestors you found
- the number of ancestors that can be found. You found only half of the findable ancestors in generation 4, ie 4 ancestors out of the theoretical 8; therefore, you will be able to find only the parents of these 4 ancestors: either 8 potentially findable ancestors instead of the 16 theoretical. If, during your research, you find additional ancestors at generation 4, Heredis will automatically update your calculation.
- from Heredis 2021 🎨, untraceable parents are deduced from the findable ancestors and found ancestors.
- the duplicate branch (implex) of the generation, if there are any. Heredis shows here the number of persons appearing several times in the generation (shown with a ++ before the anhentafel number in the detailed view).
- the progression in the search for major events of persons. The orange progress bar, **Search progress**, allows you to see the progress of your research by making a report of the information you hold about the major events of found ancestors in all of the information you should collect on these found ancestors for them to be considered complete. Heredis takes into account your preferences. Set up what you think is important to consider a complete event in Heredis Preferences. **(Windows) Tool menu > Preferences > Heredis Preferences > Appearance** ; **(Mac) Heredis menu > Preferences > Appearance**.


### *(Windows) Event Completion Preferences*

Event Icons

The event is complete if there is:

☒ No missing, approximate or incomplete date
☒ The place is mentioned
☒ The source is mentioned
☒ Citation evidence is "Direct"
☒ No 'Search Record' status

### *(Mac) Event Completion Preferences*







- the percentage of ancestors found. A purple progress bar **Found Ancestors** indicates the percentage of ancestors found in relation to findable ancestors.

## Detailed view

At a given generation, if you notice that the number of found ancestors is less than the number of findable ancestors, unfold the previous generation and locate the gray filiations icons. They tell you about individuals with no parents, who are therefore not found and which will not figure in the next generation.

When you click on a generation to display its **detailed view**, Heredis lists all ancestors ordered by Ahnentafel number. If you selected «Ancestors» as the scope in the dashboard options, this number may not be entered.

Other information displayed in detailed mode are:

- The surname and given name of the person. In the case of a duplicate branch, they are displayed in red.
- The filiation icon  indicating the presence or not of the parents of the person. Blue indicate the presence of the father, violet of the mother.  
The absence of colour indicates the absence of the parents. Since Heredis 2021 , when a parent is declared untraceable, the icon has a blue cross for  untraceable father or  pink for untraceable mother. See also the article Untraceable Parents (voir page 139).
- Dates, places and sources for major birth, union and death events.
- The note icon which indicates the presence or absence of a search note. By clicking on this icon you can view, edit or add a search note.
- The date of the last modification of the person. Click on the header of this column for it to be sorted in descending order, you will thereby know on which individual you worked recently.





## Searching


- By **Treetops**, to display only individuals on top of a branch and know where you need to search
- By **Dead Ends**, to identify the branches where you will have to search in specific archives or completely stop searching.

Click on the desired filter in the upper left corner. Heredis unfolds the first generation affected by this filter and colors in blue the other generations where you will find Treetops or Dead Ends.

The screenshot shows the Heredis software interface. At the top, there's a title bar with 'All Persons' and 'Root Person' dropdowns, and a subtitle 'Ancestors of SMITH Peter (12.06.1960 - 02.02.1999)'. Below this is a sidebar with filters: 'All Persons', 'Treetops', and 'Dead Ends'. The main area displays a table of ancestors with columns for Ahn. #, Surname, Filiation, Date, Place, Status, Source, Date, Place, Status, Source, Date, Place, Status, Source, Note, and Modified. The table is divided into generations G3 through G8. Each generation has a summary row showing 'Ancestors found' and 'findable' counts, along with 'Search progress' and 'Found ancestors' percentages. The table lists 15 individuals, including SMITH Alexander, PINKERTON Jane E., DAVIS Louis, WALLACE Brenda, KLEIN Carl, MICHALOWSKA Stefania, JACOB Isalah, and ROSENBAUM Ruth, with their birth and death dates and locations.



| Ahn. # | Surname              | Filiation | Date       | Place                                  | Status | Source | Date       | Place                   | Status | Source | Date       | Place                         | Status | Source | Note | Modified   |
|--------|----------------------|-----------|------------|--|--------|--------|------------|-------------------------|--------|--------|------------|-------------------------------|--------|--------|------|------------|
| 8      | SMITH Alexander      |           | 11.16.1843 | London (Greater London)                |        |        | 04.04.1880 | Boston (Suffolk County) |        |        |            |                               |        |        |      | 04.27.2021 |
| 9      | PINKERTON Jane E.    |           | 10.29.1860 | Geneva (GENEVA)                        |        |        | 04.04.1880 | Boston (Suffolk County) |        |        | 04.17.1949 | Boston (Suffolk County)       |        |        |      | 04.27.2021 |
| 10     | DAVIS Louis          |           | 12.20.1863 | Boston (Suffolk County)                |        |        |            |                         |        |        | 03.15.1955 | Harwich (Barnstable County)   |        |        |      | 04.27.2021 |
| 11     | WALLACE Brenda       |           | 03.13.1870 | Newton (Middlesex County)              |        |        |            |                         |        |        | 01.24.1927 | Harwich (Barnstable County)   |        |        |      | 01.22.2021 |
| 12     | KLEIN Carl           |           | 03.03.1877 | Metz (Moselle)                         |        |        |            |                         |        |        |            |                               |        |        |      | 01.21.2021 |
| 13     | MICHALOWSKA Stefania |           | 1880       | Szczecin (POLAND)                      |        |        |            |                         |        |        |            |                               |        |        |      | 01.26.2021 |
| 14     | JACOB Isalah         |           | 01.06.1893 | Cologne (Cologne)                      |        |        |            |                         |        |        | 11.10.1978 | Somerville (Middlesex County) |        |        |      | 04.27.2021 |
| 15     | ROSENBAUM Ruth       |           | 05.07.1895 | Stuttgart (Regierungsbezirk Stuttgart) |        |        |            |                         |        |        | 05.21.1972 | Boston (Suffolk County)       |        |        |      | 04.27.2021 |

A second drop-down menu allows you to change the scope of search tracking. If you selected

- **Root Person**: Heredis lists the ancestry by generation of the root person of your file.
- **Primary Person**: to show the ancestry of the primary person you selected in Heredis. If you need to change the primary person, don't forget to refresh with the button .


## Export Search Tracking

The table «**Search Tracking**» can be exported

- in Excel format: click on the button .
- in PDF format: click on the button .

Of course, the data in this Excel table or PDF will not automatically update.

This function has a simplified view in the **My Dashboard** page, where you can display a progress graph of search progress and ancestors found limited to the first 15 generations.

Click the  button to export this chart to PDF or PNG.

# Smart Search


## Smart Search

This function allows you to find specific data in your genealogy by combining different search criteria; you may then modify or process the data you have found.

It is impossible to quote all possible combinations so try, read the blue sentence carefully to see if the configured query matches what you are looking for.

To access **Smart Search**:

- choose **Smart Search** in the **Find** drop-down menu
- or select the **Search > Smart Search** tab



- or click on the **Find**  icon and select  **Smart Search** in the drop-down menu


The **Smart Search** tool is composed of a “Criteria” field, a “Results” section, and a “Processing selected results” section. **(Mac)** This screen is also linked to a specific side panel entitled “Results”.

## Search Criteria

The Heredis default display shows **<Persons>** as the first search criterion, then the **<Surname>** field, and the **<Begins With>** operator. In the entry field to the right of **<Begins With>**, type in the first letters of the surname you are looking for and click on the **Search** button to find all relevant persons in your genealogy.

The initial search criterion will determine what the next field options are.

*(Windows) Selecting criteria*



## (Mac) Selecting criteria

Criteria

< Choose a search model > [clear]

- ✓ Persons
- Relations
- Families
- Events
- Facts

No criterion entered

Surname [dropdown]

[dropdown] in the entire file [dropdown]

+

Search

Click on each of the fields and specify the type of information you are looking for in your genealogy. You can combine criteria such as **Persons, Relations, Families, Events, Facts** to build more or less intricate searches depending on the number of criteria you have selected.

- The [X] button to the right of the <**Choose a search model**> pop-up menu allows you to remove all existing criteria and to clear the list of results.
- The + and - buttons to the right of a criteria line allow you to add or remove a criterion. Note that the - button won't be displayed unless you have already added at least one criterion.

Additionally, you can organize the combination of your criteria by clicking on the pop-up menu located below the criteria selection area.

## (Windows) How to combine search criteria

Criteria

< Choose a search model > [clear]

Persons [dropdown] Surname [dropdown]

Begins With [dropdown] [input field]

+

Search [All criteria] [dropdown]

[All criteria]  
[One of the criteria]

No criterion entered

Search

## (Mac) How to combine search criteria

## Searching

The screenshot shows the 'Criteria' section of the Heredis software. At the top, there is a dropdown menu labeled '< Choose a search model >'. Below this, there are two input fields: 'Persons' and 'Surname'. The 'Persons' field has a dropdown arrow, and the 'Surname' field has a text input with the value 'thomas'. To the right of these fields is a plus sign. Below the input fields, there is a 'Search:' section with a dropdown menu showing 'All criteria' (checked) and 'At least one criterion'. To the right of this is a dropdown menu showing 'the entire file'. Below these is a blue button labeled 'Search'. A status bar at the bottom says 'I'm looking for persons whose surname begins with "thomas".'

The default search mode is set on **<All criteria>**. This option allows Heredis to search all data that match at least one of the criteria you have selected. You can also narrow your searches down to specific parts of your genealogy or use the entire file.

Click on the pop-up menu that reads **<the entire file>** and select **<direct-line ancestors>**, **<the ancestors>**, or **<the descendants>**.

*(Windows) How to limit the search*

The screenshot shows the 'Criteria' section of the Heredis software on Windows. The 'Persons' field has a dropdown arrow, and the 'Surname' field has a text input with the value 'thomas'. Below these fields, there is a 'Search:' section with a dropdown menu showing 'All criteria' (checked) and 'At least one criterion'. To the right of this is a dropdown menu showing 'The entire file'. A pop-up menu is open, showing the following options: 'The entire file', 'Direct Ancestors', 'Ancestors', and 'Descendants'. Below the pop-up menu is a blue button labeled 'Search'. A status bar at the bottom says 'No criterion entered'.


*(Mac) How to limit the search*

The screenshot shows the 'Criteria' section of the Heredis software on Mac. The 'Persons' field has a dropdown arrow, and the 'Surname' field has a text input with the value 'thomas'. Below these fields, there is a 'Search:' section with a dropdown menu showing 'All criteria' (checked) and 'At least one criterion'. To the right of this is a dropdown menu showing 'the entire file'. A pop-up menu is open, showing the following options: 'the entire file', 'direct-line ancestors', 'the ancestors', and 'the descendants'. Below the pop-up menu is a blue button labeled 'Search'. A status bar at the bottom says 'I'm looking for persons whose surname begins with "thomas".'

## Existing models

Heredis provides pre-saved search models to help you create your searches step by step.


Click on **<Choose a search model>** and select the model you are looking for.

The fields associated with the model you choose are automatically prefilled. You can modify a search model by changing or adding criteria and save these modifications by clicking on the  **Save As** button located to the right of the field entitled **<Choose a search model>**.


## Smart Search

To manage your models or to reload the saved search models, click on **<Choose a search model>** and select **Manage saved search models**.

*(Windows) List of saved search models*




*Mac List of saved search models*



## Additional options for research

A phrased version of your search is automatically displayed below the criteria fields area. This allows you to verify that the search you have created matches your needs. A message alerts you in case the search you are creating is incorrect.

Other options are available from the cogwheel  in the upper right corner. If you tick **Search in variants**, the searches will be extended to the variants you entered in your genealogy. If you activate the **Comprehensive** mode, two additional buttons will be displayed to the left of the **Search** button: **Search in results** and **Add to results**.

*Extra buttons in Comprehensive mode in Smart Search*



**Search in results** allows you to research data within the results of your previous search in order to refine your results.


**Add to results** allows you to add your search results to the results of your previous search. Thanks to this option, you can build a list of results, adding up data from a series of searches.

If you enable **Comprehensive** mode, two additional columns appear on the left in the search

## Searching

results: you can select the row and sort by gender.

| Results   |         |                    |              |                   |              |                     |  |
|---|---------|--------------------|--------------|-------------------|--------------|---------------------|--|
| <div> <div>Persons (29)</div> <div>Families (22)</div> <div>Events (71)</div> <div>Facts (6)</div> </div> |         |                    |              |                   |              |                     |  |
|   | Surname | Given Names        | Birth Date   | Birth Place       | Death Date   | Death Place         |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Christopher Edward | ° 05.13.1910 | Oxford (Oxford... | † 05.31.1991 | Dover (Kent)        |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Christopher Edward | ° 05.13.1910 | Oxford (Oxford... | † 05.31.1991 | Dover (Kent)        |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Edward             | ° > 1804     |                   | † 1874       | Hull (East Ridin... |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Edward             | ° > 1804     |                   | † 1874       | Hull (East Ridin... |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Elizabeth (Tic)    | ° 1882       |                   |              |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Elizabeth (Tic)    | ° 1882       |                   |              |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | George             | ° 12.06.1870 |                   | † 04.11.1871 |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | George             | ° 07.04.1872 | Oxford (Oxford... | † 08.01.1947 | Oxford (Oxford...   |  |
| <input checked="" type="checkbox"/>   | THOMAS  | George             | ° 07.04.1877 | Oxford (Oxford... | † 08.01.1947 | Oxford (Oxford...   |  |
| <input checked="" type="checkbox"/>   | THOMAS  | George             | ° 12.06.1890 |                   | † 04.11.1891 |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Glenn Samuel Bruce | ° 07.11.1997 | Paris (Paris)     |              |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Glenn Samuel Bruce | ° 07.11.1997 | Paris (Paris)     |              |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | Jeanne             | ° 08.15.1962 | Hudson (Colu...   |              |                     |  |
| <input checked="" type="checkbox"/>   | THOMAS  | John               | ° 05.1854    | ? (ENGLAND)       | † > 1921     |                     |  |
| <div> <div>Select all</div> <div>Deselect all</div> </div>  |         |                    |              |                   |              |                     |  |

**Note:** When you consider your research is complete, hide the Criteria area (**Mac**) by clicking on the **Criteria** banner (**Windows**) by clicking on the arrow on the right side. This will leave more space available to display the results from searches and processing. More space can also be freed by deactivating the phrasing of your search: click on the  cogwheel in the upper right corner and untick **Show the edit**.

It is possible to search one or multiple words in all notes : media, sources (or in transcription), events in addition to the notes of persons or unions previously present.

### Example of search for note in media

Criteria

< Choose a search model >

Persons

Media

Note

Contains

New York

Search

All criteria

in

the entire file

I'm looking for persons whose media note contains "New York".

You can also easily search for

- persons of the Ahnentafel line (Persons > Ahn. Number > Is Ahn. number > Yes or No) or those who are not
- persons who are in duplicate branch also called implex (Persons > Ahn. Number > Duplicate Branch > Yes or No)
- persons of the Ahnentafel line between generation X and generation Y (Persons > Ahn. Number > Between Generations > X and Y)



# Smart Search

Criteria

< Choose a search model >

Persons

Generations between

is Ahn. Number

Duplicate Branch

Generations between

Ahn. Number

2

and

4

Search

Search for all persons you indicated to have father and/or mother untraceable...

## Search results

When you click the **Search**, **Search in results** or **Add to results** buttons, Heredis displays the data found under the **Persons**, **Families**, **Events** and **Facts** tabs.

Within each tab, a number (in brackets) indicates how many persons, families, events and facts were found.

### *(Windows) Display of Smart Search results*

Criteria

< Choose a search model >

Events

Marriage

Exists

Yes

Search

All criteria

in

The entire file

I'm looking for all "Marriage" events.

Search

Results

Persons (29) Families (16) Events (16) Facts (4)

| Surname  | Given Names      | Birth Date   | Birth Place                    | Death Date   | Death Place          |
|----------|------------------|--------------|--------------------------------|--------------|----------------------|
| von BORK | Helena           | c 21.06.1842 | Edinburgh (City Of Edinburgh)  | † 06.11.1921 | Oxford (Oxfordshire) |
| CARFAX   | Mary             | * 17.03.1961 | Mexico City (Federal District) |              |                      |
| DAVIES   | Henry James      | * 1850       |                                | † 1905       |                      |
| DAVIS    | Violet Elizabeth | * 1875       | Blackpool (Lancashire)         | † 1966       | Oxford (Oxfordshire) |
| GREGSON  | Vivian           | * 11.07.1932 | Boston (Suffolk)               |              |                      |
| HAYES    | Ann              | * 1833       | Plymouth (Devon)               | † 1915       | Margate (Kent)       |
| HENRY    | Michael          | * 24.06.1958 | Portland (Oregon)              |              |                      |

Processing selected persons (29)

Marked

Confidential

Secondary Person

Unmarried

Child Status

Signature

Declared consistent

Declared complete

Edit

Export Heredis File

Export Gedcom File

Delete

Ahn. #1 Generation 1

3 Spouses 3 Children: 2 1

### *(Mac) Display of Smart Search results*

## Searching

**Criteria**

< Choose a search model >

Events

Marriage

Exists

Yes

Search: All criteria in the entire file

I'm looking for all "Marriage" events.

Search

**Results**

Persons (28)

Families (15)

Events (15)

Facts (8)

| Surname              | Given Names            | Birth Date   | Birth Place                  | Death Date   | Death Place              |
|----------------------|------------------------|--------------|------------------------------|--------------|--------------------------|
| BLACHIER de la CHAUX | Marie Françoise        | * 11.18.1787 | Satillieu (Ardèche)          | † 11.16.1856 | Satillieu (Ardèche)      |
| COLIGNY              | Catherine Émilie       | * 09.08.1902 | Saint-Rambert-l'Île-Barbe... | † 01.25.1988 | Lyon (Rhône)             |
| COLIGNY              | Louis                  | * 12.20.1863 | Lyon (Rhône)                 | † 03.15.1955 | Caluire-et-Cuire (Rhône) |
| COSTET               | Jeanne "Émilie"        | * 10.29.1860 | Saint-Vallier (Drôme)        | † 04.17.1949 | Lyon (Rhône)             |
| DEMARI               | Annie Marguerite Marie | * 07.23.1957 | Annecy-le-Vieux (Haute-S...  |              |                          |
| DUBOIS               | Pierre                 |              |                              |              |                          |
| DUCHAMP              | Alexandre Joseph       | * 11.16.1849 | Annonay (Ardèche)            | † 03.03.1947 | Lyon (Rhône)             |
| DUCHAMP              | Aurélien Lucas         | * 04.23.1982 | Paris (Paris)                |              |                          |
| DUCHAMP              | Charles Alexandre      | * 04.29.1817 | Annonay (Ardèche)            | † 02.15.1878 | Satillieu (Ardèche)      |
| DUCHAMP              | Claude Charles         | * 02.03.1931 | Lyon (Rhône)                 |              |                          |
| DUCHAMP              | Eric Antoine Bernard   | * 12.06.1952 | Lyon (Rhône)                 |              |                          |
| DUCHAMP              | Jean-Marie             | * 04.26.1899 | Saint-Vallier (Drôme)        | † 03.26.1993 | Lyon (Rhône)             |

Open the **Summary** panel. To verify the results displayed in the list are correct, click on any line in the list of results and the details will appear in the **Summary** panel. The data displayed in this panel varies according to the tab you selected under **Results**.

Should you notice a mistake to be corrected, double-click on the line in the list of results to directly access the person's **Personal Data** in your genealogy file.


### Mac Specificity: Results panel

The results of your smart search are also available in the **Results** panel.

*Results Panel – List of found persons*

## Smart Search




You can navigate in Heredis while keeping your search results on hand. Use the **<Persons>** pop-up menu to select and display results from the **Families**, **Events** or **Facts** tab. At any point, you can go back to the Smart Search screen by clicking the button  to the right of the pop-up menu.

From this panel, select a person and use the drag and drop feature to easily complete your genealogy.

## Processing results

Now that you have found persons, families, events or facts in your file, you may want to update this data, share it with a cousin, or even publish it in a document.

The Processing feature allows you to do this and much more, based on the data you have selected in the **Results** section under the current tab.

**Note:** in **Comprehensive** mode, by clicking the  cogwheel in the upper right corner, checkboxes appear at the beginning of each data line so you can select the data you wish to process. All lines are selected by default; you can untick, one at a time, the lines of results you do not want to include in your processing. Or you can decide to **Deselect all** and then tick the

## Searching

data lines you want to include in your processing. If you want to go back to including all results, click **Select All**.

Unfold the **Processing** section, by clicking on the **Processing selected <persons>**, **<families>**, **<events>**, or **<facts>** banner: action buttons related to the **Results** tab you selected will be displayed.

### (Windows) Processing results

**Results**

Persons (5) Families (5) Events (11) Facts (2)

|  | Surname    | Given Names      | Birth Date   | Birth Place            | Death Date   | Death Place                   |
|--|------------|------------------|--------------|------------------------|--------------|-------------------------------|
|  | DAVIES     |                  |              |                        |              |                               |
|  | DAVIES     | Henry James      | * 1850       |                        | † 1905       |                               |
|  | DAVIS      | Violet Elizabeth | * 1875       | Blackpool (Lancashire) | † 1966       | Oxford (Oxfordshire)          |
|  | DOBNEY     | Anna             | * 1818       |                        | † 1858       |                               |
|  | de NEMOURS | Josephine        | * 24.01.1855 | Dunfermline (Fife)     | † 31.08.1920 | Edinburgh (City Of Edinbur... |

**Processing selected persons (5)**

Marked

Confidential

Secondary Person

Unmarried

Childless

Child Status

Signature

Declared consistent

Declared complete

Add to note

Link a source

Edit

Export Heredis File

Export Gedcom File

Delete

Find/Replace

### (Mac) Processing results

**Results**

Persons (28) Families (15) Events (15) Facts (8)

|  | Surname              | Given Names            | Birth Date   | Birth Place                  | Death Date   | Death Place              |
|--|----------------------|------------------------|--------------|------------------------------|--------------|--------------------------|
|  | BLACHIER de la CHAUX | Marie Françoise        | * 11.18.1787 | Satillieu (Ardèche)          | † 11.16.1856 | Satillieu (Ardèche)      |
|  | COLIGNY              | Catherine Émilie       | * 09.08.1902 | Saint-Rambert-l'Île-Barbe... | † 01.25.1988 | Lyon (Rhône)             |
|  | COLIGNY              | Louis                  | * 12.20.1863 | Lyon (Rhône)                 | † 03.15.1955 | Caluire-et-Cuire (Rhône) |
|  | COSTET               | Jeanne "Émilie"        | * 10.29.1860 | Saint-Vallier (Drôme)        | † 04.17.1949 | Lyon (Rhône)             |
|  | DEMARI               | Annie Marguerite Marie | * 07.23.1957 | Annecy-le-Vieux (Haute-S...  |              |                          |
|  | DUBOIS               | Pierre                 |              |                              |              |                          |
|  | DUCHAMP              | Alexandre Joseph       | * 11.16.1849 | Annonay (Ardèche)            | † 03.03.1947 | Lyon (Rhône)             |
|  | DUCHAMP              | Aurélien Lucas         | * 04.23.1982 | Paris (Paris)                |              |                          |
|  | DUCHAMP              | Charles Alexandre      | * 04.29.1817 | Annonay (Ardèche)            | † 02.15.1878 | Satillieu (Ardèche)      |
|  | DUCHAMP              | Claude Charles         | * 02.03.1931 | Lyon (Rhône)                 |              |                          |
|  | DUCHAMP              | Eric Antoine Bernard   | * 12.06.1952 | Lyon (Rhône)                 |              |                          |
|  | DUCHAMP              | Jean-Marie             | * 04.26.1899 | Saint-Vallier (Drôme)        | † 03.26.1993 | Lyon (Rhône)             |

**Processing selected persons (28)**

Marked

Confidential

Secondary Person

Unmarried

Childless

Child Status

Signature

Declared consistent

Declared complete

Add to note

Link a source

Edit

Export Heredis File

Export Gedcom File

Delete

Find/Replace

## Processing selected persons

If the **Persons** tab is highlighted in the Results section, you may then decide to:

- Modify a series of additional information for the persons you selected
  - => declare them as marked or unmarked, confidential, secondary, unmarried, childless, consistent, complete
  - => change the field value under Child Status and Signature
  - => add an identical text to all selected persons using **Add to note**
  - => link a common source to all selected persons
- Create a Custom report, chronological or alphabetical report listing the persons you selected (**Edit by Date** or **by Name**). See also Custom Reports (voir page 508), (Mac) Create and Edit a Report, (Windows) Pre-established reports (voir page 522).
- Create a Family Chronology including search results only. Read the article Family Chronology – Smart Search. (voir page 556)
- Export the selected persons as a Heredis or Gedcom file
- Delete the selected persons
- Launch Find/Replace screen. See also Find/Replace (voir page 329) article.

### Processing selected families

If the **Families** tab is highlighted in the results section, you may then decide to:

- Modify a series of information for the families you selected
  - => change the field value **Family Status** in the scroll-down list.
  - => add an identical text to all selected families using **Add to note**
- Create a report listing the families you selected (**Edit report**)
- Launch Find/Replace screen. See also Find/Replace (voir page 329) article.

### Processing selected events

If the **Events** tab is highlighted in the results section, you may then decide to:

- Modify a series of information for the events you selected
  - => change the field value under **Search Status**
  - => declare them as private or not private
  - => share or no longer share them
- Add an identical text to all selected events using **Add to note**
- Link a common source to all selected events
- Create a report listing the events you selected (**Edit report**). See also Custom Reports (voir page 508), (Mac) Create and Edit a Report, (Windows) Pre-established reports (voir page 522).
- Since Heredis 2021, you can delete all events of the smart search at once by clicking on **Delete** button. Warning, this action is irreversible.
- Launch Find/Replace screen. See also Find/Replace (voir page 329) article.

### Processing selected facts

If the **Facts** tab is highlighted in the Results section, you may then decide to:

- Modify a series of information for the facts you selected
  - => change the field value under **Search Status**

## Searching

- => declare them as private or not private
- Add an identical text to all selected facts using **Add to note**
- Link a common source to all selected facts
- Create a report listing the facts you selected (**Edit report**)
- Launch Find/Replace screen. See also Find/Replace (voir page 329) article.

**Note:** the Processing section banner indicates the type of data you are about to process (Persons, Families, Events, Facts) and the number of records you have selected.

# Find/Replace

The **Find/Replace** feature allows you to find a specific text entered under **Persons**, **Families**, **Events**, or **Facts** and to replace it with a new text, which you can type in directly.

## *(Windows) Find/Replace*

The screenshot shows the 'Find/Replace' dialog box in a genealogy application. The interface is divided into several sections:

- Find:** Contains a 'Text' input field with 'is empty', an 'Item' dropdown menu set to 'Prefix', and search options. The 'Where to look?' section has two radio buttons: 'In the entire file' (selected) and 'In Smart Search results'. Below this, it shows '0 person - 0 family - 0 event - 0 fact'. The 'Options' section has two checkboxes: 'Case sensitive' and 'Entire word'. A 'Find' button is at the bottom right.
- Matches:** A table with two columns: 'Persons' and 'Prefix'. The table is currently empty. Below the table are 'Select all' and 'Deselect all' buttons.
- Replace:** Contains a 'Search text' label and a 'Replace with' input field. A 'Replace' button is at the bottom right.

At the bottom of the dialog, there is a status bar showing 'Ahn: # 2 Generation 2' and '1 Spouse 2 Children: 1 1'.

## *(Mac) Find/Replace*



## Searching

The screenshot shows the 'Find' and 'Replace' sections of the Heredis software interface. The top navigation bar includes 'Family', 'Data', 'History', and 'Search'. Below this, there are buttons for 'Search Wizard', 'Smart Search', 'Find/Replace' (which is highlighted), and 'FamilySearch'. The 'Find' section has a 'Text' input field (currently empty), an 'Item' dropdown menu (set to 'Prefix'), and a 'Where to look?' section with two radio buttons: 'In the entire file' (selected) and 'In Smart Search results'. Below the radio buttons, it says '0 person - 0 family - 0 event - 0 fact'. There are also 'Options' checkboxes for 'Case sensitive' and 'Entire word'. A 'Find' button is at the bottom right of the 'Find' section. The 'Matches' section below it shows a table with two columns and a 'Select all' / 'Deselect all' button. The 'Replace' section has 'Search text' and 'Replace with' input fields, and a 'Replace' button.

You can search for text entered under:

- one of the following **Persons** fields: **Prefix**, **Suffix**, **Nickname**, **Title**, **User Number**, **Person** or **Research Note**.
- a **Family Note** for a Spouse
- one of the following **Events** or **Facts** fields: **Place Subdivision**, **Description/Cause**, **Note** or **Name**.

You may access this feature:

- from the drop-down menu **Find > Find/Replace**
- or by selecting the **Search** tab and the **Find/Replace** sub-tab
- or by clicking on the **Find**  icon then on the **Find/Replace**  button.

### Searching for Text

- Enter the text you are looking for in the Text field.

**Note:** if you leave this field blank, Heredis will look for all empty fields.

- Use the Item pop-up menu to select the type of data you wish to edit.
- Specify where to search for the text you have just entered: **In the entire file** or **In**



## Find/Replace

## Smart Search results.

(For more details on this feature, refer to the Smart Search (voir page 318) section).

- Check the **Case sensitive** box for Heredis to distinguish upper- and lower-case. It will be able, for instance, to look for "honest" and replace it with "Honest".
- Check the **Entire word** box to prevent modifications within a word. This way you can replace, e.g. in the Place Subdivision field, the abbreviation "st" with "Street" without affecting words such as "Newcastle".
- Click the **Find** button to display all relevant matches found in your genealogy. The number of found occurrences is mentioned between parentheses in the Matches banner.

*(Windows) Matches*

[illegible]

*(Mac) Matches*

## Searching

**Find**

Text:  ✕

Item:  ⌵

Where to look?

☐ In the entire file

☒ In Smart Search results  
18 persons - 6 families - 38 events - 12 facts

Options

☐ Case sensitive

☐ Entire word

**Matches (1)**

| Events   | Place Subdivision    |
|--|----------------------|
| <input checked="" type="checkbox"/> Christening - DUCHAMP Alexandre Joseph (1849-1947) | Paroisse St François |

**Paroisse St François**

**Replace (1)**

Search text:

Replace with:

Right below the list of matches, the searched text is displayed in red within each occurrence that was found. By default, all matches are selected – but you can uncheck, one by one, matches you do not want to modify. Conversely, you may prefer to click **Deselect all** and then check (only) the matches you want to modify.

## Replacing text in your genealogy


- Enter your new text in the field entitled **Replace with**.
- Click the **Replace** button to apply your changes to all the matches you have selected.

# FamilySearch

Heredis integrates various functions that allow you to search, compare, link, and import persons from FamilySearch universal Family Tree.

Click on the **Search > FamilySearch** tab if you wish to access it.

**Important: Verify the compatibility of your Heredis version and FamilySearch.**


**Note:** for an easy access to these functions, customize your toolbar by adding the button .

## Connecting to FamilySearch

In order to enjoy these features, you must connect to your FamilySearch account directly from Heredis.

If you are new to FamilySearch, you can create a free account online.

### *Family Search account*



The screenshot displays the FamilySearch interface within the Heredis application. At the top, a navigation bar includes tabs for 'Family', 'Data', 'History', and 'Search'. Below this, a blue bar contains buttons for 'Search Wizard', 'Smart Search', 'Find/Replace', and 'Family Search'. The main content area features the FamilySearch logo and two panels. The left panel, titled 'Login', contains fields for 'Username' and 'Password', a 'Remember me' checkbox, a 'Login' button, and a link for 'Username or password forgotten?'. Below these is a consent statement: 'By clicking the "Login" button I agree Heredis knowing my basic FamilySearch profile information and accessing data about my ancestors from FamilySearch family tree. Heredis will use this information in accordance with their respective terms of service and privacy policies.' The right panel, titled 'You do not have an account', includes the text 'You do not have an account yet, create an account for free.' and a 'Create an account' button. At the bottom of the application window, a status bar shows 'Ahn: #1 Generation 1', a tree icon, and '2 Spouses 3 Children: 2 1'.

## Primary Person


In this tab, you can compare, link or unlink a person from your Heredis genealogy file to a person found in FamilySearch.

The banner under this tab in Heredis displays:

- the primary person's data, as saved in your Heredis genealogy file, his/her surname, given names, dates and places of birth and death.
- the person's first name and last name, his/her FSID if the primary person is already linked to a person in FamilySearch, as well as the current status of any family ordinance request.

Other content in this tab varies according to context.

*Heredis primary person for Family Search.*



The screenshot shows a web interface with two buttons at the top: 'Primary Person' and 'Import'. Below the buttons, the text 'Michael George THOMAS' is displayed, followed by 'B: 6 Feb 1933'. At the bottom, a status message reads 'Person not linked to FamilySearch'.

### 1) The primary person is not linked to a FamilySearch Person

You must find the Ancestor's Name in FamilySearch's International Genealogical Index (IGI) that corresponds to your primary person so you can link the two together.

Heredis displays a search form that includes the surname, given names, dates and places of birth and death for the primary person. These fields are automatically prefilled with the data already entered for this person in your genealogy.

If you click on the **More criteria** button, additional search fields for the primary person's parents and spouse will appear, which should allow you to refine your search on FamilySearch. The **Reset** button will delete the content of all search fields displayed on the screen.

Click on the **Search** button, Heredis will directly access FamilySearch servers and display the list of persons found.

If you click on a person in the list of results, detailed information on the FamilySearch person you selected will be displayed in the **Summary** side panel.

If a person listed in the results seems to correspond to your primary person, click on the **Compare** button at the end of the line to compare the Heredis and FamilySearch persons in details.

*Compare Heredis to Family Search.*

# FamilySearch

Family

Data

History

Search

Search Wizard

Smart Search

Find/Replace

FamilySearch

## Heredis

Christopher Edward THOMAS  
(1910-1991)

Alice Jean RUCASTLE  
(1908-1998)

Michael George THOMAS  
B: 6 February 1933 - Margate - Kent - South East - ENGLAND

Spouses

Vivian GREGSON  
(1932-)  
7 January 1954

Paula LOWENSTEIN  
(H 5701-)  
3 March 1976

Children

Peter THOMAS  
(1956-)

Paul THOMAS  
(1960-)

Jeanne THOMAS  
(1962-)

## FamilySearch

Alton Leons Pelt - L9PD-4MJ  
(1899-1944)

Bertha A Chason - LHF2-4D7  
(1891-1969)

George Thomas - LVQF-8LS  
B: 1933 - Florida, United States

Spouses

Children

Back

Link

Ahn. #1 Generation 1

2 Spouses 3 Children: 2 1

To make it easier for you to compare the two, Heredis displays the Heredis primary person's immediate family next to the immediate family of the FamilySearch person you selected.

If you click on the **Link** button, Heredis will attach the FamilySearch person's ID number to the primary person in your Heredis genealogy file.  
The two persons are now linked.

If you do not wish to link the two persons together, click on the **Back** button.

## 2) The primary person is linked to a FamilySearch Person

If the individual displayed as the primary person in Heredis is already linked to a person in FamilySearch, Heredis displays a window showing the data already saved for this person in Heredis next to the corresponding data saved in FamilySearch.

*Family Search Linked Person.*

## Searching

Family Data History Search

Search Wizard Smart Search Find/Replace FamilySearch

Primary Person Import Hello, helene debacq Logout

Elizabeth (Tic) THOMAS  
B: 1882  
Person linked to Elizabeth Thomas - LDQ7-WTX

### Heredis

Reuben Paul THOMAS (< 1850-> 1921)  
Helena von BORK (1842-1921)  
Elizabeth (Tic) THOMAS - LDQ7-WTX  
B: 1882

Spouses Children

### FamilySearch

Elizabeth Thomas - LDQ7-WTX  
B: about 1882 - Mississippi, United States

Spouses Children

William Ross - LDQ7-W5S (1860)  
Viola Ross - LDQ7-HR2 (1904)  
L.D. Ross - LDQ7-HB3 (1914-1969)  
Robert Lee Ross - LDQ7-CS4 (1915-1992)  
Charlie Ross - L8Y4-FK4 (1918-1963)  
Dudley E Ross - LDQ7-CHZ (1919-1996)

Unlink

No Ahn. Number Unmarried No Child

### 3) The primary person is linked to a FamilySearch person who has been deleted

Heredis informs you in the banner of the **Primary person** tab that the FamilySearch ID number was not found.

If you wish to link this person to another FamilySearch person, click on the **Unlink** button displayed in the banner.

## Consult the History

Directly from Heredis, you can consult the history of modifications that have been made to the FamilySearch record of the linked person. Click the History button to access it.

Modifications History - **Michael Thomas** (LC6R-M3R)**Person Source Reference Added**

6/26/2014

**A Spangler** - cis.user.MMMQ-7SZM**Birth Name Added**

6/03/2012

**Family Search** - cis.wkca.MMMM-M9QH**Gender Added**

6/03/2012

**Family Search** - cis.wkca.MMMM-M9QH**Death Added**

6/03/2012

**Family Search** - cis.wkca.MMMM-M9QH**Birth Added**

6/03/2012

**Family Search** - cis.wkca.MMMM-M9QH[Close](#)

**Note:** Modifications made in FamilySearch after your import is processed will not be automatically updated in your file.

## Import

From this tab, you can import a FamilySearch branch into a Heredis genealogy file.

To access it:

Click on the following tabs: **Search > FamilySearch > Import**  
or select from the menu: **File > Import > FamilySearch...**

*Family Search Import.*

Family Data History Search

Search Wizard Smart Search Find/Replace FamilySearch

Primary Person Import Hello, helene debacq Logout

### Import Tree from FamilySearch

**Starting person**

☒ You (B3RJ-3C8)

☐ Heredis Primary Person

☐ FamilySearch ID Number

**Options**

Number of ancestors generations

Number of descendants generations

Import children of ancestors ☐

Import alternate names ☐

Import

No Ahn. Number Unmarried No Child

## 1) Set the parameters for your import

### Source Person

- Yourself: select this option to recover all or a portion of the genealogical data you have already entered in FamilySearch.
- Primary person in Heredis: if the individual displayed as the primary person in Heredis is already linked to a person in FamilySearch, you can select this option and thus complete his/her ancestors or descendants thanks to the data already gathered in FamilySearch's global tree.

**Note:** if the primary person is not linked to a person in FamilySearch, this option is greyed out.

- FamilySearch ID number: enter a person's FamilySearch ID number in order to retrieve a FamilySearch branch that will complete your genealogy.

### Additional Options

Choose the number of generations for ancestors and descendants (limited to 5 maximum). Tick **Import Children of ancestors** to retrieve the primary person's siblings, uncles, aunts, etc.



You may also tick **Import Alternate Names** to retrieve additional names that might have been entered in FamilySearch.

**Note:** if you set the number of generations for ancestors and descendants to 1, the import will include the Source person and his/her spouse(s).

### 2) Imported data

When you click on the **Import** button, the following information is retrieved from FamilySearch's global tree:

- persons
- events
- notes
- sources

All the persons imported into your Heredis genealogy are linked to in FamilySearch's global tree and are recognizable thanks to their FamilySearch ID number.

Rules applied during data import from FamilySearch to Heredis:

When importing persons from FamilySearch, you may face a number of situations such as:

- the person to be imported is already in your genealogy with the exact same FamilySearch ID (FSID): this person will not be imported again to prevent the creation of duplicates; the import process will move on to the ancestors' or descendants' branch, according to your import settings.
- the person to be imported is already in your genealogy but does not have a FamilySearch ID (FSID) number or the FSID number is different: this person and his/her ancestors' or descendants' branch will not be imported to avoid creating inconsistent data.

**Notes:** If the person to be imported is already in your genealogy – without a FamilySearch ID number – and if he/she is not linked to the branch being imported, he/she will be added to your genealogy as a homonym.

The data imported from FamilySearch will never overwrite personal data in your Heredis file.

### Persons in Heredis linked to Persons in FamilySearch

In Heredis, various functions are available to help you find persons in your Heredis genealogy file who are linked to FamilySearch persons.

#### 1) Search by numbers

##### **Search Menu > Search by number**

Enter the FamilySearch ID number you are interested in and Heredis will automatically take you to the matching person, who will be displayed as the primary person.

## 2) Advanced search

The advanced search will allow you to apply filters to your list of persons in order to only display the persons linked to FamilySearch.

From the Persons panel, on Windows in the **<Enhanced criteria>** replace **<None>** with **<Persons linked to FamilySearch>**. On Mac, select **<Genealogical Criteria>** and replace **<None>** with **<Persons linked to FamilySearch>**.

*(Windows) Family Search Enhanced Criteria.*

The screenshot shows the 'Persons' tab selected in a top navigation bar. Below it are input fields for 'Surname' and 'Given Name', followed by a 'Gender' dropdown menu set to 'All'. A '▼' icon and the text 'Enhanced criteria' are visible. Below this is a 'Search in Entire File' dropdown menu. Further down are fields for 'Place', 'Spouse's name', and 'Years Betw.' with 'and' in between. At the bottom, there are two dropdown menus: 'Any event' and 'Persons linked to FamilySearch', each with a corresponding checkbox for 'Without Source' and 'Direct-Line'. A 'Search' button is located at the bottom right.

*(Mac) Family Search Advanced Criteria.*

The screenshot shows the 'Persons' panel with a close button. It features input fields for 'Surname' and 'Given Names', and a dropdown menu for 'All Genders'. Below these is a 'Genealogical Criteria' dropdown menu. At the bottom, there is a 'Persons linked to FamilySearch' dropdown menu, a 'Search in Entire File' dropdown menu, and a 'Search' button.

## 3) Smart Search

To access it, click on the **Search>Smart Search** tab.

Select **<Persons>** and replace the **<Surname>** field with **<Linked to FamilySearch>** then click on the **Search** button to start searching. All persons linked to FamilySearch are displayed just below the Results area. Refer to our **Smart Search** (voir page 318) section for more details on this feature.

*(Windows) Smart Search.*

# FamilySearch

Criteria

< Choose a search model >

Persons

Linked to FamilySearch

Yes

Search

All criteria

in

The entire file

I'm looking for persons linked to FamilySearch.

Search

*(Mac) Smart Search.*

Criteria

< Choose a search model >

Persons

Linked to FamilySearch

Yes

Search:

All criteria

in

the entire file

I'm looking for persons linked to FamilySearch.


Search in results

Add to results

Search

**Note:** if the primary person in your genealogy is directly linked to a person in FamilySearch, Heredis will display his/her FamilySearch ID number in the status bar. This number is also displayed in the Summary panel, under the person's name.

# Searching in Online Archives


The **Search in Online Archives**  tool allows you, from your software, to access the Online Archives portal. Heredis facilitates your research and also allows you to integrate acts you have found and cut into your family tree, by creating the event and the associated source for example.

Click on the button  or choose from the menu **Find > Search in Online Archives...**

## Access and navigation in Online Archives sites



Heredis displays the Online Archives search portal in a real web browser.




### Online Archives Portal



## Online Archives


You have a button bar with the following options:

-  **Archives Button**: displays the home page of the online archives.
-  **Bookmarks Button**: lists the sites you have added as bookmarks and allows you to manage the list of bookmarks.


-  **Previous, Next Navigation** buttons: they give you an indication of the history of your browsing and allow to re-display pages already consulted.
-  **Update Button**: updates the page displayed on the screen.
-  **Capture Button**: Captures the whole page displayed in the browser. If you have already made a capture, this button opens a menu either for you to make another capture, or see the list of already captured but not processed sites.

As in any internet browser, you can add a new tab by clicking (Windows) on the little tab, (Mac) on the + button on right side.

*(Windows) New tab*



*(Mac) New tab*






Close a tab by clicking the cross to the right of the title of the displayed tab.

The Archives portal concerns a a lot of countries. If you do not find a country, check on **Other Countries** section.


By clicking on the  button on the button bar, you return to the home page.

Use the  navigation buttons to navigate as on a website.


If a website appears to be missing from the list, share it via the  button at the bottom right of the footer band. Each proposal will be submitted to the Heredis team. If accepted, it will appear on the portal and will be permanently accessible to all users. We add website if screenshot can be made of records.

Your research will often focus on a given territory: select the sites you visit most frequently and add them by clicking the  button > **Add Bookmark**. To make changes to your bookmarks, click  > **Edit Bookmarks**: you can add other sites and delete them with the + and – buttons. By clicking on a line, you may change the name or address of the sites.

## Capture images


Once the certificate found, Heredis allow you to make a screenshot of this certificate. Click on  **Capture** button.


### Online Archives Capture





When you capture a deed or any other document, you capture all of the displayed page in the browser.


Once your certificate captured, rename the picture by clicking on **Rename** button. Otherwise, it will be difficult to find your picture in Media index.


You can edit the capture by clicking the  **Edit** button. Your image is displayed in the **Photo tool** and you can edit the image to make the document more readable (see the article on Photo Tool (voir page 462) to see the details of this feature). Once the editing parameters are right for you, close this window and treat your captures.

Crop the image to remove unwanted parts with the  button: when you click this button, your mouse cursor changes shape. Place your cursor at the spot where the picture should be adjusted. Hold down the left mouse button and slide the selecting window to encompass the desired area. When you release the mouse, the **Crop** button appears on the image; then click this button. Your image is now framed.

When you have captured several images, the  Previous and  Next buttons allow you to scroll through the list of your captures. You'll need to rename, edit, and crop every capture you make.

## Searching in Online Archives

We advice you to keep a copy on your computer, click the  **Save** button and choose the location on your computer.

The  **Delete** button will delete the capture displayed in this window.


**Info** • All the captured images are declared as being private by default in order to respect the terms of use of the Archives. Remember that if you close the **Archives Online** tool without managing your captures, they will be retained in the list of captures only as long as the Heredis session is still open.

If you have managed to capture all of the act, click **Process my capture**, or on the **Capture the rest of the act** button in order to cover the act in its entirety.

### Processing captures

Heredis allows you to process the capture of acts to associate them with an event of your genealogy and save the information concerning the act.

#### Online Archives Capture



Multiple choices are available to you for treating these captures:

## Save only in the media index

If you do not have the time, tick the **Save only in the media index** box for treating it at a later date.

## Link to an event/person

Since Heredis 2020, you may **Link to a person** the image you just captured.

Select **(Mac) Link to an event / a person** or **(Windows) Associate with an event / Link a person**.

Click on **Select the person** to select or create the person whom the captures are to be associated. Then, in case of a link to an event, unfold the dropdown list to select an existing event or create one if it has not already been created.

You can choose between different option to save the source and the media. To do so, choose between **Create a Source**, **Do not create a source** and **Choose an existing source**. Make sure to choose to save the media in the source or the event by unfolding the dropdown list to **Assign media to**.


**Note:** If you use Comprehensive mode of sources, you can add the citation in **Comments** area and assign the media to the citation. If you choose **Not to create a source**, the media will automatically go to the event.

*(Windows) Processing capture*



## Searching in Online Archives

Processing capture ×



☐ Save only to the Media Index

☐ Enter Data from a Census

☐ Link to a Person

☒ Associate with an event

---

[Select the person](#)      DAVIES Henry James (1840-1905)

Birth: 1840 ▼

**Saving Options**

☒ Create source

☐ Do not create a source

☐ Choose an existing source

Comments:

Assign media to: Source ▼

The image will be associated with the event source

Cancel Validate

*(Mac) Processing capture*

## Searching

Processing the capture

Search Our Collection - Royal BC Museum

☐ Save only to the Media Index  
☐ Enter data from a Census  
☐ Link to a Person  
☒ Link to an Event

[Select the person](#) COLIGNY Catherine (1896-1988)  
Birth: September 8, 1896 - Saint-Ramber-l'Île-Barbe (Rhône)

Saving Options  
☒ Create a Source  
☐ Do not Create a Source  
☐ Choose an existing source

Comments:  
The image will be associated with the event

Assign media to:  
Event

**COLIGNY Catherine aka Emilie**  
Ahn. # 3 (G 2)  
sans profession  
Bi. 09.08.1896 - Saint-Ramber-l'Île-Barbe (69000)  
D 01.25.1988 - Lyon (69000) - à son domicile 53 avenue de Saxe

**Preferred Picture**

▼ **Parents**  
F COLIGNY Louis (1863-)  
M LOUIS Léontine (1870-1927)

▼ **Spouse (1)**  
• DUCHAMP Jean-Marie (1885-1983)  
M 10.12.1925 - Lyon (69000) - Abbaye d'Ainay

▼ **Children (2)**  
• DUCHAMP Claude Charles (1931-)  
• DUCHAMP Paul André (1934-)

**Other Person Events**

**Other Family Events**

▼ **Shared Events**  
• Census : 1926 - Lyon (69000) - 53 avenue de Saxe - Spouse

Cancel Validate

When you click **Validate**, Heredis opens the source and prefills known information, the type of the source, the title of the source, the Archive depository, the nature of the source, its quality, the website and automatically associates the capture or captures with the source. Fill in any missing information if necessary and click **OK** to create the source.

See our MOOC on Online Archives for more explanation.

## Enter data Census

Since Heredis 2019, you can also **Enter Data from a Census**. It will open the Census Grid feature. Please see Census (voir page 242) article or see our MOOC for further details.

## Launch Online Archives from an event

The **Online Archives search** tool may be launched directly from the file of the person.

### Events

## Searching in Online Archives

| Events     | Year | Age |  |
|------------|------|-----|--|
| Birth      | 1872 |     |  |
| Graduation | 1892 | 19  |  |
| 1 Marriage | 1899 | 26  |  |
| Death      | 1947 | 75  |  |

☐ Private  
Note

+ -

Share


B C M RM MC D BU


From the **Personal Data** entry tab, select the event you want to complete. Start the online archives search by clicking the **Online Archives** button below the list of events. Heredis displays directly the list of available archives of the country for the selected event provided you have previously entered this information. When you have found and captured the act of the event to be completed, Heredis prefills the treatment of captures with the relevant information on the person and the event selected in the **Personal Data** entry tab.



It remains for you to validate and possibly complete the missing information for the source.

# Find Relationships


The Find Relationships feature **scans** all the connections in your genealogical file to find out how two people can be linked, even if they're not directly related or allied.

- Click on the **Find > Find Relationships** menu.
- or Click the button  and then the  button.

The primary person is proposed by default as the first individual to analyze. You can change it by clicking on the magnifying  glass.

Under the title Second Person, then click on the magnifying glass  to choose the second person from the matching list or, from Heredis 2021 , click on **Root Person** or **Primary Person** button for a faster choice. Finally click **Search** to start searching for relationships.

*(Windows) Find Relationships*



*(Mac) Find Relationships*

## Find Relationships

Demo-Sample Family File - Find Relationships

**SEARCH**

**First Person**  
THOMAS Michael Georg...

**Second Person**  
RUCASTLE Reginald (< 1...

Search

**SEARCH RESULTS**

**Common Ancestors (2)**

RUCASTLE Adam (1818-190...  
HAYES Ann (1833-1915)

THOMAS Michael and  
RUCASTLE Reginald are  
grand-nephew/great-uncle

**Other Relatives (1)**

THOMAS Michael is  
the grandson of the brother  
of RUCASTLE Reginald

**Other Relationships (10)**

1. Witness of marriage (Witn...
2. Witness of marriage (Wit...
3. Sundry Link (Son-in-law)
4. Witness of marriage (Pres...
5. Witness of marriage (Wit...
6. Witness of marriage (Wit...
7. Witness of birth (Present)
8. Witness of marriage (Pres...
9. Witness of death (Declara...
10. Witness of birth (Declara...

THOMAS Michael is the grandson of the brother of RUCASTLE Reginald

son of  
daughter of  
brother of


**THOMAS Michael George (1933-)**  
RUCASTLE Alice Jean (1908-1998)  
RUCASTLE Gilbert (1870-1955)  
RUCASTLE Reginald (< 1860-1942)

**RUCASTLE Adam**

Ahn. # 12 (G 4)  
Businessman

Bi. 06.07.1818 - Canterbury  
D 11.08.1906 - Margate

**Preferred Picture**



**Parents**

**Spouse (1)**

- HAYES Ann (1833-1915)  
M 11.11.1858 - Plymouth

**Children (2)**

- RUCASTLE Reginald (< 1860-1942)
- RUCASTLE Gilbert (1870-1955)

**Other Person Events**

**Other Family Events**

**Shared Events**

**Facts**

**Is the witness of**

- Declarant  
Birth of RUCASTLE Gilbert  
(1870-1955) - 1870 - Margate

**Whose witness is**

**Other Relationships**

## Common ancestors

In the **Search Results** area, Heredis looks for possible common ancestors. By selecting one of the common ancestors found, a table shows you the parallel paths leading each of the two persons to this ancestor.

## Searching

Search

First Person  
**THOMAS Michael George (1933-)**

Second Person  
**RUCASTLE Reginald (< 1860-1942)**

Search

Search Results

**Common Ancestors (2)**  

- RUCASTLE Adam (1818-1906)
- HAYES Ann (1833-1915)

**Other Relatives (1)**  
THOMAS Michael is  
the grandson of the brother  
of RUCASTLE Reginald

**Other Relationships (10)**  

1. Witness of marriage (Witness)
2. Witness of marriage (Witness)
3. Sundry Link (Son-in-law)
4. Witness of marriage (Present)
5. Witness of marriage (Witness)
6. Witness of marriage (Witness)

Common Ancestors Of THOMAS Michael And RUCASTLE Reginald

HAYES Ann (1833-1915)  
RUCASTLE Adam (1818-1906)

RUCASTLE Gilbert (1870-1955)  
RUCASTLE Alice Jean (1908-1998)  
THOMAS Michael George (1933-)

RUCASTLE Reginald (< 1860-1942)

HAYES Ann

Ahn. # 13 (G 4)

Bi. 1833 - Plymouth  
D 1915 - Margate

Preferred Picture

Parents

▼ Spouse (1)  
• RUCASTLE Adam (1818-1906)  
M 11.11.1858 - Plymouth

▼ Children (2)  
• RUCASTLE Reginald (< 1860-1942)  
• RUCASTLE Gilbert (1870-1955)

Other Person Events

Other Family Events

Shared Events

Facts

Is the witness of

Whose witness is


Other Relationships

Created on: 1/12/2011

In case of implex due to inbred marriages, several paths can lead a person to the common ancestor. The number of paths is specified at the top of its column. Click on the lines of the different links to see the different parentages that lead to the common ancestor.

## Other Relatives


Heredis then searches whether they are related by parentage or marriage: maternal great-great-uncle, brother-in-law of the son-in-law, spouse of the second cousin.

Select the link or unroll the menu to see all the links and select another one. The table shows the parentages and alliances that connect the two persons. Each link is named. To make it easier to understand the link, you can click the button  (Change the meaning of the reading).


## Find Relationships

### Search Results

 **Common Ancestors (2)**

 RUCASTLE Adam (1818-1906)


 HAYES Ann (1833-1915)

 **Other Relatives (1)**

THOMAS Michael is

the grandson of the brother

of RUCASTLE Reginald

 **Other Relationships (10)**

1. Witness of marriage (Witness)


2. Witness of marriage (Witness)

3. Sundry Link (Son-in-law)

4. Witness of marriage (Present)

5. Witness of marriage (Witness)

6. Witness of marriage (Witness)

All links representation tables are printable by pressing  .


### Other Relationships

Heredis is finally looking for all the non-kinship ties: do they have in their relationship a person who witnessed marriage, declaring death?

Regardless of the type of link, it is represented in the form of a table in which each line names the relationship: son of, mother of, witness of death, etc. This makes it easy to find the thread that connects the two persons.

As for relatives, eventually click the button  (Change the meaning of the reading) to better understand the link.

Click on any person mentioned in the links table to view their summary in the right part of the Find Relationships window.

Click the print button  to start your word processing software and print out the detail of the selected link as well as the summary of all the links found.





# The tools

# Indexes: generalities


As you input data, Heredis groups the data by type and creates the corresponding indexes: surnames – given names – occupations – places – sources – media – repositories.

Each Index groups all data entries of the same type, and provides tools to illustrate, edit or delete data throughout the genealogy file.

Below are the general information for all indexes. Consult the articles Sources Index (voir page 383), Media Index (voir page 366), Places Index (voir page 396), Repositories Index (voir page 389) for specifics related to these indexes.

## Accessing Indexes

Indexes are permanently available.

- From the toolbar, click on the  **Indexes** button then select the one you want to open.
- From the **Tools** menu then choose the index you want to open.
- Click on the corresponding panel of the **Search panel**. You can access **Places**, **Sources**, or **Media Index**.

## Exploring the Indexes

You may use the indexes for finding any data, modify or complete them, and simply navigate throughout your genealogy. Each Index gives you an overview of your data, indicates where they are used and permits you to edit them throughout your genealogy file.

As you enter all data, Heredis will record the details to the right place in the appropriate Indexes: names, occupations, places, sources, media.

*(Mac) Given names Index*

## Indexes: generalities

Sample\_Family\_File - Given Names Index

Search  ☐ Unused Given Names

79/79

Options

| V | N | M | Given Name | G |
|---|---|---|------------|---|
|   |   |   | Adam       | M |
|   |   |   | Adrian     | M |
|   |   |   | Alice      | F |
|   |   |   | Alma       | F |
|   |   |   | Ambrose    | M |
|   |   |   | Andreas    | M |
| ★ |   |   | Andrew     | M |
|   |   |   | Angelina   | F |
| ★ |   |   | Ann        | F |
| ★ |   |   | Anna       | F |
|   |   |   | Arlo       | F |

Usage Statistics

2 entries for Andrew

|   | Surname       | Birth      | Death      |
|---|---------------|------------|------------|
| 👤 | MORLEY Andrew | 12.20.1899 | 06.30.1932 |
| 👤 | MORLEY Andrew | 12.20.1899 | 06.30.1932 |

Andrew

☐ Handle Characters Manually

Default Gender: Male

Note: ☐ Private Note

**Andrew** is the English form of a given name and surname common in many countries. The word is derived from the Greek: Ανδρέας,

Andrew

Variants

(Windows) Given names Index

## The tools

Given Names Index (80 given names)

Search:

☐ Unused Given Names Only  
☐ Variants

Default Gender: All

| Ge... | Given Name | Usual Given Name |
|-------|------------|------------------|
|       | Adam       |                  |
|       | Adrian     |                  |
|       | Alice      |                  |
|       | Alma       |                  |
|       | Ambrose    |                  |
|       | Andreas    | Andrew           |
|       | Andrew     |                  |
|       | Angelina   |                  |
|       | Ann        |                  |
|       | Anna       | Ann              |
|       | Arlo       |                  |
|       | Brenda     |                  |
|       | Bruce      |                  |

1 entry for Andrew

| Gender | Surname       | Birth      | Death      |
|--------|---------------|------------|------------|
|        | MORLEY Andrew | 20.12.1899 | 30.06.1932 |

**Andrew**

**Variants (2)** [Edit](#)

Andreas  
Andrew (Main)

**Note**

Andrew is the English form of a given name and surname common in many countries. The word is derived from the Greek: Ἀνδρέας, Andreas, "man" (as opposed to "woman"), thus meaning "manly" and, as consequence, "strong", "courageous", and "warrior".

Tools ▼ Print... Close

You may consult the list of assignments for every item of data and (**Mac**) the relevant statistics by period.

Edit by double-clicking or selecting and clicking on the pencil , comment in notes, illustrate your data in the Index for transmitting throughout your genealogy.


Change the spelling of «SHELITO» to «SHILLITO» so that it applies to all holders of this surname. Change the default gender assigned to all new «Lindsey» given names which you may enter. Consult the list of all the «Master builders» and navigate throughout their families. Show photos of the places where your ancestors lived and refine their geolocation. Enter a transcript of an old deed, which you may then consult in each event where the source is assigned. Import folders of photos to the **Media Index** so that you have them to hand for associating by a simple drag and drop.

Indexes allow you to apply overall treatment for any data of the same type: spelling, specific formatting, associating of variants, notes, illustrations, replacement by another given item of data.

## Search and sort


### Search for an element in an index

Each Index has a search field at the top left of the screen. Enter the word or phrase to be searched. The search is performed in real time and the displayed list is updated.


**(Mac)** Click the **Search**  icon to select the Search mode: «Search Contains» the word, or «Search Starts With» the entered letters.

You also have display filters to refine your search. You can display items that are not used in your genealogy by ticking the **Unused...** box and then delete them from (Windows) **Tools** button; (Mac) **Option** Button.

*(Mac) Sorting indexes*



*(Windows) Sorting indexes*



In the **Media Index**, choose from the pop-up menu to display media type (Image – Video – Missing...) and use (Sources – Persons...).

Only results that match your search criteria are displayed.

The counter **(Mac)** below the search box, **(Windows)** in the title of the index window, indicates the number of results compared with the total number of elements in the Index.

### Manage the displayed results

You can sort the list of elements in the Index according to the type of information.

Click the column header to rank sites by county, to classify sources by type, classify occupations according to the presence of a note, classify media according to their private character...

The Media Index may be displayed sorted either by file name or by date. Click the buttons on the toolbar of the list.

## Display all the elements of an index

To see the complete list of all items in an index, make sure you have no active search criteria or filters.

To cancel a search, click the **Delete** icon to the right of the search field.









To cancel the filter, uncheck the options. In the **Media Index** choose **All Media** and **Whole Index in the pop-up menus**.

## Consulting usage




You can easily visualize the various occurrences of a specific item in your genealogy and conveniently navigate from the indexes.

- Open the index you are interested in.
- Select the line corresponding to the item you want to research.
- **(Windows)** In the bottom part, the number of occurrences (Usage) will be displayed either directly or under a tab, depending on the index you are using. In the right end column or at the bottom, depending on the index, you will see the variants, attached media and/or notes

15 entries for THOMAS


| Gender  | Surname               | Birth      | Death |
|---|-----------------------|------------|-------|
|    | THOMAS Peter          | 03.12.1956 |       |
|  | THOMAS Paul           | 10.10.1960 |       |
|  | THOMAS Paul           | 1883       |       |
|  | THOMAS Michael George | 06.02.1933 |       |
|  | THOMAS Marion         | 1900       | 1985  |
|  | THOMAS Kate Elsie     | 24.06.1941 |       |
|  | THOMAS Judy           | 15.08.1962 |       |
|  | THOMAS Judy           | 15.08.1962 |       |

- **(Mac)** Click on the **Usage** tab in the lower part of the window.

| Usage Statistics  |                           |            |            |
|---|---------------------------|------------|------------|
| 29 entries for THOMAS   |                           |            |            |
|   | Surname                   | Birth      | Death      |
|  | THOMAS Christopher Edward | 05.13.1910 | 05.31.1991 |
|  | THOMAS Christopher Edward | 05.13.1910 | 05.31.1991 |
|  | THOMAS Edward             | > 1804     | 1874       |

- Double-click on the person's name to display the person's data.
- In some indexes, you can view variants, media path, or other information in the right column.

*(Mac) Surnames index*



☐ Handle Characters Manually

Note: ☐ Private Note

The **von Borcke, Bork, Borke** or **Borken** is a rich old noble Pomeranian family.

cf. [Wikipedia](#) The **von Borcke, Bork, Borke** or **Borken** is a rich old noble Pomeranian family.


**von BORCKE**

Variants

von BORK

*(Windows) Surnames index*

## The tools



- All indexes allow you to see where the information is attached. For example: If you want to know who of your family was a doctor, you click on doctor in the occupation index and you will see who had this occupation.

Each item of the index is analyzed so you can improve your knowledge of your genealogy.

**(Mac)** Click on the **Statistics** tab to consult usage stats on the item you selected. Heredis will display a graph showing the number of occurrences over a time period.


**(Mac)** The index window will remain open until you close it. You can go back to it at any time to switch to another usage or to do another search.

## Modifying data throughout the file

You have mistakenly added the occupation «Lawyer» instead of «Solicitor»? You want the given name of «LaToya» to be written with a capital T? You realize that you have entered two different sources for the same document?

No need to spend time editing each person in your genealogy. By using the Indexes, you manage globally Surnames, Given Names, Occupations, Places, Sources and Media, and **any change is automatically applied wherever the element is used in your file.**



1. Select the item to be modified. If necessary run a search or sort to find it easily.
2. Edit the item:
  - **(Mac)** by entering directly on the right of the Index screen,
  - by double-clicking on the line,
  - by clicking the **Edit and modify...** button  on the toolbar of the list to open the editing screen.

### Modify upper or lower case

Most data managed in the indexes are automatically formatted when entered. The automatic formatting is defined in


- (Windows) **Tools** menu > **Preferences > Appearance;**
- (Mac) **Heredis** menu > **Preferences.**

You can choose to display the surnames, given names and places in uppercase, or with only the first letter in capitals. However Heredis allows you to change the formatting for a single item and then apply the changes to all uses of this element.


You want to make an exception for a surname, a given name or a place where the spelling is unusual.

1. Open the index and find the item in question to be changed.
2. Open the editing screen and tick **Handle Characters Manually.**
3. Edit the item. You may type upper and lower case wherever you want for the word. The automatic formatting will not apply to this element that will keep the format that you have chosen.

#### *(Mac) Handle Characters Manually*



#### *(Windows) Handle Characters Manually*



### Replace an element with another

After many data entries, you may have created duplicates: this source is identical to another, such an occupation was spelled in two different ways. Tidy up in the index in question by using the **Replace...** function.

1. Open the index and find the item in question to be replaced.

2. Click the **Replace...** ➡ on the toolbar of the list.
3. Select the replacement item in the list. Click **Choose** to confirm the replacement.

The element is replaced in the Index, and therefore wherever it has been used in your genealogy. The Index now contains one element less than before.

**Info:** An element with variants can't be replaced. You first have to unlink the variants.

## Manage variants

The notion of a variant allows you to assign several elements to an Index entry. You can define variants of Surnames, Given Names, Occupations and Places.


Place names have sometimes changed over the centuries. As part of your genealogical research, you may find a number of variants for the same place. «New Amsterdam» was renamed «New York» in 1665, «Philipstown (Leinster)» became «Daingean» in 1929. Similarly, you may encounter a name spelled differently depending on the date of the certificate found: the «Taylor» family is sometimes noted with the spelling «Taylour» or «Tayler».

## Specify the variants


- Open the index in question.
- Select the surname, given name, occupation or place you choose as the standard version.

In the **variants** field at the bottom right of the screen, click the + (Link a variant...).

- **(Mac)** click on the + button in **Variants** area.



- **(Windows)** click on the link **Edit**, then on + button in **Variants** area.



- **(Windows & Mac)** Select the item to be the variant and press the **Choose** button.

You can repeat this as necessary to add several variations to the main element.

### Choose the main variant

You can choose the main variant for a surname, given name, or occupation. Select the variant you wish to see as the main and click on the ★ button. The main variant appears with a grey star ★ and its variants with a white one ☆.

To change the main variant, select the element to be the main element, then click on the ★ button.

### Unlink variants

To unlink a variant, select **Variants** in the screen and click the — (Unlink the selected variant) button.

To remove all variants of a group: click the cogwheel icon in the **Variants** field, and choose **Remove this group of variants**.

To remove all variants from your genealogy file, click the **Options** button on the toolbar and choose **Unlink All Variants...**

**Info** • Deleting a variant does not remove the item from the index. Only the link of the element in the index is deleted.

### Delete unused data from an Index

You can delete at one go all the elements that are not used in your genealogy file.

As a precaution, review first the list of unused data by ticking the **Unused...** box in the search field.

1. Click the (Windows) **Tools** / (Mac) **Options** button on the toolbar of the Index and select **Remove All Unused...**
2. Confirm the deletion by clicking **OK**.



# Media Index

Read also the article Indexes: generalities (voir page 356) for tools available on all indexes.


The media index is fed each time you add a media in Heredis. Whether it is a source media, a person, a union, an event, a place, etc.

For more details, please consult the Media (voir page 163) article.

Open the **Media Index**


- from the **Tools** menu > **Media index**,
- from the toolbar ,
- (Mac) or by clicking the  **Index** button in the **Media** panel toolbar.

*(Windows) Media Index*



*(Mac) Media Index*



## Media Index



## Searching

In the **Search** section, type in the name (or part of the name) of the media you are looking for. The number of items matching your search is displayed right underneath the search section.

(Mac) Click the **Magnifying Glass** icon to select the search mode: “Search Starts With” or “Search Contains” the letters typed in.

In order to delete or replace the searched word, click on the **(Windows)**  or **(Mac)** , which appears in the input area.

- The search can be limited to a single type of media by selecting it from the drop-down menu: **All media, Image files, Audio files, Video files, Other types, Missing Media, Private.**
- Filter your search according to the type of data the media is assigned to by selecting in the other drop-down menu: **All/Whole index, Persons, Families, Sources, Events, Surnames, Given Names, Places, Unused Media,** etc.

To better identify the selected media:

- Choose to display a list or icons according to the name of the media or to the date you have entered.
- Sort the media by name or date. You can also enlarge the icons using the zoom cursor.

**Info •** If you choose to display a list instead of icons, the results displayed as a list can be sorted according to the presence of a Note (N), of a Private media (P), or according to their name, by simply clicking on the column header.

If a media is selected on the list, you can consult the data it is related to by clicking the **Usage** tab. Double-click the data you are interested in and it will be displayed in a new window.

### The button bar

Below the media list or thumbnails, you'll find a button bar.



- + adds a media.
- deletes the selected media.
- ✎ lets you edit the selected media. You can date it, add a note, do some simple retouching or even identify individuals in the photo. See the Photo Tool (voir page 462) article for full details.

The ⇄ **Replace with** button lets you replace one media item with another from the media dictionary. If, for example, you have duplicates, this function replaces the uses of the duplicate with the other media.

The 📁 **Replace with computer media** button lets you tell Heredis that media A is to be replaced by media B. This is very useful if you have renamed your media outside Heredis.

The ↻ **Update from original** button is useful for updating the selected media if, for example, you have made changes in a photo editing program.

The 💾 **Save as** button lets you save a copy of the media on your computer. It will be of the same quality as the one in the dictionary.

Finally, the 📄 **Rename media** button lets you change the name. Full details in the Rename media (voir page 375) article.

### Tools (Windows) or Options (Mac)

The **Tools** button on Windows and **Options** on Mac lets you perform a number of actions. Just click on them.

#### Export media

Click on **Export selected media** to create a Media folder in the name of your family tree, containing all the media in the dictionary.


#### Delete unused media

Click on (Windows) **Tools** / (Mac) **Options**.

Choose **Remove unused media**. All unused media will be deleted at once.

A message alerts you to the number to be deleted. This deletes the media from the genealogy and therefore from the dictionary, but does not delete the original stored on your computer.

## Check media

Sometimes, your media in Heredis may be pixelated or even missing (icon with a cross ). There are several reasons for this:


- Heredis no longer accesses the original because it has been moved or renamed or stored in a Cloud.
- Heredis can no longer access the copy of the Heredis file in the media folder.
- You have imported a GEDCOM file and a GEDCOM 5.5.1 never contains the media. For more information on GEDCOMs, see the article [What is a GEDCOM?](#) (voir page 661)

Media verification allows you to reintegrate media in just a few clicks.  
For more details on how media works, see the article [Media](#) (voir page 163).


Open the **Media Index** .

1. Click on the (Windows) **Tools** / (Mac) **Options** (cogwheel) button in the index toolbar.
2. Select **Check media...**

### Windows Check Media



### Mac Check Media



Heredis reviews all the media in your genealogy and detects, if any:

- media not found following deletion from the Media folder managed by Heredis
- media of which the original has been modified by third party software other than Heredis
- and finally, media for which the original has changed location and is no longer present on your computer.

In the **Media check** window, you can:

- in the **Missing Media** tab, designate a folder to search and update these media. Click on **Choose folder and update**. Indicate the location of the media on your computer.


## The tools

Heredis automatically reintegrates them if their name has not changed and if they are not media cut with the Photo Tool (voir page 462).

- in the **Original changed** tab, select all or part of the media managed by Heredis to update them from the originals. Click on **Update the selection**.
- in the **Missing Original Media** tab, specify the folder where your original is located. Click on **Choose a folder**.

**Note:** If your media are stored in multiple folders, you will have to do as many times the manipulation to indicate which folder you have folders.


*(Windows) Media check window*



*(Mac) Media check window*



## Media Index




If your originals have changed their names, Heredis will not be able to reinstate them automatically. Indeed, the software cannot know that the name of a media have been changed. In this case, see the paragraph below.

## Replacing or deleting media


### Replace media with other media

You may have assigned two different media but they were the same (an image of a source saved with two different names, the same image on the selected hard drive and in iPhoto ...). You may only keep one assigned media but use it several times.

1. Open the **Media Index**  and select the media to be replaced.


*Media Index for Windows*

## The tools



*Media Index for Mac*

## Media Index




2. Click **Replace with another Media from...** or on the button bar of the display field and choose the duplicate image in the index or the replacement image in its folder on your hard drive.

3. Select the media to be kept and click the **Choose** button.  
The initial media has been replaced by the second for all its uses.

### Delete media

Display the **Media** panel, or open the **Media Index**.

- Select the media to remove
- Click the  (Remove the selected media) button on the toolbar for media management.
- **(Mac)** Right-click the media and choose **Remove...**
- Confirm the deletion of the media with **OK**.

This will delete the media from your genealogy file. If it had been used, it will no longer appear in the illustrations of data or persons to whom it was assigned.

## Change Private field to

If any of the media in your index are marked **Private**, or if you wish to make them private, click on (Windows) **Tools** / (Mac) **Options > Change Private field to >** choose between **Private** and **Not Private**.

You can do this on a media-by-media basis. If you wish to modify in bulk, select the media to be modified before clicking on the (Windows) **Tools** / (Mac) **Options > Change Private field to >** choose between **Private** and **Not Private** button.

## (Mac) import new media from a folder

Click on the **Options** button > **Import new media from a folder**.

Select the location of the folder to be imported.

Confirm.

The media in the selected folder will be added to the dictionary, ready for use in your genealogy.

## Select multiple media

You can select multiple media from the media dictionary.

On Windows, press the CTRL key on your keyboard and click on each media item to be selected.


To select a whole list of successive media, press the SHIFT key on your keyboard and click on the start and end media of the list to be selected.

On Macs, press the Cmd key on your keyboard and click on each media item to be selected.


To select a whole list of successive media, press the SHIFT key on your keyboard and click on the start and end media of the list to be selected.

# Rename media

You now can rename your genealogy media directly from your software.


- Launch the **Media Index**.
- Select the media you wish to rename.
- Click on the  button located in the index toolbar.

## Windows Media Index



## Mac Media Index


## The tools



- Rename your media. Avoid using special characters, such as punctuation, symbols or accents, when naming your media.


### *Windows – Rename media*

Rename media



Mac – Rename media

## The tools




- Click **OK** to validate or **Cancel** to go back to the original name.

Only the media in Heredis will be renamed while the name of your original media on your computer's hard drive remains unchanged.

*Windows – Media name*




Rename media




Mac – Media name

## The tools




You can also open the **Photo tool** by simply double-click on the photo itself from the Media panel or source, event area etc.

Click on the same button  and proceed as previously indicated to rename your media.


*Windows – Rename media without opening the Media Index*

## Rename media



*Mac – Rename media without opening the Media Index*

## The tools




Consult our Media (voir page 163) article to learn more about media management.

# The Sources Index

The **Sources Index** includes all sources associated with events entered into the genealogical file.



To manage the sources stored in the genealogical file, select the **Tools** menu > **Sources Index**.

New sources can also be entered using the  button in **Sources tab** of an event, or directly in the **Sources Index**. Read the Sources (voir page 221) article for more details on creating a source.

Check out the article Indexes: Generalities (voir page 356) for the tools available in all indexes.

## Open the sources index

Open the **Sources Index**:

- from the **Tools** menu,
- via the toolbar by clicking on **Indexes** button then on  **Sources Index** button in the toolbar,
- **(Mac)** by clicking  on in the **Sources** panel.

*(Windows) Sources Index*

## The tools

Sources Index (10 sources)

Search:

☐ Unused Sources Only  
☐ Private Sources Only

| N | T | M | P | ▲ Title      | Type          | Repository          | Document      | Call #   | Medium     | Archiv |
|---|---|---|---|--------------|---------------|---------------------|---------------|----------|------------|--------|
|   |   |   |   | 1841 UK...   | Namelist      | National Archives   | Census        |          | Internet   |        |
|   |   |   |   | Alice's will | Record        | Simons & Tapply     | Will          |          | Copy       |        |
|   |   |   |   | Bachelo...   | Namelist      | University archi... | Pass list     | Year ... | Digitizing |        |
|   |   |   |   | Death R...   | Record        | Parish records      |               | 1947     | Other      |        |
|   |   |   |   | Diary        | Private Do... | Family archives     | Journal       | 1947     | Original   |        |
|   |   |   |   | Family A...  | Private Do... |                     | Misc.         |          | Original   |        |
|   |   |   |   | Marriage...  | Record        | City of Westmin...  | M.Cert. A.... | D 22...  | Internet   |        |
|   |   |   |   | Newspa...    | Publication   | British Newspa...   | Caledonia...  |          | Internet   |        |
|   |   |   |   | Old Pari...  | Namelist      | ScotlandsPeople     | Baptisms-...  |          | Internet   |        |
|   |   |   |   | Statutor...  | Namelist      | ScotlandsPeople     | Births-Mar... |          | Internet   |        |

3 entries for 1841 UK Census - National Archives, Census

| Type  | Sourc...  | Date     | Place   | Subdi... | Comm... | Evide... |
|-------|-----------|----------|---------|----------|---------|----------|
| Ev... | Birth ... | 1818     |         |          |         | Direct   |
| Ev... | Birth ... | 1833     | Plym... |          |         | Direct   |
| Ev... | Birth ... | 07.06... | Cant... |          |         | Direct   |

Tools ▼ Print Close

## (Mac) Sources Index

Demo-Sample Family File - Sources Index

Search  ☐ Unused Sources

10/10

| T | N | M | P | ▲ Title           | Document                | Repository     | Type         | Author | Call #     | Archive | Medium     | Quality | W...   | Er |
|---|---|---|---|-------------------|-------------------------|----------------|--------------|--------|------------|---------|------------|---------|--------|----|
|   |   |   |   | 1841 UK Cens...   | Census                  | National Ar... | Namelist     |        |            |         | Internet   | 2       | htt... |    |
|   |   |   |   | Alice's will      | Will                    | Simons & T...  | Record       |        |            |         | Copy       | 3       |        |    |
|   |   |   |   | Bachelor of A...  | Pass list               | University...  | Namelist     |        | Year 18... |         | Digitizing | 2       |        |    |
|   |   |   |   | Death Robert...   |                         | Parish reco... | Record       |        | 1947       |         | Other      | 0       |        |    |
|   |   |   |   | Diary             | Journal                 | Family arc...  | Private D... |        | 1947       |         | Original   | 3       |        |    |
|   |   |   |   | Family Archives   | Misc.                   |                | Private D... |        |            |         | Original   | 3       |        |    |
|   |   |   |   | Marriage certi... | M.Cert. A.P. (10)       | City of We...  | Record       |        | D 22915    |         | Internet   | 3       |        |    |
|   |   |   |   | Newspapers        | Caledonian Mercury      | British Ne...  | Publication  |        |            |         | Internet   | 0       |        |    |
|   |   |   |   | Old Parish Re...  | Baptisms-Marriages-...  | ScotlandsP...  | Namelist     |        |            |         | Internet   | 2       | htt... |    |
|   |   |   |   | Statutory Regi... | Births-Marriages-Dea... | ScotlandsP...  | Namelist     |        |            |         | Internet   | 2       | htt... |    |

3 entries for 1841 UK Census - National Archives, Census

| Type  | Source Owner              | Date       | Place      | Place Subdivision | Comment | Evidence |
|-------|---------------------------|------------|------------|-------------------|---------|----------|
| Event | Birth - DOBNEY Anna (1... | 1818       |            |                   |         | Direct   |
| Event | Birth - HAYES Ann (183... | 1833       | Plymouth   |                   |         | Direct   |
| Event | Birth - RUCASTLE Adam...  | 06.07.1818 | Canterbury |                   |         | Direct   |


Type: Namelist (census, passengers, electio...  
Title: 1841 UK Census  
Document: Census  
Repository: National Archives  
Call #:   
Author:   
Date: 1841  
Email:   
Website: http://www.nationalarchives.gov.uk...  
Medium: Internet  
Archive:   
Quality:   
☐ Private Source

Note Transcription

☐ Private

## Duplicate a source

Save time and duplicate a source when you only have the reference to change for example.



- Select the source to duplicate.
- Click the button  at the bottom of the source list.
- Edit the duplicate source, it has no use.
- Change the data to get a new source.

## Search the sources

In the search area, type a word contained in any input topic of the search source.

The number of items found that match your search is displayed under the search area.

**(Mac)** Click on the **Magnifying glass** icon to choose the search mode: the search “contains” the entered word, or the search “starts with” the letters entered.

To undo a search on a word, click the erase icon ( Windows,  Mac) to the right of the search area.

See the list of events in which this source is used in the lower part of the window.

To find a source registered in the **Sources Index**:

- Click directly on the source in the list displayed.
- or Tap the arrow keys of your keyboard to access them.
- or Enter the first letters of one of the items from the searched source in the **Search** area. You can search for a source by name, origin, rating, etc.

You can refine the list of sources displayed:

- To limit the list to unused sources, check the corresponding box.
- **(Windows)** To view only private sources, check the corresponding box.
- Click in the column header to see the sources recorded in alphabetical or numerical order of the Title or Repository or Document or Call #, etc. A new click in the header reverses the order displayed. An arrow appears in the column on which sorting is performed. Columns N, T, M, P allow you to sort sources with a Note, Transcript, Media or the Private ones. Click on the header of these columns to see the sources sort as you see fit.

When you select a source from the list, the detail of that source appears on the right (title, name of repository, document, private source, ...).

**(Mac)** You can change the fields of the selected source directly from the detail on the right.






Uses of this source are displayed under the source list.

*(Windows) Uses of a source*




## The tools

7 entries for Statutory Registers - Scotland - ScotlandsPeople, Births-Marriages-Deaths Registers

| Type  | Source owner                            | Date       | Place                       | Subdi... | Comm... | Evide... |  |
|---|---|------------|-----------------------------|----------|---------|----------|--|
|  Event | Birth - de NEMOURS Josephine (1855-1... | 24.01.1855 | Dunfermline (Fife)          |          |         | Direct   |  |
|  Event | Birth - WALLACE Brenda (1873-1937)      | 14.10.1873 | Edinburgh (City Of Edinb... |          |         | Direct   |  |
|  Event | Death - SMITH Charlotte (1805-1872)     | 25.03.1872 | Leith (City Of Edinburgh)   |          |         | Direct   |  |
|  Event | Death - WALLACE James William (1801...  | 15.08.1888 | Leith (City Of Edinburgh)   |          |         | Direct   |  |
|  Event | Marriage - RUCASTLE Gilbert (1870-19... | 11.09.1900 | Edinburgh (City Of Edinb... |          |         | Direct   |  |

### (Mac) Uses of a source

3 entries for 1841 UK Census - National Archives, Census


| Type  | Source Owner              | Date       | Place      | Place Subdivision | Comment | Evidence |
|---|---------------------------|------------|------------|-------------------|---------|----------|
|  Event | Birth - DOBNEY Anna (1... | 1818       |            |                   |         | Direct   |
|  Event | Birth - HAYES Ann (183... | 1833       | Plymouth   |                   |         | Direct   |
|  Event | Birth - RUCASTLE Adam...  | 06.07.1818 | Canterbury |                   |         | Direct   |

Double-click on one of the uses to navigate directly to the event or the person concerned. This source is selected and can be deleted or modified. If you modify it, the changes will be made for all the uses of this source.

## Merge two sources

You may have recorded several sources in the **Sources Index** that corresponds to the same reference: for example, you created a source with the digitized certificate and created another with the transcript of the certificate.

You can create a single source that will replace the two sources currently in the index.


- Select source A to be eliminated.
- Click the  button.
- Select source B to keep.
- Click the **Choose** button.

Heredis indicates the number of changes that will be made.

- Confirm the replacement of source A with source B by clicking the **Yes** button. All events to which source A was attached will be changed.

## Delete a source

Select the source from the source list.

- Click the  button.  
Heredis warns you when the source is being used. If you confirm the deletion, the source will no longer appear in the list of sources of events to which it was assigned.

## Delete unused sources

To remove all unused sources in the genealogical file, select **Remove All Unused Sources** in



the drop-down menu **(Windows) Tools, (Mac) Options**.

## Multi-selection

To process multiple sources in a single operation:

- **(Windows)** Press the Ctrl or Maj button and, while keeping that key pressed, click on the different sources you want to select.
- **(Mac)** Press the Command or Maj button and, while keeping that key pressed, click on the different sources you want to select.
- Then choose the appropriate action, deletion, replacement or printing of the list (from Print button on Windows, from Options button on Mac).

## Swap two columns

This feature allows you to easily exchange the values of 2 headings from a source.

- Select one or more sources, via multi-selection
- **(Windows)** Click the **Tools** button > **Swap**, then choose the 2 topics to trade.
- **(Mac)** Click the **Options** button > **Swap**, then choose the 2 topics to trade.

## Change the value

To change the value contained in one topic by another possible value for this topic:

- Select one or more sources, via multi-selection,
- **(Windows)** Click the **Tools** button > **Change the Value** > select the section > choose the new value for this topic.
- **(Mac)** Click the **Options** button > **Change Value** > select the section > choose the new value for this topic.

**Note:** Before applying the changes, Heredis displays a confirmation message telling you how many sources are impacted by the desired change. Click the Yes or No button to apply the changes or not.

## Print

### (Mac) Print the source index

The **Options** button > **Print** > **Custom reports** allows you to edit the custom report of the sources stored in the file as they are displayed.

If you have done a search, only the results of this search will be printed. Also, Heredis will keep the sorting order you have chosen by clicking on the columns corresponding to the different topics of the sources.

You can also create a list, in the format prior to the custom reports, of all sources. Click the **Options** button > **Print** > **Print Sources list**.


You'll find all the topics of the source, its uses, and the transcripts you've entered if you wish.

Check out the articles Custom Reports, (voir page 508) (Mac) Create and Edit a Report

### **(Windows) Print the source index**

The **Print** button allows you to edit the custom report of the sources stored in the file as they are displayed. You can also launch the printing from **Tools** button > **Print** > **Custom reports**.

If you have done a search, only the results of this search will be printed. Also, Heredis will keep the sorting order you have chosen by clicking on the columns corresponding to the different topics of the sources.

You can also create a list, in the format prior to the custom reports, of all sources. Click the button  in the index toolbar or the **Tools** button > **Print** > **Sources report**.

You'll find all the topics of the source, its uses, and the transcripts you've entered if you wish.

Check out the articles Custom Reports, (voir page 508) .(Windows) Create and Edit Reports (voir page 522).

### **Import an index into a Heredis file**



You can import an index into an other Heredis file if, for example, you need to use the data you entered in an other file. See Import an index into a Heredis file (voir page 409) article for further details.

# Repositories Index

A repository corresponds to who holds the original document. It may be your aunt who keeps the family documents or the State Archives which keep the originals of the registers of civil status.

Every new entry is inserted in the **Repository Index**. Heredis verify every data in the repository section.

To manage all repositories registered in your genealogy file

- select the **Tools Menu > Repositories Index**
- or directly from the **Sources index**,
- click on **(Windows)** Tools button / **(Mac)** Option (cogwheel) button then select **Repositories Index**;
- or from the toolbar click on the  button in the Index  button.

See also Indexes: generalities (voir page 356).

## Create a new repository

When entering a new source, the **Entering repository** screen automatically opens if the repository doesn't already exist in your file.

*Windows Entering Repository*

## The tools

Entering repository

Name:

Address:

Call #:

Email:

Website:

Rich text editor toolbar: Bold (B), Italic (I), Underline (U), Text color (A), List (bulleted), Link (chain), Print (printer), and a font dropdown set to Arial.

Ruler: 1 to 15 inches.


Text area: A large empty text box with a vertical scrollbar on the right and a horizontal scrollbar at the bottom.

Private: ☐ Private

Buttons: Cancel, OK

*Mac Entering Repository*

## Repositories Index



To add a new repository from **Repository Index** :

- Click on the **+** button to enter a new repository.
- Write all the data you dispose of on the new repository in the sections: name, address, call #, email, website.

You can also add a note: write directly in the word pressing, and use the toolbar if you wish to edit.

Check the **Private Note** box to exclude this note from file exports and publishing.

### Access to a repository

Click directly in the **Repository index** in the displayed list.

or Press the arrow touch of your keyboard to access it.

or Enter the first letters of the repository in the search bar. You can reduce the repository list by ticking the box "**unused repositories**" to see only the unused repositories and eventually delete them.


When you select a repository in the list, find directly to the right the entered information: name, address, call #, email, website and note.

The sources using the repository are displayed under the repositories index.

Double-click on one of the use to display directly the detail of the concerned source.

## Modify a repository


Heredis allows you to modify a repository at any time.

Select the repository to modify then click on the pencil  button.

Or double click on the displayed repository in the list.

Modify directly the sections you want. If you change the name of the repository, Heredis will impact this modification on every source linked to this repository.

### Windows Modify a repository



### Mac Modify a repository

## Repositories Index

Entering repository

Name:

Address:

Call #:

Email:

Website:

Note:

Styles     Spacing   Lists

0 2 4 6 8 10 12

☐ Private Note

Cancel OK


### Merge 2 repositories

You may have save duplicates in the **Repositories Index**, merge them to keep only one in the **Index**.

- Select at first the repository to erase
- Click on the ➡ button
- Select then the repository to keep
- Click on the **Choose** button

*Windows Merge 2 repositories*


## The tools




*Mac Merge 2 repositories*



## Repositories Index



### Erase a repository

- Select the repository to delete
- Click on the  button. If you erase a used repository, it will also be erased from the linked source.

### Multi-Selection

To treat multiple repositories at the same time:

- Press the **(Windows)** Ctrl or Maj / **(Mac)** Cmd or Maj key and, while holding this key down, click on the different repositories you wish to select.
- Then choose the appropriate action, erasing or replacement.



# Places Index

The places index is updated as places are entered in events and facts. See the Places (voir page 191) article for more details.

You can also add a place to the index for future use.

The Places index can be accessed from the **Tools** menu > **Places index**.

## Create a new place to be assigned later

1. Display the **Places** panel or open the  **Places Index**.
2. Click  (Add New Place).
3. Enter the name of the place. With the first letters, Heredis proposes a list of known places which may match your entry. By choosing one of these known places, the different administrative fields and geolocation of the place will be filled in automatically.

See the Places (voir page 191) article to understand how to input a place.

A new place has been created but it is not yet assigned to an event. This place will now be proposed in the list of existing places when you type in the **Places** field of an event.

*(Mac) Enter new place in Places index*

## Places Index

0 / 0

Place Note

Styles Spacing

☐ Private Note

City: Manchester

☐ Handle Characters Manually

Postal Code:

County: City and Borough of Manchester

State/Province:

Country: ENGLAND

Latitude: 53.480950

Longitude: -2.237430

Suggestions

Leaflet | © OpenStreetMap

*(Windows) Enter new place in Places index*

## The tools

Entering a new place

Add New Place  
Enter New Place Details

City: Manchester  
☐ Handle Characters Manually

Postal Code: County: City and Borough of Manchester

State/Province:

Country: England

Latitude: 53.480950

Longitude: -2.237430

Variants

Note Map

Suggestions

Search

Fill up Replace

100 mi

OK Cancel

### Information for the place

The input and modify screen of the place contains items to be filled in, a Notes field, an assigned media field, a display field for a map, and a field reserved for geolocation if it is not known.

### Input fields for the place


Each administrative item has a separate input field. This organization method allows you to edit documents by town, region, country and facilitates the geolocation of the place where your ancestors lived.

Complete the fields **City – Postal Code – County – State/Province – Country**.

If you know them, you may also complete the **Latitude** and **Longitude** fields. However they will be filled automatically when the geolocation of the town will be done.

*(Mac) Administrative item*

## Places Index



City:

☐ Handle Characters Manually

Postal Code:

County:


State/Province:

Country:

Latitude:

Longitude:

*(Windows) Administrative item*



City:

☐ Handle Characters Manually

Postal Code:  County:

State/Province:

Country:

Latitude:

Longitude:

Tick **Handle Characters Manually** box if you don't want the default Heredis Preferences to apply for formatting the place.


### Place Note

Enter information about the place in the **Note** field, for example the history of this place. You have available the text editing tools to format the note.


Tick the **Private Note** box to exclude exports of the note or printed documents.

*(Mac) Place's Note*

## The tools



*(Windows) Place's Note*



### Media assigned to the place


To assign one or more media to a place:

- Click the **+** (Add a Media) button in the display field of the media.
- **(Mac)** Drag and release the media selected from **Media** panel or from the Finder.

*(Mac) In Place index, area to add a media*



*(Windows) In Place index, area to add a media*



**Mac Info** • The right-click menu in the display field of the media provides access to the **Add New Media** option.

## Subdivisions

**Subdivisions** tab inform you of subdivision attached to the selected place.

*(Windows) Places index*

## The tools

Places Index (83 places)

Search:  ☐ Unused Places Only ☐ Variants

| City              | Postal Code | County           | State/Province   | Country      | Latitude  | Long ^ |
|-------------------|-------------|------------------|------------------|--------------|-----------|--------|
| Mons              |             | Hainaut          | WALLONIA         | BELGIUM      | 50.460097 | 3.901  |
| Montpellier       | 34000       | Hérault          | OCCITANIE        | FRANCE       | 43.610920 | 3.87   |
| Neumünster        |             | Neumünster       | SCHLESWIG-HOL... | GERMANY      | 54.083492 | 9.971  |
| New York City     |             |                  | NY               | UNITED ST... | 40.714270 | -74.0  |
| Newton            |             | Middlesex County | MA               | UNITED ST... | 42.337040 | -71.2  |
| Obernburg am Main |             |                  | BAYERN           | GERMANY      | 49.840000 | 9.14   |
| Offenbach         |             |                  | HESEN            | DEUTSCHL...  | 50.100000 | 8.76   |
| Oldenburg         |             |                  | NIEDERSACHSEN    | DEUTSCHL...  | 53.166670 | 8.20   |
| Osaka             |             |                  | OSAKA PREFECT... | JAPAN        | 34.619881 | 135.4  |
| Paris             | 75000       | Paris            | ÎLE-de-FRANCE    | FRANCE       | 48.853410 | 2.341  |

Entries Place Subdivisions Data

New York City : 1 Place subdivision

| Place subdivision | Latitude | Longitude | Number of entries |
|-------------------|----------|-----------|-------------------|
| Ellis Island      |          |           | 2                 |

Map of New York City showing the location of Ellis Island. The map includes a scale bar (1 mi) and the Leaflet | © OpenStreetMap logo.

Tools Print... Close

(Mac) Places index



## Places Index

Sample\_File\_intern\_H23 - Places Index

Search  Unused Places 103/103

| V | N | M | City                 | Postal Code | County          | State/Provi... | Country              | Latitu...       | Longi...        | S |
|---|---|---|----------------------|-------------|-----------------|----------------|----------------------|-----------------|-----------------|---|
|   |   |   | Mons                 |             | Hainaut         | WALLONIA       | BELGIUM              | 50.46...        | 3.909...        |   |
|   |   |   | Montpellier          | 34000       | Hérault         | OCCITANIE      | FRANCE               | 43.61...        | 3.877...        |   |
|   |   |   | Montreal (06)        |             |                 | QUEBEC         | CANADA               | 45.55...        | -73.6...        |   |
|   |   |   | Neumünster           |             | Neumünster      | SCHLESWI...    | GERMANY              | 54.08...        | 9.976...        |   |
|   |   |   | <b>New York City</b> |             |                 | <b>NY</b>      | <b>UNITED STA...</b> | <b>40.71...</b> | <b>-74.0...</b> |   |
|   |   |   | New York City        |             |                 | NEW YORK       | UNITED STA...        | 40.71...        | -74.0...        |   |
|   |   |   | Newton               |             | Middlesex C...  | MA             | UNITED STA...        | 42.33...        | -71.20...       |   |
|   |   |   | Newton               |             | Middlesex C...  | MASSACHU...    | UNITED STA...        | 42.33...        | -71.20...       |   |
|   |   |   | Obernburg am Main    |             |                 | BAYERN         | GERMANY              | 49.84...        | 9.141...        |   |
|   |   |   | Offenbach            |             |                 | HESSEN         | DEUTSCHL...          | 50.10...        | 8.766...        |   |
|   |   |   | Oldenburg            |             |                 | NIEDERSAC...   | DEUTSCHL...          | 53.16...        | 8.200...        |   |
|   |   |   | Osaka                |             |                 | OSAKA PRE...   | JAPAN                | 34.61...        | 135.4...        |   |
|   |   |   | Paris                | 75000       | Paris           | ÎLE-de-FRA...  | FRANCE               | 48.85...        | 2.348...        |   |
|   |   |   | Paris                |             | Paris           | ÎLE-de-FRA...  | FRANCE               | 48.85...        | 2.320...        |   |
|   |   |   | Philadelphia         |             | Philadelphia... | PENNSYLV...    | UNITED STA...        | 39.95...        | -75.16...       |   |
|   |   |   | Phuket Province      |             |                 | PHUKET PR...   | THAILAND             | 7.936...        | 98.35...        |   |

Details Map

City: New York City

☐ Handle Characters Manually

Postal Code:

County:

State/Province: NY

Country: UNITED STATES

Latitude: 40.714270

Longitude: -74.005970

Note: ☐ Private Note

New York City (NY)

Variants

Usage Subdivisions Statistics

New York City : 1 Place subdivision

| Subdivision  | Latitude | Longitude | Nb. entries |
|--------------|----------|-----------|-------------|
| Ellis Island |          |           | 2           |

By clicking on the pencil button, you can geolocate the selected subdivision.

Use the button below the list of subdivisions to add a subdivision to a location for future use.

Use the button below the list of subdivisions to delete a subdivision from a location.

The button allows you to replace a subdivision by an other one, if for example, you entered “main street” and “Main Street”.

Also check Geolocating place subdivisions (voir page 419).

## Manage variants

The concept of a variant allows you to combine several elements of an index. You can define variants of Places.

The names of places have sometimes changed over the centuries. As part of your genealogical research, you will find a number of variants for the same place. Lunden was renamed London.

## Declaring variants




1. Open the **places index**.
2. Select the place you want to be the main one.
3. In the **Variants** section:
  - **(Windows)** at the bottom of the window in the **Data** tab, click on **edit** and then on the button **+** in the variants area.
  - **(Mac)** at the bottom right of the window, click on the button **+** (Add a variant).
4. Select the item which will be the variant and confirm with the **Choose** button.  
You can repeat this operation as often as necessary to add several variants to the main element.

## Add an old town

You can enter old towns and link them to the new one using the variants.  
See the article Geolocating places (voir page 413) paragraph Geolocating unrecognised places.

Once the old and new towns are available in the places index.  
Tell Heredis that the old town is a variant of the new one.

To do this, open the places index.

Edit the new town by clicking on the pencil .

Click on the **+** under the variants area to add the old town as a variant.

*(Mac) Add a variant*

# Places Index

Sample\_Family\_File - Places Index

Search  ☐ Unused Places

50/50

| V | N | M | City        | Post... | Cou...  | State/Pro... | Country     | Latitude  | Longi... | S |
|---|---|---|-------------|---------|---------|--------------|-------------|-----------|----------|---|
|   |   |   | Londinium   |         |         |              |             |           |          |   |
|   |   |   | London      |         | Grea... | LONDON       | ENGLAND     | 51.508... | -0.12... |   |
|   |   |   | Margate     |         | Kent    | SOUTH E...   | ENGLAND     | 51.381... | 1.386... |   |
|   |   |   | Maryport    |         | Cum...  | NORTH...     | ENGLAND     | 54.714... | -3.49... |   |
|   |   |   | Mccook      |         |         | SOUTH D...   | UNITED S... | 43.68...  | -97.2... |   |
|   |   |   | Mexico City |         |         | FEDERAL...   | MEXICO      | 19.428... | -99.1... |   |
|   |   |   | Montgomery  |         |         |              | UNITED S... | 41.500... | -99.7... |   |
|   |   |   | Nebraska    |         |         |              | USA         | 40.714... | -74.0... |   |
|   |   |   | New York    |         |         | NEW YORK     | USA         | 40.714... | -74.0... |   |
|   |   |   | Oldham      |         | King... | SOUTH D...   | UNITED S... | 44.22...  | -97.3... |   |
|   |   |   | Oxford      |         | Oxfo... | SOUTH E...   | ENGLAND     | 51.752... | -1.25... |   |
|   |   |   | Pargolovo   |         |         | SANKT-P...   | RUSSIA      | 60.08...  | 30.27... |   |
|   |   |   | Paris       |         | Paris   | ÎLE-de-F...  | FRANCE      | 48.85...  | 2.34...  |   |

Details Map

City:  London

☐ Handle Characters Manually

Postal Code:

County:  Greater London

State/Province:  LONDON

Country:  ENGLAND

Latitude:  51.508530

Longitude:  -0.125740

Note:  ☐ Private Note

16 entries for London - Greater London - LONDON - ENGLAND

| Event/Fact | Persons                          | Date         | Subdivision       |
|------------|----------------------------------|--------------|-------------------|
| Birth      | MULLAN Jonathan (1931-)          | 06.11.1931   |                   |
| Birth      | MULLAN David (1975-)             | 09.08.1975   |                   |
| Birth      | MULLAN Jonathan (1931-)          | 06.11.1931   |                   |
| Birth      | MULLAN David (1975-)             | 09.08.1975   |                   |
| Death      | WALLACE James William (~ 1780... | 12.20.1843   |                   |
| Death      | WRIGHT Angelina (-> 1812)        | > 12.20.1812 |                   |
| Death      | WALLACE James William (~ 1780... | 12.20.1843   |                   |
| Death      | WRIGHT Angelina (-> 1812)        | > 12.20.1812 |                   |
| Marriage   | WALLACE James William (1801-1... | 03.15.1831   |                   |
| Marriage   | THOMAS Christopher Edward (1...  | 11.22.1935   | The King's Wei... |
| Marriage   | MULLAN Jonathan (1931-) & TH...  | 08.03.1974   |                   |

London

Variants

Londinium

+ - \*

(Windows) Add a variant

## The tools

Entering Place

Editing Place  
London

City: London

☐ Handle Characters Manually

Postal Code: County: Greater London

State/Province: London

Country: ENGLAND

Latitude: 51.508530

Longitude: -0.125740

Variants

- Londinium
- ★ London

Note Map

Suggestions

Fill up Replace

OK Cancel

For more details, see the article [Indexes: generalities](#) (voir page 356).

## The button bar

Below the list of locations, you'll find a button bar.



➕ allows you to add a place.

➖ delete the seleted place(s).

✎ allows you to edit the selected place. You can add a note, a media item or change the administrative information.

The ↔ **Replace with** button lets you replace a place with another in the places index. If, for example, you have duplicates, this function replaces the uses of the duplicate with the other place.

Use the button 📍 to launch **Zoom in on a place** function. See the [Zoom in on the World – Zoom in on a Place](#) (voir page 426) article for full details.

On Windows, you can use the button 🖨 to create a place sheet of the selected place and print it out using your word processing software.

## Select several locations

To process several locations in a single operation :

- **(Windows)** Press the Ctrl or Shift key and, while holding down this key, click on the different locations you wish to select.
- **(Mac)** Press the Command or Shift key and, holding down the key, click on the different locations you want to select.

Then choose the appropriate action: delete, replace or print the file.

## Tools (Windows) or Options (Mac)

The **Tools** button on Windows and **Options** on Mac lets you perform a number of actions. Click on them.

### (Mac) Print the place index

The **Options** button > **Print** > **Custom reports** allows you to edit the custom report of the places stored in the file as they are displayed.

If you have done a search, only the results of this search will be printed. Also, Heredis will keep the sorting order you have chosen by clicking on the columns corresponding to the different topics of the places.

You can also create a list, in the format prior to the custom reports, of all places. Click the **Options** button > **Print** > **Print Places list**.

You'll find all the topics of the places, its uses, and the transcripts you've entered if you wish.

Check out the articles Custom Reports (voir page 508), (Mac) Create and Edit a Report

### (Windows) Print the place index

The **Print** button allows you to edit the custom report of the places stored in the file as they are displayed. You can also launch the printing from **Tools** button > **Print** > **Custom reports**.

If you have done a search, only the results of this search will be printed. Also, Heredis will keep the sorting order you have chosen by clicking on the columns corresponding to the different topics of the places.

You can also create a list, in the format prior to the custom reports, of all places. Click the button in the index toolbar or the **Tools** button > **Print** > **Places report**.

You'll find all the topics of the places, its uses, and the transcripts you've entered if you wish.

Check out the articles Custom Reports (voir page 508), (Windows) Pre-established reports (voir page 522).

## Import an index into a Heredis file

You can import an index into an other Heredis file if, for example, you need to use the data you entered in an other file. See Import an index into a Heredis file (voir page 409) article for further details.

## Remove all unused places

In order to clean up your file, you can remove at once all the unused places.

Click on (Mac) **Options** button / (Windows) **Tools** button > **Remove all unused places**.

If a place is used, Heredis will alert you and won't delete them.

## Unlink all variants

To delete all location variants from the genealogy file :


- Click the (Windows) **Tools** / (Mac) **Options** button.
- Select the **Unlink all variants** option.

# Import an index into a Heredis file

You have studied surnames, places or occupations. Heredis allows you to share your indexes with another file, so you don't have to re-enter everything in your wife's file, for example. Convenient when working with someone who has researched the origin of your family names or locations. You will be able to add to your own file one of the indexes in the Heredis file someone provided you.


- Open the file in which you want to add the index.
- Click on the **File > Import > Indexes** menu and choose from the indexes suggested: **Surnames, Given Names, Occupations, Sources, Places.**

*(Windows) Importing an index*




*(Mac) Importing an index*

## The tools



- **(Windows)** Choose the .heredis file that matches the one containing the index to be imported.
- **(Mac)** Choose the .hmw file that matches the one containing the index to be imported.


### *(Windows) Heredis file selection*



### *(Mac) Heredis file selection*




## Import an index into a Heredis file



- Confirm by clicking on **Open**. You will be asked to open the corresponding index or not once the import is complete.

**Important:** The Heredis file must be in the same version as your file. Heredis 2021 will be able to import a Heredis 2021 file. If the file is not in the same version of Heredis format, a message will invite you to do the conversion. Click **OK** to validate the message. Then open the file with your version of Heredis, it will convert on its own and you can then return to your file in which you want to import that index.

*(Windows) Import alert message impossible if the file is not of the same version*



*(Mac) Import alert message impossible if the file is not of the same version*



### File to check

You are trying to import the index from a file created in an earlier version, please convert the file beforehand.

OK

# Geolocating Places

## Consulting Places maps

Heredis does everything for you to visualize the places where your ancestors lived. The **Places Index** will display an interactive map for the selected place. If Heredis has been unable to identify the place, you can yourself indicate where it is by using the geolocation tool.

## Visualize the map

- Display the Map of selected place from the **Map** tab in each event or in the **Places index**.

Open the  **Places index**.

**(Windows)** The map is displayed on the bottom right of the index when you have selected a place.

**(Mac)** Click on the **Map** tab on the right part of the screen when you have selected a place.

- Browse the map using the navigation tools. Zoom or reduce to get a better understanding of the geography of the place.

*(Windows) Map*

## The tools

Places Index (47 places)

Search: 
☐ Unused Places Only  
☐ Variants

| City           | Postal Code | County         | State/Province | Country      | Latitude   | Longitude   | S |
|----------------|-------------|----------------|----------------|--------------|------------|-------------|---|
| ?              |             |                |                | GERMANY      | 51.500000  | 10.500000   |   |
| ?              |             |                |                | ENGLAND      |            |             |   |
| Alameda        |             | Alameda County | CALIFORNIA     | UNITED ST... | 37.765210  | -122.241640 |   |
| Allegan        |             | Allegan County | MICHIGAN       | UNITED ST... | 42.529200  | -85.855300  |   |
| Anaheim        |             | Orange         | CALIFORNIA     | UNITED ST... | 33.835278  | -117.913610 |   |
| Baker Township |             | Kingsbury      | SOUTH DAKOTA   | UNITED ST... | 44.361109  | -97.379170  |   |
| Belleville     |             | Essex          | NEW JERSEY     | USA          | 40.793710  | -74.150140  |   |
| Blackpool      |             | Lancashire     | NORTH WEST     | ENGLAND      | 53.816670  | -3.050000   |   |
| Boston         |             | Suffolk        | MASSACHUSETTS  | USA          | 42.358430  | -71.059770  |   |
| Brisbane       |             |                | QUEENSLAND     | AUSTRALIA    | -27.467940 | 153.028090  |   |
| Camberley      |             | Surrey         | SOUTH EAST     | ENGLAND      | 51.337050  | -0.742610   |   |

Entries
 Place Subdivisions
 Data

2 entries for Boston
 

| Event/Fact | Persons                   | Date       | Subdivis |
|------------|---------------------------|------------|----------|
| Residence  | THOMAS Michael George ... | 2016       | Nursing  |
| Birth      | GREGSON Vivian (1932-)    | 07.11.1932 | Mass Ge  |

Tools

Print...

Close

(Mac) Map

## Geolocating Places

Sample Family File 2020 - Places Index

Search  ☐ Unused Places

47/47

| V | N | M | City           | Post... | Cou...   | State/Prov... | Country     | Latitude  | Longit... |
|---|---|---|----------------|---------|----------|---------------|-------------|-----------|-----------|
|   |   |   | ?              |         |          |               | GERMANY     | 51.500... | 10.50...  |
|   |   |   | ?              |         |          |               | ENGLAND     |           |           |
|   |   |   | Alameda        |         | Alam...  | CALIFORNIA    | UNITED S... | 37.765... | -122.2... |
|   |   |   | Allegan        |         | Alleg... | MICHIGAN      | UNITED S... | 42.529... | -85.8...  |
|   |   |   | Anaheim        |         | Oran...  | CALIFORNIA    | UNITED S... | 33.835... | -117.9... |
|   |   |   | Baker Township |         | King...  | SOUTH D...    | UNITED S... | 44.361... | -97.37... |
|   |   |   | Belleville     |         | Essex    | NEW JERS...   | USA         | 40.793... | -74.15... |
|   |   |   | Blackpool      |         | Lanc...  | NORTH W...    | ENGLAND     | 53.816... | -3.05...  |
|   |   |   | Boston         |         | Suff...  | MASSACH...    | USA         | 42.358... | -71.05... |
|   |   |   | Brisbane       |         |          | QUEENSL...    | AUSTRALIA   | -27.46... | 153.0...  |
|   |   |   | Camberley      |         | Surrey   | SOUTH EA...   | ENGLAND     | 51.337... | -0.74...  |
|   |   |   | Canterbury     |         | Kent     | SOUTH EA...   | ENGLAND     | 51.279... | 1.079...  |
|   |   |   | Dover          |         | Kent     | SOUTH EA...   | ENGLAND     | 51.133... | 1.300...  |
|   |   |   | Dunfermline    |         | Fife     |               | SCOTLAND    | 56.071... | -3.45...  |
|   |   |   | Edinburgh      |         | City...  |               | SCOTLAND    | 55.952... | -3.19...  |
|   |   |   | Edinburgh      |         | City...  |               | SCOTLAND    | 55.952... | -3.19...  |

Usage Subdivisions Statistics

0 entry for ? - GERMANY

| Event/Fact | Persons | Date | Subdivision |
|------------|---------|------|-------------|
|            |         |      |             |

Map

5 km

Leaflet | © OpenStreetMap

### Geolocate unrecognized places


Edit the place by double-clicking on it or by using the pencil button after selecteing the place to edit.

If no map appears on the **Map**, you must specify the coordinates of the place. If no latitude and longitude are available, Heredis will not be able to localize this place. For example, you can enter the old name of a city in the city field and search the **Suggestions** field with the current name. Heredis launches a search in OpenStreetMap and will geolocate the current location.

Click on **Fill up** to complete the missing data or click on **Replace** to modify the fields entered by the OpenStreetMap indications.

*(Windows) Geolocate unrecognized places*

## The tools



*(Mac) Geolocate unrecognized places*

## Geolocating Places

Entering Place

City:

☐ Handle Characters Manually

Postal Code:

County:

State/Province:

Country:

Latitude:

Longitude:

Suggestions

- Montgomery County  
Texas, USA
- Montgomery County  
Maryland, USA
- Montgomery County  
Virginia, USA
- Montgomery County  
Iowa, USA
- Montgomery County

46 places

Place Note

0 2 4

☐ Private Note

Cancel


See also Places index (voir page 396) article.

**Info** • You may also access the map of the place in the **History > Migrations** tab, in the **Search > Search Wizard > Map** tab and in the **Data > Personal Data** tab. Click the **Map** tab for each event provided that a place has been entered.


## The tools

FamilyDataHistorySearch

Migrations



THOMAS Michael George - A  
Bi.: Feb 6, 1933  
cabinet maker



Grandparents

THOMAS George (1877-1947)  
DAVIS Violet Elizabeth (1875-1966)  
RUCASTLE Gilbert (1870-1955)  
WALLACE Brenda (1873-1937)

Parents

THOMAS Christopher Edward (1910-...)  
RUCASTLE Alice Jean (1908-1998)

Primary Person

THOMAS Michael George (1933-)

Spouses

GREGSON Vivian (1932-)  
LOWENSTEIN Paula (H 5701-)

Siblings

THOMAS Kate Elsie (1941-)

Children

THOMAS Peter (1956-)  
THOMAS Paul (1960-)  
THOMAS Judy (1962-)


See also Geolocating Places subdivisions (voir page 419), Zoom in on the World – Family Tree Mapping (voir page 432).



# Geolocating Place subdivisions

Place subdivisions can now be geolocated. The **Place Subdivision** field is intended for specific details on a place, such as an exact address, a hamlet, or any other place name.

## Edit

To access this feature, select an event under the **Personal Data** tab. Click on the **Details** tab then on the pencil  button displayed to the right of the **Place subdivision** field.

*(Windows) Details tab for an Event*

| U | Events   | Year | Age |
|---|----------|------|-----|
|   | Birth    | 1932 |     |
| 1 | Marri... | 1954 | 21  |
| S | Cens...  | 1965 | 32  |
| 1 | Divor... | 1974 | 41  |

Details Sources Witnesses Media Map

Date (Monday)  
11 July 1932

Place: Boston - Suffolk - MASSACHUSETTS - USA

Place subdivision  
Boston

Place subdivision  
Mass Gen

☐ Private Event Search Record Description/Cause

*(Mac) Details tab for an Event*

| Events     | Year | Age |
|------------|------|-----|
| Birth      | 1932 |     |
| 1 Marriage | 1954 | 21  |
| S Census   | 1965 | 32  |
| 1 Divorce  | 1974 | 41  |




Details Sources Witnesses Media Map

Date (Monday)  
July 11, 1932

Place: Boston - Suffolk - MASSACHUSETTS - USA

Place Subdivision  
Boston

Place Subdivision  
Mass Gen




You may also access it from **Places Index > Subdivision** then click on the pencil  button. Since Heredis 2022, you can add a subdivision in the Place Index by clicking on  and delete it by clicking on  the on the Subdivision tab of a location.

*(Windows) Places Index*

## The tools

Places Index (82 places)


Search:  ☐ Unused Places Only ☐ Variants

| City   | Postal Code | County        | State/Provi... | Country      | Latitude  | Longitude  | S   |
|--|-------------|---------------|----------------|--------------|-----------|------------|---|
| Bernes...  | 95340       | Val-d'Oise    | ILE-de-FR...   | FRANCE       | 49.162017 | 2.298565   |   |
| Bischwi...   |             | Bas-Rhin      | ALSACE         | FRANCE       | 48.765880 | 7.858310   |   |
| Bonn   |             | Bonn          | NORTH RH...    | GERMANY      | 50.703541 | 7.097194   |   |
| Bonn   |             |               | NORDRHEI...    | DEUTSCH...   | 50.733330 | 7.100000   |   |
|  Boston |             | Suffolk Co... | MA             | UNITED ST... | 42.358430 | -71.059770 |  |
| Brussels   |             |               | BRUSSEL...     | BELGIUM      | 50.843671 | 4.367437   |   |
| Cambrid...   |             | Middlesex ... | MA             | UNITED ST... | 42.375100 | -71.105610 |   |
| Céret  | 66400       | Pyrénées...   | OCCITANIE      | FRANCE       | 42.485330 | 2.748040   |   |
| Cerny-L...   | 02870       | Aisne         | HAUTS-de...    | FRANCE       |           |            |   |
| Cologne  |             | Cologne       | NORTH RH...    | GERMANY      | 50.938361 | 6.959974   |   |
| Darmstadt  |             | Regierung...  | HESEN          | DEUTSCH...   | 49.870560 | 8.649440   |  |

Entries Place Subdivisions Data

Boston : 3 Place subdivisions

| Place subdivision            | Latitude  | Longitude  | Number of entries |
|------------------------------|-----------|------------|-------------------|
| Grandma's house              | 42.381573 | -71.102071 | 0                 |
| <b>Mass General Hospital</b> |           |            | <b>6</b>          |
| Port of Boston               |           |            | 1                 |



Tools Print... Close

(Mac) Places Index


## Geolocating Place subdivisions

The screenshot displays the Heredis software interface, titled "Sample\_File\_intern\_H22 - Places Index". The main window shows a list of place subdivisions with columns for V, N, M, City, Post..., Cou..., Stat..., Cou..., L, L, S. The list includes various cities like Aalter, Amsterdam, Aschaff..., Bad Ems, Bad Homb..., Bad Honnef, Barcelona, Basel, Berlin, Bernes-su..., Bischwiller, Bonn, and Boston. The "Boston" entry is highlighted, showing its coordinates (42.358430, -71.059770) and a count of 6 entries.

Below the main list, there is a section titled "Usage Subdivisions Statistics" with a sub-header "Boston : 3 Place subdivisions". This section contains a table with the following data:

| Subdivision           | Latitude  | Longitude  | Nb. entries |
|-----------------------|-----------|------------|-------------|
| Grandma's house       | 42.381573 | -71.102071 | 0           |
| Mass General Hospital |           |            | 6           |
| Port of Boston        |           |            | 1           |

On the right side of the interface, there is a "Details" panel for the selected "Boston" entry. It includes fields for City (Boston), Postal Code, County (Suffolk County), State/Province (MA), Country (UNITED STATES), Latitude (42.358430), and Longitude (-71.059770). There is also a "Note" field with a "Private Note" checkbox. The note text reads: "The history of Boston plays a central role in American history. In 1630, Puritan colonists from England founded Boston, which quickly became the political, commercial, financial, religious and educational center of the..."

You can enter the name and coordinates manually or paste a place's data (in its entirety or only the coordinates) by clicking on the  button. See the article entitled [Zoom in on a Place](#) for more details.

### Search

If the subdivision name is precise enough, Heredis will perform an automated pre-search. Browse through the list of propositions.


If your subdivision cannot be located – for instance « at her grandma's house » – Heredis will not be able to offer any potential geolocation. You should therefore modify the field content under **Suggestions** then click on **Search** to launch the search again.

**Note:** Avoid using commas and unnecessary spaces at the end of the text in the Subdivision field to ensure that the automated search will be able to find the designated places.

*Edit a non-geolocated subdivision*

## The tools

Boston - Suffolk - MASSACHUSETTS - USA  
Number of entries for this Place subdivision: 1

Place subdivision:  

Latitude:


Longitude:

Move the marker or right-click on the map to change the subdivision coordinates.

Suggestions

| Name  |
|---|
| <b>Massachusetts General Hospital</b><br>55, Fruit Street, Downtown Crossing, Beacon Hill,<br>Boston, Suffolk County, Massachusetts, 02114, USA   |
| <b>Massachusetts General Hospital</b><br>125, Nashua Street, Dock Square, West End,<br>Boston, Suffolk County, Massachusetts, 02214, USA  |
| <b>Paul S. Russell, MD Museum of Medical History<br/>and Innovation</b><br>2, North Grove Street, Downtown Crossing, Beacon<br>Hill, Boston, Suffolk County, Massachusetts, 02114-<br>3203, USA |

3 toponyms



Leaflet | © OpenStreetMap

In the same way you search for a place's geolocation (please refer to Geolocation), click on:

- **Fill up** to keep the subdivision name and add coordinates,
- **Replace** to replace all data previously entered for the subdivision.

Click **OK** to validate.

If you know where the person's grandmother used to live and prefer to leave « at her grandma's house », then drag and drop the marker or right-click on **Position the marker here**. Coordinates (latitude and longitude) will then be displayed.

*(Windows) Edit an unrecognized subdivision*

## Geolocating Place subdivisions

Margate - Kent - SOUTH EAST - ENGLAND

Number of entries for this Place subdivision: 1

Place subdivision:

Latitude:

Longitude:


Move the marker or right-click on the map to change the subdivision coordinates.

Suggestions

Name

No available data. Check the latitude and longitude in the Places Index.

0 toponym



OK Cancel

## Display

### From the Places Index

In the list of places, the S column will display markers to indicate whether there is one subdivision or more. When they are not geolocated, the marker is black . When at least one subdivision has been geolocated, the marker is yellow .

*(Windows) Places Index – The S Column*

## The tools

Places Index (47 places)

Search:  ☐ Unused Places Only ☐ Variants

| City        | Post... | County               | State/Province    | Country      | Latitude   | Longitude   | S |
|-------------|---------|----------------------|-------------------|--------------|------------|-------------|---|
| Belleville  |         | Essex                | NEW JERSEY        | USA          | 40.793710  | -74.150140  |   |
| Blackpool   |         | Lancashire           | NORTH WEST        | ENGLAND      | 53.816670  | -3.050000   |   |
| Boston      |         | Suffolk              | MASSACHUSETTS     | USA          | 42.358430  | -71.059770  |   |
| Brisbane    |         |                      | QUEENSLAND        | AUSTRALIA    | -27.467940 | 153.028090  |   |
| Camberley   |         | Surrey               | SOUTH EAST        | ENGLAND      | 51.337050  | -0.742610   |   |
| Canterbury  |         | Kent                 | SOUTH EAST        | ENGLAND      | 51.279040  | 1.079920    |   |
| Dover       |         | Kent                 | SOUTH EAST        | ENGLAND      | 51.133330  | 1.300000    |   |
| Dunfermline |         | Fife                 |                   | SCOTLAND     | 56.071560  | -3.458870   |   |
| Edinburgh   |         | City Of Edinburgh    |                   | SCOTLAND     | 55.952060  | -3.196480   |   |
| Hackney     |         | Greater London       |                   | ENGLAND      | 51.550000  | -0.050000   |   |
| Hudson      |         | Columbia             | NEW YORK          | USA          | 42.252860  | -73.790960  |   |
| Hull        |         | East Riding Of Yo... | YORKSHIRE AND ... | ENGLAND      | 53.749929  | -0.335250   |   |
| Kingsbury   |         |                      | SOUTH DAKOTA      | UNITED ST... | 44.366669  | -97.483328  |   |
| Las Vegas   |         | Clark                | NEVADA            | UNITED ST... | 36.174999  | -115.136390 |   |
| Leith       |         | City Of Edinburgh    |                   | SCOTLAND     | 55.976380  | -3.169706   |   |

Entries Place Subdivisions Data

2 entries for Boston

| Event/Fact | Persons                   | Date       | Subdivis |
|------------|---------------------------|------------|----------|
| Residence  | THOMAS Michael George ... | 2016       | Nursing  |
| Birth      | GREGSON Vivian (1932-)    | 11.07.1932 | Mass Ge  |

Tools Print... Close

(Mac) Places Index – The S Column

## Geolocating Place subdivisions

Sample Family File 2020 - Places Index

Search Unused Places

47/47

| V | N | M | City           | Posta... | County    | State/Provin... | Country       | Latitude    | Longitu...  |
|---|---|---|----------------|----------|-----------|-----------------|---------------|-------------|-------------|
|   |   |   | ?              |          |           |                 | GERMANY       | 51.500000   | 10.5000...  |
|   |   |   | ?              |          |           |                 | ENGLAND       |             |             |
|   |   |   | Alameda        |          | Alam...   | CALIFORNIA      | UNITED STA... | 37.765210   | -122.24...  |
|   |   |   | Allegan        |          | Alleg...  | MICHIGAN        | UNITED STA... | 42.529200   | -85.855...  |
|   |   |   | Anaheim        |          | Orange    | CALIFORNIA      | UNITED STA... | 33.835278   | -117.913... |
|   |   |   | Baker Township |          | Kings...  | SOUTH DAK...    | UNITED STA... | 44.361109   | -97.379...  |
|   |   |   | Belleville     |          | Essex     | NEW JERSEY      | USA           | 40.793710   | -74.150...  |
|   |   |   | Blackpool      |          | Lanca...  | NORTH WEST      | ENGLAND       | 53.816670   | -3.0500...  |
|   |   |   | Boston         |          | Suffolk   | MASSACHU...     | USA           | 42.358430   | -71.059...  |
|   |   |   | Brisbane       |          |           | QUEENSLAND      | AUSTRALIA     | -27.4679... | 153.028...  |
|   |   |   | Camberley      |          | Surrey    | SOUTH EAST      | ENGLAND       | 51.337050   | -0.7426...  |
|   |   |   | Canterbury     |          | Kent      | SOUTH EAST      | ENGLAND       | 51.279040   | 1.079920    |
|   |   |   | Dover          |          | Kent      | SOUTH EAST      | ENGLAND       | 51.133330   | 1.300000    |
|   |   |   | Dunfermline    |          | Fife      | SCOTLAND        | SCOTLAND      | 56.071560   | -3.4588...  |
|   |   |   | Edinburgh      |          | City o... | SCOTLAND        | SCOTLAND      | 55.952060   | -3.1964...  |

Details Map

City: Boston

Postal Code:

County: Suffolk

State/Province: MASSACHUSETTS

Country: USA

Latitude: 42.358430

Longitude: -71.059770

Note: <http://www.cityofboston.gov/>

Boston

Subdivisions

| Subdivision  | Latitude  | Longitude  | Nb. entries |
|--------------|-----------|------------|-------------|
| Mass Gen     | 42.367859 | -71.064938 | 1           |
| Nursing Home | 42.344706 | -71.137318 | 1           |


### From maps

Subdivisions are visible thanks to yellow markers on the **Events** maps, **Zoom in on a Place** maps, as well as on **Migrations** maps (under the **History** tab).

You can right-click on any of the Heredis maps and **Copy the coordinates**. You will then be able to click on the **Paste** button in the **Place subdivision** field under **Events**. However, to be able to do so, make sure a name has been entered in the subdivision field – otherwise the button will not be activated.







# Zoom in on the World – Zoom in on a Place




Zoom in on the World  provides several tools that will assist you in locating your ancestors.

Heredis will help you get a better understanding of your ancestors' environment by offering an array of miscellaneous information related to places.

To access **Zoom in on a Place**, all you need to do is either click:

- on the  button, from **Data > Personal Data > Events > Details** tab,
- on the  button, from **Family Tree Mapping > Places** tab,
- from the **Tools** menu > **Zoom in on the World > Zoom in on a Place**,
- on the  **Zoom in on a Place** button in the toolbar,
- from the **Places Index** or the **Places** panel, on the  button.

In the upper part of the side panel, under Heredis Data, you will find the information for the location currently displayed in Heredis. You can tick or untick the box entitled Display place subdivisions to show or hide the subdivisions of your genealogy file that are linked to this place on the map.

Change places by clicking on the magnifying glass . Open the **Places Index** by clicking on the button . The button  allows you to zoom back on the place indicated under Heredis Data if you have been navigating on the map of a bordering place.

Please see the paragraph entitled Bordering Places (voir page 428).

## Details tab

Under this tab, Heredis will display the information on this place found on the internet in OpenStreetMap's and Wikidata's databases, as well as a map zoomed in on this place. Administrative levels such as city, county, state/province, or country are clickable links that will allow you to modify the zoom level on the map.



## Zoom in on the World – Zoom in on a Place

Family tree mapping   Zoom in on a Place

HEREDIS DATA

Place: Boston - Suffolk - MASSACHUSETTS - USA  
☒ Show Place subdivisions

INTERNET DATA

Place: Boston

Details   Toponyms   Bordering places


| Administration |                |
|----------------|----------------|
| City           | Boston         |
| Postal Code    | 02150          |
| County         | Suffolk County |
| State/Province | Massachusetts  |
| Country        | United States  |

| Demography |                               |
|------------|-------------------------------|
| Population | 667137 inhabitants            |
| Density    | 0 inhabitants/km <sup>2</sup> |


| Geography    |                              |
|--------------|------------------------------|
| Latitude     | 42.351510                    |
| Longitude    | -71.007716                   |
| Surface area | 232140634.00 km <sup>2</sup> |

| Links     |   |
|-----------|---|
| Website   | <a href="http://www.cityofboston...">http://www.cityofboston...</a>   |
| Wikipedia | <a href="https://en.wikipedia.org...">https://en.wikipedia.org...</a> |
| Wikidata  | <a href="https://www.wikidata.or...">https://www.wikidata.or...</a>   |

Contribute to OpenStreetMap

Heredis is also defaulted to display on this map every subdivision already geolocated in the current genealogy and linked to this place. Yellow markers  indicate their position on the map.

With just one click on a marker, the data related to this subdivision will be displayed.





## The tools


You can untick the box entitled **Show place subdivisions** to hide the geolocated subdivisions markers.

### Toponyms tab


Under this tab, you will find every toponym available in the OpenStreetMap database. The

color of the marker, grey  or blue , indicates whether the toponym has been selected in the list of toponyms.

Click on a toponym's marker to visualize its data and to copy it, if you wish to, by clicking on the **Copy** button. Such data will allow you, for instance, to precisely locate an event in your genealogy.

Click on a toponym to copy and paste its name and coordinates into **Personal Data > Events > Details**, by clicking on  next to the Place subdivision field (all data or coordinates only).

For more information on geolocating subdivisions, please consult the article entitled Family Tree Mapping subdivisions.



Family tree mapping Zoom in on a Place

HEREDIS DATA

Place: Boston - Suffolk - MASSACHUSETTS - USA

Show Place subdivisions

INTERNET DATA

Place: Boston

Details Toponyms Bordering places

Name

All

| Name             | Type      |
|------------------|-----------|
| Aberdeen         | Hamlets   |
| Aldridge Ledge   | Misc.     |
| Allston          | Hamlets   |
| Apple Island     | Misc.     |
| Ashmont          | Hamlets   |
| Audubon Square   | Hamlets   |
| Back Bay         | Hamlets   |
| Bald Knob        | Orography |
| Beacon Hill      | Hamlets   |
| Beacon Hill      | Orography |
| Bearberry Hill   | Orography |
| Bellevue         | Hamlets   |
| Bellevue Hill    | Orography |
| Black Rock       | Misc.     |
| Breeds Hill      | Orography |
| Brewster Islands | Misc.     |
| Brighton         | Hamlets   |


137 toponyms

Contribute to OpenStreetMap

Aberdeen

Type: Hamlets  
Latitude: 42.344542  
Longitude: -71.149498

Copy

**Note:** yellow markers  indicate subdivisions that have already been located in your current genealogy.


### Bordering Places tab

Heredis will display the places bordering a city. You might be able to finally locate the impossible-to-find death certificate of your ancestor in one of these bordering places. Indeed, it is quite common to hit a wall when desperately looking for an event in the place where your ancestors' family resided while sometimes all it takes is to search in a neighboring village.



## Zoom in on the World – Zoom in on a Place


Click on **Bordering Places**. On the map, Heredis will display all registered cities that are on the same administrative level and directly surrounding your ancestors' place.




**Note:** Heredis can only display bordering places that are on the same administrative level as the place you have selected. Other bordering places may be on a different administrative level and therefore will not be highlighted.


When you select a city on the list, its city limits will be outlined. Click on the city displayed on the map and some concise data will pop up.

## The tools




You can click on the **Detail** button to obtain more detailed information on this place. Heredis navigates on the Details tab in Zoom in on a Place and zooms in on this place on the map. You can access the various toponyms for this place under the **Toponyms** tab.




Click on the button  under Heredis Data to zoom back on the place you had selected in your Heredis file.


Right-clicking on the map of bordering places enables you to **Copy coordinates** and paste

them in the **Place subdivisions** field of an event by clicking on  (all data or coordinates only).

For more information on geolocating subdivisions, please consult the article entitled Geolocating Place subdivisions.

## Updating your data and options available in Zoom in on the World

You can leave **Zoom in on the World** open and simultaneously work on your genealogy. For your latest data entries to be accounted for, click on the button .

The button  allows you to access various options and create a customized display:

- choose where you want the side bar and its various tabs to be located – you can either display it on the left- or right-hand side.
- decide whether you want to display boundaries at the various administrative levels (Borders), if such data is available in the OpenStreetMap database.

## Contribute to OpenStreetMap

OpenStreetMap is a community database. Should you notice any missing data, e.g. some toponyms, feel free to add them yourself.


Click the **Contribute to OpenStreetMap** button and follow the instructions in the article entitled Contribute to OpenStreetMap. Heredis frequently updates its data from OpenStreetMap's. Data reported by worldwide users will then be integrated.



# Zoom in on the World – Family Tree Mapping


Zoom in on the World  provides several tools that will assist you in locating your ancestors.

Heredis will help you get a better understanding of your ancestors' lives, geographical implantations, and migrations.

Select the **Tools** menu > **Zoom in on the World** > **Family Tree Mapping** or click on the  button in the toolbar for the various events of the persons in your genealogy to be displayed on interactive maps.

You can zoom in and out on the maps and play them in a slideshow to view the geographic mobility of the persons in your genealogy through time and generations.

When you first open **Family Tree Mapping**, Heredis is defaulted to display the main events of the primary person's ancestors.



Family tree mapping    Zoom in on a Place

Ancestors of SMITH Peter (1960-1999)

Persons    Places    Tools

Ancestors

Major Events

Surname    Given Name

|                                     |   |
|-------------------------------------|---|
| ABBOTT Elizabeth (1803-)            | 2 |
| BAKKER Johann (1715-)               | 1 |
| BAKKER Lucinda (1730-)              | 2 |
| van BEEK Geertruda (1752-)          | 2 |
| BJØRLO Sigrid (~ 1670-)             | 1 |
| BOOGAERT Marije (1701-)             | 2 |
| DAVIS Katherine "Emily" (1896-1988) | 3 |
| DAVIS Louis (1863-1955)             | 2 |
| van HECKE Katrijn                   | 1 |
| JACOB Esther "Emily" (1917-1991)    | 4 |
| JACOB Isaiah (1893-1978)            | 2 |
| JACOB Misha                         | 1 |
| KLEIN Carl (1877-)                  | 1 |
| KLEIN Carl                          | 1 |
| KLEIN Charlotte (1937-1973)         | 3 |
| KLEIN Louis (1813-)                 | 2 |
| KLEIN Michel (~1842)                | 1 |
| KLEIN Ulrich (1913-1995)            | 4 |
| KRAMERS Johanne (1716-)             | 1 |
| LEVY Rachel (1875-)                 | 1 |

36 persons


1000 mi


Leaflet | © OpenStreetMap

You can simultaneously work on your file and leave this tool open.

### Filters and display options


At any time, you are free to modify the filters in the window's side bar and choose to display every person in your file, or the primary person's ancestors or descendants only, or the persons you have marked beforehand in your genealogy.



If you have just entered new events or new persons in your genealogy, click on the button  to retrieve this data in **Family Tree Mapping**.

Heredis is defaulted to preselect the **Density** representation mode when displaying your data. If you wish to get a preview of the mobility of the persons in your genealogy, select the **By period** representation mode under the **Tools** tab in **Family Tree Mapping**. A timeline will be displayed above the map, with intervals starting and ending at the most extreme dates in your file. Click on the **Play** ► button and watch the events appear on the map through each time period. Before to press play, make sure to zoom out so you can see all the markers displayed on the map. Press the **Pause** button to be able to zoom in and zoom out as you please and study the mapping.

## The tools




**Note:** the display and reading pace of the timeline are automatically calculated based on the most extreme dates in your file. If you prefer to study a specific time period, move the sliders at each end of the timeline to select the desired intervals. The map will then only display the events on the time period you have selected.


Heredis also offers a representation mode **By generation** which is operated the same way as the **By period** mode. You only need to select ancestors or descendants of the primary person in the **Persons** tab to use it. The dates intervals above the map are simply replaced by the number of generations.



## Zoom in on the World – Family Tree Mapping



### Map display


Several types of maps are available for you to display your data. Select the theme that will best highlight your data on a map by clicking on .

To easily zoom in and out on the map, simply click on the + and – buttons or use the scroll wheel on your computer mouse. It will allow you to get a closeup on a specific geographical area or, on the contrary, to go back to a wider view of the map by zooming out.

To move around on the map, hold down the left mouse button (or the mouse wheel) and drag the mouse in the desired direction in order to center the map on another area.

Right-clicking on the map will let you **Copy coordinates** so you can paste them into the **Place subdivision** of an event. Please refer to the article entitled Geolocating Place subdivisions for more information.

You may notice markers of various colors and sizes displayed on the map. The size of the marker is directly linked to the number of places it is indicating.



Smaller size markers  or  indicate events located in one single place. If you click on this

type of markers, a popup window will open to show the exact place and the list of persons with events in this one place.



Larger size markers or indicate events located in a grouping of places. If you click on this type of markers, Heredis will automatically zoom in to show you a more detailed map.

The number of events held in a place or in a grouping of places is indicated on each marker.

### Search lists


Search lists displayed in the vertical side panel allow you to do searches on places or persons. In these lists, to the right of the place's or person's name, Heredis specifies the number of events that were found.

## Zoom in on the World – Family Tree Mapping

Select the **Places** or **Persons** tab and enter a name in the search field to obtain a selective list of the matching places or persons. The list displayed below is automatically updated as you enter the name.

### Navigating from the Persons or Places tabs

Places and persons displayed in the floating panel or in the popup windows are clickable links that will allow you to access directly, with just one click, the Places Index or a person's family tree, without closing **Family Tree Mapping**.

It will, for instance, enable you to correct or complete a person's data, modify or geolocate a place (for more details on how to geolocate a place, please consult the article entitled [Geolocating Places and Geolocating Place subdivisions](#)) and then to display this updated data in the **Family Tree Mapping** window by clicking on the button .

### Legend




Geolocated place


## Legend



Grouping of geolocated places

**Note:** the color blue indicates that at least one place has been selected under the **Places** tab in **Family Tree Mapping** or in the floating panel of a person (by clicking on the button ). The number displayed on the marker indicates the number of events linked to a place or to a grouping of places.

## Persons tab

Under this tab, if you click on one of the names on the list, Heredis will display a floating panel listing every event that has been geolocated for this person. Click on the button  in this floating panel to zoom in on the location of the selected event on the map. The marker will turn

from yellow  to blue  .

Feel free to use the proposed filters to display every person in your file, or the primary person's ancestors or descendants only, or the persons you have marked beforehand in your genealogy.

Click on any person on the list to display markers for related places. A list of all places and events linked to this person will pop up.

## Zoom in on the World – Family Tree Mapping

Family tree mapping

Zoom in on a Place

Ancestors of SMITH Peter (1960-1999)

Persons

Places

Tools

Ancestors

Major Events

Surname

Given Name

ABBOTT Elizabeth (1803-)

2

BAKKER Johann (1715-)

1

BAKKER Lucinda (1730-)

2

van BEEK Geertruda (1752-)

2

BJØRLO Sigrid (~ 1670-)

1

BOOGERT Marije (1701-)

2

DAVIS Katherine "Emily" (1896-1988)

3

DAVIS Louis (1863-1955)

2

van HECKE Katrijn

1

JACOB Esther "Emily" (1917-1991)

4

JACOB Isaiah (1893-1978)

2

JACOB Misha

1

KLEIN Carl (1877-)

1

KLEIN Carl

1

KLEIN Charlotte (1937-1973)

3

KLEIN Louis (1813-)

2

KLEIN Michel (-1842)

1

KLEIN Ulrich (1913-1995)

4

KRAMERS Johanne (1716-)

1

LEVY Rachel (1875-)

1

36 persons

+

-

1000 mi

Leaflet | © OpenStreetMap contributors

From the **Persons** tab, you will find the icons indicating whether the person is of the Ahnentafel lineage or not and whether he is a man, a woman or an undetermined sex. For more details on the icons see Persons icons and their color coding (voir page 162).

The numbers displayed on the markers indicate the number of events from the persons' list that are located in this place.


Clicking on the marker will open a popup window listing every event that took place in this location. Click on the name of a person or on one of the events listed in this popup window in order to navigate onto this person or event in Heredis.

## The tools



## Places tab

Under this tab, if you click on one of the names on the list, Heredis will zoom in on this place on the map; every event linked to this place will be listed in the floating panel anchored on the map.




Search filters are available. Heredis is defaulted to preselect the **All places** filter. You can switch to another filter by using the dropdown list at your disposal and choosing from:

- **Most represented places:** places are listed from the highest to the lowest number of events found for each place
- **Geolocated places**




## Zoom in on the World – Family Tree Mapping

- **Non-geolocated places:** places displayed on this list have no geolocation coordinates and therefore cannot be mapped. To complete the data for these places, click on the place name in the floating panel
- **Visible places:** this list only shows places that can be seen on the map currently displayed on the screen.

**Note:** If you double-click on a place under the **Places** tab or if you select it and click on the button at the bottom of the panel , the place will be displayed under the **Zoom in on a Place** (for more details on this feature, please consult the article entitled [Zoom in on a Place](#)).

## Updating your data and options available in Zoom in on the World


You can leave **Zoom in on the World** open and simultaneously work on your genealogy. For your latest data entries to be accounted for, click on the button .

The button  allows you to access various options and create a customized display:

- choose where you want the side panel and its various tabs to be located – you can either display it on the left- or right-hand side.
- decide whether you want to display boundaries at the various administrative levels (**Borders**), if such data is available in the OpenStreetMap database.

## Printing Map and create Tiny Tafel Report

You can edit and print the map you are seeing on your screen by clicking on the **Map** button in the **Tools** tabs.



## The tools

(Mac) Click on **PDF** button at the bottom of the printing windows or click on **Print** to launch your printer.


(Windows) Setup the parameters of the PDF export (size of the page, orientation) then click on **OK** button. A PDF will open so you can print it.

Create a Tiny Tafel Report by clicking the button **Tiny Tafel Report**. Setup the Tiny Tafel parameters.

See (Windows) Create and Edit a Report (voir page 522) or (Mac) Create and Edit a Report for further details.

## What to do in case of a slowdown or malfunction issue?

If your data is not displaying correctly, click on the **Tools** tab then on the **Reset** button.







# Migrations

**Migrations** place the living places of the primary character or another family member on a map. The markers are numbered to know the chronology of movements. Each location marker shows the list of events listed in that location. You can see the movements of all members of the immediate family at the same time.

The number of events displayed is now dynamically managed.

The navigation thumbnail, displayed at the bottom right in the **Migrations** tab map and in the **Search Wizard** of the **Search** tab, allows you to easily move around. Select the frame with the left click of the mouse, by moving it, you navigate through the viewed map.

Use the cogwheel  to choose whether or not to display the events of immediate family and/or, from Heredis 2020, the subdivisions you have geolocated.



## Note:


Blue markers are those associated with the person selected from the list displayed to the right of the map

orange markers correspond to the events of other persons on this list

the star displayed next to a blue marker indicates that several events have been recorded at a

location that concern the selected person.

# My dashboard

The Heredis dashboard is a tool that allows you to control your family tree on a daily basis. The different available indicators, whether quantitative or qualitative, give you a global vision of your genealogical data and also inform you about the progress of your work. The dashboard can be accessed from the **Tools > My Dashboard** menu. You can also add the  button to your toolbar if customized. (See Customize Heredis\Select the toolbar) It consists of four tabs: **My Dashboard**, **File Info**, **Statistics** and **Search Tracking** in which Heredis displays indicators, also called widgets, presenting the current state of your family tree.

## My Dashboard Tab

When you access the dashboard, it opens directly on the **My Dashboard** tab.

This tab is customizable, you can add widgets of your choice, delete those that do not interest you or reorganize them.

To add one or more widgets:

- Click the **+** button.
- Click on the widget you're interested in
- Click **add**

*My dashboard*

## The tools



The widgets are added after those already on your **dashboard**.

To remove a widget, click the button in the title of the widget. A notification informs you instantly that you have removed the widget from the tab. To see it again, just click the button to display the widget.

**Note:** You can also add or remove a widget from the other tabs of the dashboard. You can choose your favorite widget. Click on the grey star to add the widget. The star is now yellow , if you click again, it will be removed.

To rearrange the widgets to suit you, click on the widget banner and without releasing the mouse, drag it to the desired location and then release the mouse.

Heredis automatically reorganize your dashboard space even if you resize the window. If you wish to, you can display all widgets in the **Dashboard** tab.

The information displayed in the dashboard is by default your entire file, such as the title at the top of the page, as well as the data added today (see example, in the PERSONS widget, the indication «Recently Added»).

To change these options, click the cogwheel button at the top right of the page and select

the filters that best fit your way of working:

- Filters showing recent additions: Today / Less than a week ago / There is less than one Month / Less than a year ago.
- Filters on persons: Entire file / Direct line ancestors/ Ancestry.


Then click on the **Validate** button, all widgets in the dashboard are updated based on the options you have chosen.


The widgets have a simple view and a detailed view. From the simple view, click the **Detail** button at the top left to display the detail view. From the detail view, to return to the simple mode, click the **Back** button on the top left.

Some widgets like NAMES or SOURCES do not have a detailed view. However, you can directly access their respective indexes by clicking the **Open the index** button. This allows you to easily find additional information.

### Simple widgets

*Simple view of the Source widget*



Widgets in simple view display a limited amount of information. Their size is variable based on what you display. They feature a button  to export the contents of the widget displayed in PDF or PNG format.


**Info** • Note that as you hover over certain widgets, you have more accurate information. For

## The tools


the widget NAMES for example, when you pass the mouse over a surname, it immediately displays the number of times it has been used in your family tree.

### Detailed widgets


#### *Detailed view of the Person's widget*



The detailed version of a widget displays additional information about the current status of your family tree.


Each detailed version widget can be exported to PDF through the PDF button . You can then print or transmit it very easily.

If you are working with a large screen or with two screens, you can keep the dashboard open constantly in order to control the progress of your family tree in real time.


When you add a data, click the refresh button  to update your dashboard and have the latest information entered in your file.

### File Information Tab

From this tab, you have an overview of persons, events, sources, places, surnames, given names, occupations, media of your file as well as your Heredis Online data. This general view allows you to know how far you are in your work.

To access this page from the dashboard, click the **File Information** button or select the menu **Documents > File Information** or, if you personalized your toolbar, click directly on the **File Info** button .

## HEREDIS ONLINE Widget

To view the content of this widget, you must be logged in to your account. If you already have an account, click on **Sign in**  button and enter your username and password otherwise, create one. (see the article “Heredis Online”)

Once connected to your account, this widget displays the date of the last publication of your file. You can access it directly by clicking the link “**Visit Website**”.

You can see it has been a while since the last publication? You can publish at any time from the dashboard by clicking the **Publish** button.


The detailed view shows you some new information. The first section shows you what you have recently be done on the open file: the last time you published it, the number of persons, of unions, of sources it contains.

All sections are foldable, just click on the title banner of the section to hide or display it.

For more details on Heredis Online, see Heredis Online (voir page 732) and Publish with Heredis Online (voir page 742).

## DEVELOPMENT OF MY FAMILY TREE widget

*Simple view of Development of my family tree*



## The tools

This widget shows you the evolution of your file in time:

- The date when you started your work, referring to the first person you created or imported in Heredis.
- The date of the last modification
- The number of ancestors (direct line) and persons found.

In the detailed view, a first chart shows the evolution of the number of ancestors and persons on a fixed time scale. The second chart shows the same data but on a variable time scale based on the date of the establishment of the persons in your file.

You can also check in this view 2 lists of persons, the list of the 10 last persons you added, and the one of the 10 last persons modified.


By clicking on these persons, you navigate on them in the Immediate Family.

### PERSONS widget

This widget shows the total number of persons in your file and those added recently.

In the simple display, a graph shows the distribution of persons by gender.

*Simple view of the Persons' widget*



By entering the detailed mode, you can access:

- The «**Progress**» chart, which informs you about the quality of your family tree and in particular on the percentage of complete persons.



“3” is for the persons with the 3 main events completed, meaning you found the birth, marriage and death dates.

“2” is for persons with only 2 main events completed

“1” is for the persons for whom you completed 1 main event

“0” is for the person for whom you have not found any event

The notion of complete is directly related to Heredis' preferences. From the menu

**Heredis>Preferences> Appearance**, define what a complete event is for you. Heredis will then take these parameters into the «**Progress**» chart to determine if an event is complete or not.

- To the general information that will allow you to easily answer questions on your family history: who is the oldest person or the youngest among your contemporaries? Who had the longest or shortest life? Who was the youngest or the oldest when they got married? Which couple had the largest family...

Every section is foldable, just click on the title banner of the section to hide or display it.

### EVENTS widget

*Simple view of Event's*




The simple version displays the total number of events, the total number of major events and the total number of family events.

The detailed version offers a zoom on the major events and displays in addition to the total number, the oldest event and the most recent event. For each event you can browse the person concerned with a single click.

### SOURCES widget

The Simple Source Widget presents, in addition to the total number of sources and those recently added, a ring graph that allows you to analyze the quality of your sources.

*Simple view of Sources' widget*




In this graph, we distinguish sources without media nor note, sources having only a note, sources with only media, and sources with a note and media.

To access the list of all your sources, click the button **Open the index**.

### PLACES Widget

In this widgets, the frequency is shown by a word cloud. In this type of representation, the most commonly used places, for example, are displayed with a font size which varies according to the number of uses. When hovering with the mouse, an info bubble indicates the number of uses.

*Places widget*



If you click on a place, Heredis opens the Index with this selected place and displays all information on it.

The Place widget also indicates the total number of places in your file and the places that were not geolocated (places without latitude and longitude information).


You can directly access the dictionaries by clicking on the button **Open the index**.

## **NAMES, GIVEN NAMES, OCCUPATIONS and MEDIA widgets**

These widgets indicate the frequency of given names and occupations, as well as the number of uses in the genealogy file.

*Names, Given names and Occupations' widget*

## The tools



For the Names, Given Names, and Occupations widget, the frequency is represented by a word cloud, just like for Places.


The Media widget is a ring-shaped chart indicating used and unused media. For all of these widgets, you can directly access the indexes by clicking on the **Open the index** button.


## Statistics tab

In this tab, Heredis offers various genealogical and demographic analysis.

### *Statistics' tab*


## My dashboard



To access this function, from the dashboard, click the **Statistics** button or select the **Documents > Statistics** menu or click on the statistics button  directly from the toolbar, if you personalized it.



The different analysis available are grouped into several widgets, **Births and Deaths**, **Surnames and Given names**, **Families and Generation count**...

In the simple version, these widgets present a simplified graph on births / deaths, the most common surnames, the average age at the first union and the ancestors count of the root person or the central person of your file.

You can easily export each chart displayed in PDF or PNG format by clicking on button  located in the title bar, to share it or document your genealogical work.

In the detailed version, each widget gathers different analyzes and displays the graphs and data tables associated with them.

In order to use this data outside Heredis you can:


- export all the charts and data tables of the widget by clicking on the button , located in the title bar of the widget. Heredis displays an overview of the widget you can save to PDF.
- export a specific data table by clicking Details then on the button  in the title bar of the

## The tools

data table. Heredis suggests that you save this data in Excel format on your computer. You can then analyze them using your spreadsheet.

### BIRTHS and DEATHS widget

*Births and Deaths' widget*




This widget contains the following analyses: distribution of births and deaths, life span and census.

You can choose between one display per period with different possible intervals or one display by month according to what you want to highlight from your analysis.

In the Census widget, Heredis displays the number of persons who have lived in each period, based on their main events of birth and death on the one hand and the maximum age at death of the general preferences of Heredis on the other.

### ANCESTORS ORIGIN widget

*Ancestors Origin's widget*



This widget allows you to visualize the distribution by country, state/province, and county of the persons in your genealogy.


If you have selected **Entire File** as the Scope, the analysis will include every single person in your file. You can choose to narrow it down to the ancestors of the root person or of the primary person in your genealogy by setting the Scope to **Direct-line Ancestors** or **Ancestors**. To modify this option, click on the cogwheel in the upper right corner.

In the simple view widget, Heredis groups the persons according to their place of birth and displays a ring graph showing the most representative data by country, state/province or county.

If you click on the **Detail** button, Heredis will provide a full analysis by country, state/province and county along with a table indicating the number of persons found and the start/end years for the Period of appearance.

## AGE GAPS widget

*Age Gaps' widget*



This statistical analysis focuses on the age difference between spouses and on the age gap between siblings in your genealogy. Just like in the previous widget, the scope of persons included in this analysis is set by you in the General Options of the dashboard.

In Simple view, Heredis displays a line chart showing the average age difference between spouses.

In Detail view, this same line chart is displayed along with a table filled with matching data and with another chart showing the average age gap between the first and last born among siblings.

**Note:** These charts only include couples with a minimum of one union entered with a date (Marriage, Religious Marriage, or other type of official marriage) and marital unions with at least two children properly entered with a date of Birth or Christening.


The default analysis interval is set to 50 years but you are free to modify this interval if you wish to adjust the data displayed in the charts and tables.

## SURNAMES and GIVEN NAMES widget

*Surnames and given names' widget*



## My dashboard




This widget provides you with a distribution of the most common surnames and given names of your genealogy that you can filter by gender. On the graph, Heredis displays a selection of surnames, the most common given names and regroups all the others in the category «Other». For each surname / given name we specify on the graph, the number of holders and the percentage that it represents on the total names or given names of the file.

### **FAMILIES widget**

*Families' widget*

## The tools




This widget contains the following analyses: average age at first union, number of children per family and the number of families.

You can choose between one display per period with different possible intervals or one display by month according to what you want to highlight from your analyses.

### **GENERATION COUNT widget**

*Generation Count widget*



In this widget, Heredis offers to analyze the direct ancestors and descendants of root person of your file, if you selected «Entire File» or «Direct ancestor line» in the options of the dashboard, if not then the ascendants and descendants of the primary person if you selected «Ancestors». The display, by generation, of the number of ancestors and descendants, found and distinct, makes it possible to highlight duplicate branches in your family tree.

What is a duplicate branch? Everyone, in their family tree, has a real number of ascendants that is lower than the theoretical number of ascendants because we descend several times from a same person because of marriages between more or less close cousins, we are then in the presence of a case of duplicate branches. Hence the importance of putting forward the distinct ancestors or descendants: when they are inferior to the found ancestors or descendants, it is because there is a duplicate branch.


**Note:** Changing the period and the analysis interval applies to all charts of the widget. All events with a calculated date are excluded from statistical analysis.

# Photo Tool

Heredis offers an ideal tool for enriching your Genealogy. Very simple to use, it allows for example, for all genealogists to identify persons in a group photo or in an act and capture faces or signatures.


If the pictures or captures of acts are not perfect, you may correct them with the photo editing tool.

The photo tool is available in your software from the **Immediate Family**, **XXL Family**, **Personal Data** and **Family Group Data** tabs but also from the **Media research** panel and from the various indexes.

- Select for example the **Immediate Family** in the **Family** tab and double-click on the media of the primary person
- or click the button  if it is in your toolbar
- or click on the **Tools** Menu > **Photo Tool**

*Photo Tool*

## Photo Tool



This tool consists of four tabs, **Media**, **Edit**, **Details** and **Identification**, a display area for the image and input fields to complete media information.

You have information concerning a photo: enter in the input fields the date and notes to clarify the context and thus complement your genealogical data.

If necessary, indicate that this is a private media. Thus, you can avoid transmitting it when exporting or publishing your file: tick the **Private Media** box.

A zoom slider under the image allows you to adjust the size of the displayed picture.

### The Media tab

A list of media appears in this tab in the form of photo thumbnails. This list will depend on the context of launching of the photo tool.



For example, if you run the tool from the thumbnail of the Primary Person in the **Immediate Family**, the media displayed will be those of the Primary Person.



If you run the tool from a picture of the union in the **Personal Data** tab, Heredis will only list the media for that union.



A zoom slider at the bottom of the tab to the right of media counter allows you to adjust the

size of the thumbnail displayed.






You have a series of buttons to act on the media displayed:

- Button : You can add a media from the hard disk, the index or the clipboard.
- Button : press this button to detach the media of the Primary Person without removing it from the Media index.

**Info** •  and  buttons are not displayed if you launch the photo tool from the Media index.

- Button : the star symbol identifies the photo you have selected as a favorite. It is this photo which will illustrate the person in question in all documents. Select a thumbnail from the list and click this button to place it as the favorite.
- **Show all media linked to primary person**  button: this button will display all the media concerning the person and you will see the wedding picture or pictures of the Primary Person, as well as those associated with his or her name...


**Info** • the Star and All Media buttons only appear when you display the media of the Primary Person.


-  button: to find a media more easily in the displayed miniatures, you can sort them by name or date.
-  button: if you have made a mistake in adding a media, click this button to replace it with another media on your computer.
-  button: you have made changes to a photo which do not suit you and you want to go back to the original version of this photo: click the Reload button. Heredis will automatically reload the original picture saved on the computer.
-  button: You can save a copy of the displayed picture to the **Photo tool** on your computer.
-  button: allows you to rename media. See Rename media (voir page 375).





## The Edit tab

Editing is possible for images media: .jpg, .jpeg, .png... It is not possible to touch up a PDF or a .docx. It is therefore preferable to put image-type media even for your deeds rather than PDFs.



If your photo is not perfect, you can easily modify it.

For example, crop the image to remove unwanted parts with the **Crop**  button. When you click the button, a selection box appears on your capture. Adjust the dimension with your mouse cursor by stretching or narrowing one of the 4 corners of the selection area. The cursor changes shape when you position it on the dotted lines of the selection area: hold down the left click and drag the window to move it. When the selection area is adjusted, click **Crop**. Your image is now well framed.



If you want to orientate your photo in any other way, rotate the image in the right direction by using the orientation buttons **Rotate Left**  Button, **Rotate Right**  button. You may flip the image horizontally with the **Horizontal Flip**  button but also vertically with the **Vertical Flip**  button.

With Heredis, you do not need any other software to embellish your photos. You can adjust **brightness**, **contrast**, or **definition to sharpen** an image to its true value.

You can also change a color photo to black and white by clicking the button  but also reverse the colors of the photo by clicking on the button .

Do not hesitate to try different changes, because you can always return to the original photo with the **Cancel** button.

Once your image is satisfactory, you may confirm the changes by clicking the **Apply** button.

## The Details tab

With this tab, Heredis informs you of the different uses of the image displayed and shows you where the original is located on your computer. If you click on the displayed path, **(Windows)** Windows Explorer / **(Mac)** Finder will open.

See also Media Index (voir page 366) and Media (voir page 163) articles.

## The Identification tab

From this tab, you can identify persons in a group photo or persons named in an act by cutting

## The tools

out their photos or signatures. If you then navigate through your software, you will see that the cut portraits or signatures illustrate persons with whom they are associated.

Using your mouse, enclose the people on the picture in the display area.

Position the mouse cursor over a person, hold down the left mouse button and draw a cut-out frame around the person. When you release the left click, Heredis instantly offers to search the index of persons of your genealogy for the person in question.


If you know this person, type in the given name or surname or both. Immediately Heredis displays the list of persons with this name and forename or variations in your file. Select the person from the list and click **(Windows) Choose; (Mac) OK**. Check the summary of existing persons to make sure you choose the right person.

**(Mac)** The summary appears in the always accessible summary tab.

**(Windows)** The summary appears after selecting an person.

### Identification




If you know this person, but he is not present in your genealogy, click the  **Create Person** button to create the person directly from this screen.

If you do not recognize this person, click the  **Unknown Person** button to indicate that this person is an unknown person.

A frame appears around the person. You can always adjust this frame at any moment.

When you place the mouse pointer on the contours of the frame, it changes its appearance. By holding down your mouse, you can move the frame. By touching the corners of the frame, you can enlarge it or reduce its size to make it fit perfectly.

To the left of the photo, the list of numbered frames appears progressively as you identify the different persons in the photo.


A cogwheel  appears when you move your mouse over the media in the list. If you click this button, you have access to the following functions:


- **Remove the Frame:** you have made a mistake, select this menu to simply remove it. Note that all the frames are automatically renumbered.



- **Rename the framed picture** : Heredis automatically assigns a name to the media which you have just created and if the name does not suit you, you can change it.
- **Re-Identify**: if you have identified a person as unknown or you have made a mistake concerning the person, you can always assign to this frame the right person in your genealogy file.
- **Export the framed image**: You can save the newly created image managed by Heredis to your computer.

All images are stored directly in the Media Index. They are also assigned automatically to the media of the identified person.



Click the  **Show all picture frames** button at the bottom of this tab to display only the frames numbers in the display area of the image.

You can print the picture as displayed in the image display area by clicking the **Print** button. Specify the print options and click **OK**. The document opens in your usual word processor.

Take this printed document along with you during visits to your family: the people around you will enjoy your work and perhaps identify unknown persons in the group photo.

**Info** • When you browse and launch the photo tool for a person with whom you have associated a signature for example, Heredis indicates above the display area of the image that the media selected has been cut from another picture. If you click the **Display the Original** link, it will be displayed in the image display area. If you want to hide it, click the **Hide Original** link.

You cannot recut a picture that has already been cut out.

Some editing functions are not available for a group photo if you have already identified persons in this picture.

If you close your genealogy file without saving, all edits, cut-out photos and signatures... will be lost.

Identification can only be performed on files in photo format: . jpg, . jpeg, . png ... A PDF is not a photo format. There will therefore be no identification on a PDF media.

### PDF Media (Mac)

Arrows on either side of the number of pages




can be used

to change pages.

The PDFs that appear in the summary allow you to scroll through all pages one after the other, zoom in or out.

### PDF Media (Windows)

Since Heredis 2023, PDFs now display all pages in all media areas. A specific toolbar appears.



The first button allows you to display the pages one below the other. The + allows you to zoom in, and the – to zoom out.

The following buttons change the layout on the PDF screen.



The buttons allow you to change pages one by one or to go to the very beginning or to the very end.

### Sharing media

#### Export a file containing media

Media are integrated in your genealogy file. When you export a part of your file by creating a new Heredis file, the media assigned to the exported data are integrated into the new file, unless you had unticked the **Media** box of the Heredis export screen.

When you synchronize your genealogy file with your cellphone or with another computer, they are also integrated in the data.

#### Export media files


You can extract one or more media from your genealogical file for transmission to other people or for another use on your own computer.

- Double-click on the media to access the edition screen of the media,

1. **(Mac)** Choose **Export This Media...** in the right-click menu on the media, or **(Mac & Windows)** click on the **Export selected media** button.


*(Mac) Export selected media*

## Photo Tool



*(Windows) Export selected media*

## The tools





2. Keep the same name or change it and choose the destination location for the exported media.

- In the **Media Index**,

1. Make a selection of media using the display filters for different types of media or uses. Display for example images used for sources in the submenus.
2. Click the (Windows) **Tools** / (Mac) **Options** button on the toolbar of the index and choose **Export Displayed Media....**


*(Mac) Export media from Media index*

# Photo Tool



(Windows) Export media from Media index

## The tools



Export displayed media...  
Remove All Unused Media...  
Check media...

3. Select the destination folder for the exported media.

For further details, see Media Index (voir page 366).

# Slideshow

With Heredis, the slideshow scrolls through the life of your ancestors in images. This tool presents your photos in a family album, composed of different chapters resuming life of the primary person and his/her immediate family.


In this function, Heredis displays the media of the primary person and his family and more specifically the media:

- of the primary person
- of his/her spouses
- of his/her children
- of his/her brothers and sisters
- of his/her parents
- of his/her grandparents



For all, Heredis shows the person's media, union media, individual events, union and shared events, media of names, first names, occupations, places. If they have already been displayed for the primary person, they won't appear again.

## Launch Slideshow

To launch it, place the wanted person as the primary person:

- click the **Slideshow**  button under the screen of the primary person from the immediate family tab, or the person's data entry tab.
- click on **Reports** menu > **Slideshow**

Let the pages of the photo album scroll through and enjoy your work.

- Click the **Pause**  button on the top right of the screen to stop on a picture and read the comments on the photo, for example.
- Click the **Chapters** menu to display all the chapters of your album. By clicking on one of the chapters, you navigate directly to the selected chapter and you can then restart the slideshow by clicking the **Play**  button at the top right.

*Slideshow*






### Change Slideshow Theme


By default, the slideshow appears with the **Retro** theme but you can change it according to your tastes. Click the **Themes** menu and choose another theme from the selection.

Each theme has an associated music. It is not editable.

At the bottom of the screen, you have an audio player for playing music. As you watch this family slideshow, the photos parade with the music. Click the **Sound**  icon to cut the sound.

### Filter the images of the slideshow

By default, all media of the primary person and his/her close family are displayed.

Click on the cogwheel  and choose the images you want to see for the primary person, his/her children, his/her spouse and unions, the other persons (brothers, sisters...) etc.

*Filter images of Slideshow*



## Slideshow

Slideshow photos

|                  | All                              | Preferred             | None                  |
|------------------|----------------------------------|-----------------------|-----------------------|
| Primary Person   | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Children/Spouses | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other persons    | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other photos     | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |

☒ Exclude private photos


Cancel

OK

**Note:** other photos are those attached to places, surnames, given names, occupations, sources, and linked to the primary person.

A box to tick allows you to exclude from this slideshow all private images of your genealogy.

### Export the slideshow


Now you wish to share this slideshow, click on the **Export**  button. Heredis creates, in the location of your choice, a folder with the photo album of the primary person, the way you set it. Share this folder with your relatives: they can play it by simply clicking the HTML page created in **The photo album of [...].html** and even if they do not have the Heredis software.

You can also copy the folder to a USB key or an external hard-drive and plug it to your TV, computer or any other USB outlet... to visualize the slideshow with your family.


**Important:** You need to copy the entire folder if you want the Slideshow to work.


*(Mac) Slideshow's folder in Finder*

## The tools



*(Windows) Slideshow's folder in Windows Explorer*



To exit the slideshow, simply click the **Exit**  button at the top right.

# Documents

# Create and Edit a Book

Your family tree has grown and you wish to share your findings with your family. The Ancestors or Descendants books are perfect for getting the interest of cousins or other relatives, even if they know nothing about genealogy.

You can edit written books to tell your genealogy. From the information you have gathered in your file, Heredis generates a complete book in written form and automatically adapts the vocabulary to the data type. This book includes cover page, dedication, acknowledgments, preface and introduction.

The written books offered in Heredis are elaborated according to the recommendations of the author of the Filiatus software. The presentation and the writing are particularly careful. Written in the style of the genealogy dictionaries of olden times (Father Anselme or Dictionary of the nobility), their presentation is nevertheless friendly and comprehensible by all, even neophytes on the subject.

The ancestors of each character are analyzed in all seams, to detect possible cousinings and to create the branches and sub-branches corresponding to the family structure studied.

Heredis puts two types of book at your disposal, books written from the primary person and books of the type «dictionary» based on all your genealogy.


With Heredis 2022, the book Families from my village has appeared. See the article Families from my village (voir page 486) for more details.

## The books written from the primary person

- **Ancestors** by generation
- **Descendants** by branch
- **Clan**: in this document, Heredis builds up the close family around the primary person: spouses, parents, uncles and aunts, grandparents, brothers and sisters, cousins, children, grandchildren ...

*Diagram of the individuals included in the Clan*

## Create and Edit a Book




## The “dictionary” type books

- **Patronymic dictionary:** Heredis searches all men at the beginning of branches, classifies them by surname and generates their patronymic descent (this dictionary is inspired by René Jetté’s «Genealogical Dictionary of Families»).
- **Genealogical dictionary:** Heredis takes all individuals from your genealogy file, sorted alphabetically.  
You can attach to these books, genealogical tables and a complete index of individuals, professions and places mentioned.


(Mac) Books choices

## Documents




*(Windows) Books choices*

## Create and Edit a Book



### Creating a Book

1. Choose (Windows) **Reports** menu > **Books**; (Mac) **Documents** menu > **Books**; or click the **Books**  button in the toolbar.
2. Select the document type from the list on the left.
3. Select the appropriate graphic theme in the viewer.
4. Click on **Detailed options** button and view the different tabs to choose the appropriate construction parameters for your document.

The tabs and options are the same on Mac and Windows. The only difference is the color of the selections because the Mac system highlights in blue color what Windows puts in gray.

### Detailed options

The presentation and content options can be selected from the various tabs. Changes made to a theme are memorized for future use of the same theme.

By default, the book construction screen opens in simplified mode. Only the most common options are displayed. To view all available options, click the **Detailed Options** button at the bottom of this screen.

**Note:** In detailed mode, the label of this button changes to **Simplified Options**, allowing you to

return to simple mode at any time.

- Click the **Structure** tab.
  - Check the information to be included: photo album, header and footer data, private data.
  - Choose where to place notes, at the bottom of the page, at the end of the section or in the text.
  - Limit your document. Indicate the number of generations desired, limit to a surname, place, edit your document in several volumes.
  - Choose how to present sources: Quoting sources, Complete sources, or No Sources

**Note:** Depending on the type of document selected, some of the options mentioned above do not appear.

The screenshot shows the 'Structure' tab selected in a document creation interface. The interface has a top navigation bar with tabs: 'Structure', 'Front Cover', 'Persons', 'Events/Facts', and 'Style'. The 'Structure' tab is active. Below the navigation bar, there are two main sections. On the left, under 'Sections', there are two checked checkboxes: 'Photo Album' and 'Genealogical tables'. Below this, under 'Header/Footer', there are three checkboxes: 'Book Title' (unchecked), 'Date' (unchecked), 'Page #' (checked), and 'Author' (unchecked). On the right, under 'Main Options', there are three settings: 'Notes Position' set to 'Footnotes', 'Sources' set to 'Quoting sources', 'Include Private Data' (checked), and 'Number of Generations' set to '3'.

- Click the **Front Cover** tab.
  - Check the boxes for the information to be included on the cover.
  - Modify the title, add a subtitle, indicate who is the author.
  - Insert a picture to customize the cover, click on + button at the bottom right to add a picture.

The screenshot shows the 'Front Cover' tab selected in the same document creation interface. The 'Front Cover' tab is active. Below the navigation bar, there are two main sections. On the left, there are three checked checkboxes: 'Title:', 'Subtitle:', and 'Author:'. Below each checkbox is a text input field. The 'Title:' field contains 'My Clan', the 'Subtitle:' field is empty, and the 'Author:' field contains 'Helene'. On the right, there is a checked checkbox 'Picture:' followed by a large empty rectangular area for a picture. At the bottom right of this area, there are two small buttons: a plus sign (+) and a minus sign (-).

- Click the **Persons** tab.
  - Choose the surname and given name formats.
  - Check the boxes to add **Prefix**, **Suffix** and **Nickname** if you entered these



## Create and Edit a Book

fields.

- Check the boxes to include the following information: **pictures**, **child status**, **signature**, **notes**, **sundry links**, calculated data (ahnentafel number, duration of marriage, Stepfamilies, Consanguinity degree precise the maximum wanted degree).
- Tick the corresponding boxes to include in the document the **spouses** of each child and whether or not they have **descendants**.

The screenshot shows the 'Persons' tab of a software interface. It contains three main sections: 'Surname Styles', 'Given Names Styles', and 'Primary Person Options'. 'Surname Styles' has a dropdown menu set to 'William of HATFIELD' and checkboxes for 'Include Suffix' (checked) and 'Include Prefix' (unchecked). 'Given Names Styles' has a dropdown menu set to 'All Given Names' and a checked checkbox for 'Include Nickname'. 'Primary Person Options' has checkboxes for 'Preferred Pictures' (checked), 'Child Status' (unchecked), 'Signature' (unchecked), 'Notes' (checked), and 'Sundry Links' (unchecked). To the right, there is a 'Calculated Data' section with checkboxes for 'Ahn. Number' (checked), 'Duration of Marriage' (checked), 'Stepfamilies' (checked), and 'Degree of Consanguinity' (unchecked) with a numeric input set to '4'. At the bottom right, the 'Children Options' section has checkboxes for 'Spouses' (checked) and 'Descendants' (checked).

- Click the **Events/Facts** tab
  - Choose the date format. Check the **Use Gregorian Dates** box to display all dates in this calendar, regardless of the calendar in which they were entered.
  - Choose the place style from the drop-down menu. Select which elements of the places you want to display in the document from the ones you have entered. Check the box **Include subdivision** to give more precision to the place.
  - Select which events to include: **minor events** (other than birth, death and marriage event), **facts**.
  - For each event, tick the corresponding boxes to specify witnesses, age at the event and notes.
  - Check the option **Show Missing Data** to have it completed by your family.

The screenshot shows the 'Events/Facts' tab of the same software interface. It contains two main sections: 'Date Styles' and 'Place Styles'. 'Date Styles' has a dropdown menu set to '30 September 1984' and a checkbox for 'Use Gregorian Dates' (unchecked). 'Place Styles' has a dropdown menu set to 'City (County)' and a checked checkbox for 'Include Subdivision'. To the right, the 'Event Options' section has checkboxes for 'Minor Events' (unchecked), 'Show Missing Data' (unchecked), 'Quoting age at Events' (checked), 'Witnesses' (checked), 'Quoting Notes' (checked), and 'Facts' (unchecked).

- Click the **Style** tab
  - Tick the box to **Divide text into Columns** by page for your book.
  - Choose the formatting of the book: **font**, **text size**
  - Click on the colored button to choose colors for general data (**Color**), **title**,

specific colors for **men**, **women** and **numbers**

- Click on the colored button to choose the color of **title background**, **color** and **thickness** of borders of the document.

The screenshot shows the 'Style' tab in the Heredis software. It is divided into two main sections: 'Text' and 'Background Fills'.  
**Text Section:**  
 - 'Divide Text into Columns' is checked.  
 - 'Font' is set to 'Times New Roman'.  
 - 'Size' is set to '10'.  
 - There are color selection buttons for 'Color', 'Title', 'Men', 'Women', and 'Numbers'.  
**Background Fills Section:**  
 - 'Title Background' has a color selection button.  
**Borders Section:**  
 - 'Color' has a color selection button.  
 - 'Thickness' is set to '1'.

**(Mac)** Select the word processor with which you want to edit the document. Heredis offers you all programs that enable editing and installed on your computer.

**(Windows)** Heredis will launch the software by default for .docx files. Make sure you have a word processor by default otherwise the document won't open. It will be saved in Documnets > BSD Concept > Heredis > Heredis Genealogical Reports but won't open. You'll be able to open it once you'll have a word processor.

- Click **Edit** to start the word processor.

**Important:** Once your book is created it becomes an independant document from Heredis. You can modify it in your word processor. If you encounter {XE} tags in your book, it is not due to Heredis, see {XE "xxxxxxxxxx Names" } tags in your documents, what to do? article.

**Info** • Indexes are not directly integrated with books because each word processor handles them in a specific way. However, index entries are marked so that you can generate an index after the document is created and opened in your word processor. Put the cursor where you want and generate the index:

- in Word, menu **Insert > Tables and Index or References> Insert Index**
- in LibreOffice, menu **Insert > Indexes and Tables**

**Mac Note:** The text editor Page doesn't manage index.

## Print or Export Books

Once the book is created, you can print it from your word processor. Generally, then click on the **File** menu > **Print**.

From your word processor, you can save in a format other than . docx, for example in .pdf. Click the **File** menu > **Save As**, change the format (the operation differs from one word processor to another), choose the save location and click **Save** or **OK** depending on the software.


For more details, refer to the user manual of your word processor or printer for printing configuration.

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.

## “Families from my Village” Books

**Families from my Village** is a kind of book you can create with Heredis. In a Families from my Village book, you will find all the persons who had a major life event in the village you selected. This book follows the same logic as one-place studies, such as the Ortsfamilienbuch used by German genealogists.

### Create a « Families from my Village » book

To start creating a Families from my Village book, click the  **Books** button on the toolbar or use the pull-down menu: **Documents > Books**.


Select **Families from my Village**. Choose a theme just as you would do it for any other type of Heredis book.

In the lower part of the Book Layout window, choose the desired options. Remember to choose them before creating the book, as it will not be possible to change them after the book is created. You would otherwise need to restart the entire creation process to add data.


Click on **Select a place** to choose among pre-existing places in your genealogy. Indicate a title, an author, and choose a photo as an illustration.

*(Mac) Select a book, a theme, and a place*

## “Families from my Village” Books



*(Windows) Select a book, a theme, and a place*



(Mac) Choose the type of word processor you wish to use.

For additional options, click on **Detailed options >>**. Various tabs will allow you to further customize your book.

## Structure tab

(Mac) *Structure tab*

## “Families from my Village” Books

The screenshot shows the 'Structure' tab of the 'Families from my Village' Books interface. It features a top navigation bar with tabs: Structure, Front Cover, Persons, Events/Facts, and Style. The main content area is divided into two columns. The left column contains 'Sections' and 'Header/Footer' settings. The 'Sections' section has two checked checkboxes: 'Details of the place' and 'Indexes'. The 'Header/Footer' section has three checkboxes: 'Book Title' (unchecked), 'Date' (checked), and 'Page #' (checked), with an 'Author' checkbox (unchecked) to the right. The right column contains 'Main Options'. It includes a location search field with 'Boston (Suffolk County)' selected and an unchecked 'Include Variants Places' checkbox. Below this is a 'Sources' dropdown menu set to 'Quoting sources' and a checked 'Include Private Data' checkbox.

(Windows) Structure tab

This screenshot shows the 'Structure' tab of the 'Families from my Village' Books interface in a Windows-style window. The layout is identical to the first screenshot, with the same tabs and settings. The 'Structure' tab is active, showing 'Details of the place' and 'Indexes' checked under 'Sections', and 'Date' and 'Page #' checked under 'Header/Footer'. In the 'Main Options' section, 'Boston (Suffolk County)' is selected, 'Include Variants Places' is unchecked, the 'Sources' dropdown is set to 'Sources and citations', and 'Include Private Data' is checked.

Check each of the boxes you are interested in. You are given the option to:

- Add **Details** of the place. The book will include data from the Places Index: full name, notes, places subdivisions, name variants, and media available for the place.
- Add (= generate) **Indexes** for persons and places.
  - of persons
  - other locations
  - occupationsIt will let you locate where in the document (book) the person or place etc. you are looking for is mentioned. The number of elements in the book is indicated at the top of the index.
- Include a **Book Title**, a **Date**, **Page** numbers, and the name of the **Author**.
- **Select a place** and also add every person entered in the place variant(s) if there is any. In which case you can check the box **Include Variants Places**.
- Choose **Quoting sources** – or not.
- **Include Private Data** – or not. Uncheck the box to not include the data.

**Front Cover tab***(Mac) Front Cover tab*

Structure Front Cover Persons Events/Facts Style

☒ Title:  
Families from my Village

☒ Subtitle:  
Boston

☒ Author:  
Hélène

☒ Picture:

+

-

*(Windows) Front Cover tab*

Structure Front Cover Persons Events/Facts Style

☒ Title:  
Families from my Village

☒ Subtitle:  
Boston

☒ Author:  
Helene

☒ Picture:

+

-

It will let you choose a **Title**, **Subtitle**, **Author** and a cover **Picture**. Uncheck boxes to ignore the fields you do not wish to include on the book cover.

Click on **+** to add a picture, or on **-** to remove it.



## Persons tab

### (Mac) Persons tab

Structure | Front Cover | **Persons** | Events/Facts | Style

**Surname Styles**

of HATFIELD William

☐ Include Prefix

☐ Include Suffix

**Primary Person Options**

☐ Child Status

☒ Notes

**Calculated Data**

☐ Ahn. Number

**Given Name Styles**

Only Usual Given Name

☐ Include Nickname

**Children Options**

☒ Spouses

### (Windows) Persons tab

Structure | Front Cover | **Persons** | Events/Facts | Style

**Surname Styles**

of HATFIELD William

☐ Include Suffix

☐ Include Prefix

**Primary Person Options**

☐ Child Status

☒ Notes

**Calculated Data**

☐ Ahn. Number

**Given Names Styles**

Only Usual Given Name

☐ Include Nickname

**Children Options**

☒ Spouses

**Surname Styles:** you can set up your preferred format for a person’s full name, with the option to include his/her Prefix or Suffix – if you have provided such information in the person’s data.

Specify which given names should be mentioned: **All Given Names**, **Only First Given Name**, **Only Usual Given Name**, or even **First Given Name and Initial of Others**. Check the box entitled “**Include Nickname**” to include your ancestors’ nicknames in the book.

Check additional boxes available under this tab to include additional personal data such as **Child Status** – legitimate, adopted, etc. – **Notes**, **Ahnentafel Number** and **children’s Spouses**.

## Events/Facts tab

### (Mac) Events/Facts tab

Structure | Front Cover | Persons | **Events/Facts** | Style

**Date Styles**

1.19.1840

☐ Use Gregorian Dates

**Place Styles**

City

☐ Include Subdivision

**Events Options**

☐ Witnesses

☒ Notes

*(Windows) Events/Facts tab*

Structure | Front Cover | Persons | **Events/Facts** | Style

**Date Styles**

9.30.1984

☐ Use Gregorian Dates

**Place Styles**

City

☐ Include Subdivision

**Event Options**

☐ Witnesses

☒ Quoting Notes

Choose among the **Dates Styles** offered which should be used. If some dates have been entered using specific calendars, e.g. the French Republican Calendar, check the box entitled **“Use Gregorian Dates”** and Heredis will convert the dates for you automatically. Choose among the Places Styles offered which should be used. Check the box to Include Subdivision – providing you have entered one. Check the Witnesses and/or Notes boxes if you want them to be mentioned in the book.

## Style tab

*(Mac) Style tab*

## “Families from my Village” Books

Structure | Front Cover | Persons | Events/Facts | **Style**

Text

Font: Gill Sans

Size: 9

General:

Title:

Men:

Women:

Numbers:

Background Fills

Title Background:

Borders

Color:

Thickness: 4

### (Windows) Style tab

Structure | Front Cover | Persons | Events/Facts | **Style**

Text

Font: Gill Sans MT

Size: 9

Color:

Title:

Men:

Women:

Numbers:

Background Fills

Title Background:

Borders

Color:

Thickness: 4

Under this tab, you may choose among various fonts and font sizes and/or set colors according to the types of data available. Click on the color squares to modify the default color for each type of data. Click on the **Font** and **Size** drop-down list to modify them.

Once your book layout is completely set up, click on **Edit** to generate your book in a .docx format. This document will no longer be linked to your Heredis software and will be automatically opened in your default or selected word processor.

**Note on Windows:** make sure your default word processor can handle .docx files.

### Consult the generated book

By default, on **Windows**, Heredis saves the document under Documents > BSD Concept > Heredis > Heredis Genealogy Reports.

On **Mac**, you need to specify where to save the document after clicking on **Edit**.

As soon as it is created, the document will open up on your computer screen. You will be able to enter additional information: acknowledgments, a dedication, an introduction. Use your word processor's features as usual. Changes made to the document will not affect your Heredis data since the document is independent from your genealogy software.

Pictures can be resized or even removed if – for instance – they turn out to be low-quality photos. All you need to do is select the picture and hit the backspace or delete button on your keyboard.

This document is defaulted to list family members under the name of the male spouse (usually the head of household), immediately followed by his parents' info. For this reason, female spouses and children – in general – are not listed at the “first level” as primary persons prefixed by a cross-reference number. They are “attached” to their spouse or parents.

### **Content of the edited book**

The main persons presented in this document are:

- All persons who are “heads” of a family who have lived in the place.
- All persons «isolated» with only one major individual event in the place.

These main persons appear at the first level in the book, sorted alphabetically, with a number in front of their name.

### **Data displayed**

#### *Primary Person*

Person's number

Ahnentafel number

Surname Given Name

If a person's surname is a variant, the main surname will be displayed and the variant will be between parenthesis. Example : SMITS (SMITH)

Child Status, Religion, Occupation, Title

Date and Place of Birth-Baptism / Date and Place of Death-Burial

Parents' Surname, Given Name

Cross-reference number

Child Status, Religion, Occupation, Title

Parents' date and place of Birth-Baptism / date and place of Death-Burial

#### *Family/Spouse(s)*

Spouses are listed chronologically in the document and include the following information:

Spouse's Surname, Given Name

Cross-reference number

Child Status, Religion, Occupation, Title

Spouse's date and place of Birth-Baptism / date and place of Death-Burial

Spouse's Parents' Surname, Given Name

Child Status, Religion, Occupation, Title

Spouse's Parents' date and place of Birth-Baptism / date and place of Death-Burial

*Children (from each family/spouse)*

A numbered list of the children born from each family

Surname Given Name

Cross-reference number

Child Status, Religion, Occupation, Title

Children's Date and Place of Birth / Date and Place of Death

*For each child's family*

To be displayed in chronological order:

Spouse's Surname Given Name

Cross-reference number

Child Status, Religion, Occupation, Title

Children' spouse's Date and Place of Birth / Date and Place of Death

Marriage Date and Place

### **Cross-reference numbers**

Each main person in the place (village) has a cross-reference number.

If a person is described in a family group then they have a cross-reference number to quickly access all their information.

The cross-reference number is clickable in the document by holding the CTRL key on Windows or Command key ⌘ on Mac.

(cross-reference number) = will send you to the same person

{ cross-reference number } = will send you to the family under which the person is listed (which is usually the case for women and children)

### **Notes and sources**

If you have checked the "**Notes**" box in the Events/Personal Topics tab, all the notes of the persons, unions and events mentioned are grouped under the main person block.

If you chose "Sources and Citation" in the Struture tab, the person and event sources are also displayed under the main person block.

### **Indexes**

Under the persons list, if you checked the option before editing, it is possible to display indexes.

- Names and Variants Index

SMITH..... p 8, 15

SMITS (SMITH)

- Other Places Index

This index lists other places mentioned, sorted in alphabetical order, with the name of

the person and cross-reference number.

### **Abbreviations**

Bi = Birth

M = Marriage

rM = Religious Marriage

Mc = Marriage Contract

O = Other Type of Marriage

D = Death

B = Burial

F = Father M = Mother

# How to include several cities in the “Families from my Village” book?

The city you are interested in has been known under several different names during various time periods, or perhaps it was merged with a neighboring city at some point in time.

Do you wish to create a “Families from my Village” book that will include persons from the former city and those from the current city?

Open the **Places Index**. Consult the article entitled “Places Index (voir page 396)”, more specifically the **Variants** paragraph.


- Specify that the former city is a variant of the current one.
- Click on **Books...** and select **Families from my Village**.
- Select a place.
- Click on **Detailed** options >>.
- Check the box “**Include Variants Places**”.

Your book will then include all the persons who lived in this city under its current name as well as those who lived there when it bore its former name(s).


# Create and Edit Sheets

You can edit individual or couple sheets.

## Creating sheets

- Choose **(Windows) Reports / (Mac) Documents > Sheets** or click the **Sheets**  button in the toolbar.
- Select the document type from the list on the left.
- Select the appropriate graphic theme in the viewer


*(Mac) Choose the type of sheet then the theme*



*(Windows) Choose the type of sheet then the theme*



## Create and Edit Sheets




- Click on the different tabs to choose the appropriate construction parameters for your document. See paragraph below.

## Composing a sheet


*(Windows) Sheet's Layout*

## Documents





*(Mac) Sheet's layout*

## Create and Edit Sheets



The presentation and content options can be selected from the various tabs. Changes made to a theme are memorized for future use of the same theme.


- Click on the **Structure** tab
  - check the information to be included in the form: different family members, photo album, notes, private data, search data, etc.
  - choose how to manage sources.
  - choose the person(s) to be treated.
  - **Note:** If you want to edit the sheets of several persons in your file at the same time, you must first mark these persons using the flag  of **Personal Data** screen. You can mass mark according to one or more search criteria through smart search. For example, you can search for all persons with the Thomas name and then click the **Marked >Declare marked** button in the processing area. See the Smart Search (voir page 318) article for more details. Then select **Print Marked Persons Sheets**. You will get all the relevant sheets at the same time.




## Documents

Be careful, the more persons you put, the longer the edition will be. Avoid putting too many people at the same time not to block Heredis for many hours if your file is consequent.

### *(Windows) Structure tab*



### *(Mac) Structure tab*



- Click the **Persons** tab.
  - Choose the surname and given name formats.
  - Check the boxes to add **Prefix**, **Suffix** and **Nickname** if you entered these fields.
  - Check the boxes to include the information in the sheet: preferred picture, number, occupation, title, child status, signature, flags (confidential, childless ...), notes.
  - Check the corresponding boxes to include in the document the spouses of each child and whether or not they have descendants.
  - **(Mac)** Check here the box to add Facts.

### *(Windows) Person tab*

## Create and Edit Sheets

*(Mac) Person tab*

- Click the **Events** tab to select which events to include:
  - minor events** (other than birth, death and marriage event), **cross-events** (events in which the person participated as a witness, for example).
  - Choose the format of date of events.
  - Check the **Dates in Gregorian calendar** box to display all dates in this calendar, regardless of the calendar in which they were entered.
  - Choose the place style from the drop-down menu. Select which elements of the places you want to display in the document from the ones you have entered.
  - Check the box **Include subdivision** to give more precision to the place.
  - For each event, specify if you wish to mention witnesses and notes.
  - (Windows)** Choose to add the **Facts** of the person.
  - If you selected the **Biography** document, check **Show Missing Data** to have your family complete it.

*(Windows) Events/Facts tab*

## Documents

The screenshot shows the 'Events/Facts' tab in a document editor. The interface includes a top navigation bar with tabs: Structure, Persons, Events/Facts (selected), Style, and Page. The main area is divided into two columns. The left column contains 'Date Style' and 'Place Styles' sections. 'Date Style' has a dropdown menu showing '30 September 1984' and a checkbox for 'Use Gregorian Dates'. 'Place Styles' has a dropdown menu showing 'City (County)' and a checked checkbox for 'Include Subdivision'. The right column is titled 'Event Options' and contains five checked checkboxes: 'Witnesses', 'Notes', 'Minor Events', 'Cross Events', and 'Facts'. At the bottom, there are three buttons: 'Use Default Template', 'Export', and 'Edit', followed by a 'Cancel' button.


(Mac) *Events tab*

The screenshot shows the 'Events' tab in a document editor. The interface includes a top navigation bar with tabs: Structure, Persons, Events (selected), Style, and Page. The main area is divided into two columns. The left column contains 'Date Styles' and 'Place Styles' sections. 'Date Styles' has a dropdown menu showing 'Jan 19, 1840' and a checkbox for 'Use Gregorian Dates'. 'Place Styles' has a dropdown menu showing 'City (County)' and a checked checkbox for 'Include Subdivision'. The right column is titled 'Events Options' and contains four checked checkboxes: 'Witnesses', 'Notes', 'Minor Events', and 'Cross Events'. At the bottom, there is a 'Choose Word Processor:' label followed by a dropdown menu showing 'Microsoft Word (Default)'. Below this, there are three buttons: 'Use Default Template', 'Cancel', and 'Export', followed by an 'Edit' button.


- Click the **Style** tab and choose the formatting of the form:
  - type of font,
  - text size and color,
  - specific colors for men, women and numbers,
  - colors of the titles
  - colors of background fills
  - color and thickness of the borders of the document.

(Windows) *Style tab*

## Create and Edit Sheets



### (Mac) Style tab



- Click the **Page** tab and set your print options:
  - indicate the text to include in headers and footers,
  - paper size and orientation,
  - setup the document margins.

### (Windows) Page tab

## Documents

Structure Persons Events/Facts Style **Page**

Header

☒ Title: THOMAS Michael George (1933-) - # 1 (G1)

Footer

☒ Date ☒ Page #

☒ Author: Helene

Setup

Page Setup

A4 - 21.0 x 29.7 cm (Portrait)

Margins (cm)

Top: 1,50 cm Bottom: 1,50 cm

Left: 1,50 cm Right: 1,50 cm

Use Default Template Export Edit Cancel

### (Mac) Page tab

Structure Persons Events Style **Page**

Header

☒ Title: THOMAS Judy (1962-) (G1)

Footer

☒ Date ☒ Page #

☒ Author: Helene

Setup

Page Setup

A4 - 21.0 x 29.7 cm (Portrait)

Margins (cm)

Top: 1,5 Bottom: 1,5

Left: 1,5 Right: 1,5

Choose Word Processor: Microsoft Word (Default)

Use Default Template Cancel Export Edit

- **(Mac)** Select the word processor with which you want to edit the document. Heredis shows you all programs that enable editing and are installed on your computer.
- **(Windows)** The sheet will open in your default word processor for .docx file formats that is installed on your computer. If you do not have a default word processor for this type of file, Heredis will not be able to open the file. Remember to check in Windows system, if you have a default application for .docx.
- Click **Edit** to start the word processor.
- Click **Export** if you want to use it differently and create a .txt document to be open in raw text format.

**Important:** Once your sheet is created it becomes an independant document from Heredis. You can modify it in your word processor. If you encounter {XE} tags in your sheet, it is not due to Heredis, see {XE "xxxxxxxxxx Names" } tags in your documents, what to do? article.



### Save a Sheet

A sheet edited in your word processor becomes an independent document from the Heredis software. This document can be saved for later reprinting or modifying. To keep the document displayed in your word processor, use the saving feature of your software. It is generally found in the **File** menu.

To change the name proposed by Heredis for the document, or the location of the file, choose **File > Save As**. These commands are generally the same in all word processors.

### Print Sheets


You will start printing from your word processor, having made changes if required.

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.

Usually, you can find the Print options in File menu > Print but it depends on your word processor software. Refere to its user guide to know exactly how.

# Custom Reports

Starting with Heredis 2019, this feature offers various reports models that can be fully customized according to your needs.

Click on the menu **(Windows) Reports > Custom Reports; (Mac) Documents > Custom Reports** and select the type of report you are interested in among the default models included in the application: Ancestors, Descendants, Persons, Events, Places, Sources. You can also use the  shortcut in the toolbar.

The selected report opens up in a new Heredis window, which allows you to consult the data in your file while continuing to work on your genealogy.

**Note:** you can also open several custom reports at the same time if you wish to.

## Ancestors Custom Report

Sample Family File 2019 - Ancestors Report - THOMAS Michael George (20 items)

</

The data thus displayed depends on the type of default report selected:

- **Persons Reports** allow you to display all the persons in your genealogy

## Custom Reports

- **Ancestors Reports** display the primary person and his/her ancestors, grouped by generation
- **Descendants Reports** display the primary person and his/her descendants, grouped by generation
- **Events Reports** allow you to display all the events saved in your genealogy

And, starting with Heredis 2020:

- **Places Reports** display all the places saved in your genealogy
- **Sources Reports** allow you to view each and every source in your genealogy.

Each report includes the following elements:

- a toolbar
- a data table
- a status bar

Starting with Heredis 2020, in each report, you can click on a person's name and navigate onto this person in Heredis.

### The Toolbar



#### Add Button

Select the information you want to add to your report by clicking on the different sections available (Personal Data, Media, ...)

You can select one or more fields among those suggested. If you click the **OK** button, additional columns are automatically added to your report to let you view the data you deem relevant and important.

**Note:** You can also group multiple fields into a single column. Select the desired fields and check the “**Group in a single column**” box. Validate your selection and do the same thing again for each column in which you want to group several fields. For instance, “Birth Date” and “Place of Birth”.

## Documents

Personal Data  
Media  
Facts  
Father  
Mother  
Person Sources  
Families  
Sundry Links  
Person Events  
Family Events

☐ Group in a single column

OK Cancel



### Options Button

Based on the type of report, you are given several options, grouping, and filters to refine the displayed report.

#### – *Persons Report:*

This report is built based on all the persons saved in your genealogy. If you wish to display or hide marked, secondary, confidential, contemporary persons or private data, check or uncheck the corresponding boxes.

Heredis is defaulted not to apply any grouping of persons in this report but you can set up your own display of data: classify by Name or Birth.

You can also choose to display Males or Women Only, and to list Direct-line Ancestors only.

Classify Persons

Classify by: None

Other filters

List: All People

☐ Direct-line Ancestors Only

Persons to Include

☒ Marked Persons

☒ Secondary Persons

☒ Confidential Persons

☒ Persons born less than: 75 years

☒ Private Data

Show all

OK Cancel

#### – *Ancestors Report:*

This report is built based on the primary person displayed on the navigation screen.

If you wish to display or hide marked, secondary, confidential, contemporary persons or private data, check or uncheck the corresponding boxes.

Heredis is defaulted to supply a complete list of your ancestors over 10 generations in this report but you can modify these options to display a report by Male Ancestors (agnatic) or Female Ancestors (cognatic). You can also increase or decrease the Number of Generations to be displayed.

## Custom Reports

The 'Scope' tab of the Custom Reports dialog box. It features a 'List of Ancestors' dropdown set to 'All Genders' and a 'Number of Generations' spinner set to 10. The 'Persons to Include' section on the right has four checked options: 'Marked Persons', 'Secondary Persons', 'Confidential Persons', and 'Persons born less than: 75 years'. There is also a 'Show all' dropdown and a 'Private Data' checkbox which is checked. 'OK' and 'Cancel' buttons are at the bottom right.

### – *Descendants Report:*

This report is built based on the primary person displayed on the navigation screen.

If you wish to display or hide marked, secondary, confidential, contemporary persons or private data, check or uncheck the corresponding boxes.

Heredis is defaulted to supply a complete list of your descendants over 10 generations in this report but you can modify these options to display a report showing Name Holders Only. You can also increase or decrease the Number of Generations to be displayed and choose the type of Numbering Method to display in your custom report (d'Aboville or Lettered).

The 'Descendants Report' tab of the Custom Reports dialog box. The 'List of Ancestors' dropdown is set to 'All Descendants'. The 'Number of Generations' spinner is at 10. The 'Numbering Method' dropdown is set to 'd'Aboville'. The 'Persons to Include' section on the right is identical to the previous tab, with 'Marked Persons', 'Secondary Persons', 'Confidential Persons', 'Persons born less than: 75 years', and 'Private Data' (checked) all selected. 'OK' and 'Cancel' buttons are at the bottom right.

### – *Events Report:*

This report is built based on all the events saved in your genealogy.

If you wish to display or hide marked, secondary, confidential, contemporary persons or private data, check or uncheck the corresponding boxes.

Heredis is defaulted not to apply any grouping of events in this report but you can create your own way of displaying data: classify by Dates, Persons, Type of events, or Places.

The 'Events Report' tab of the Custom Reports dialog box. The 'Classify by' dropdown is set to 'None'. Under 'Date Limits', 'Known Dates Only' and 'Limit by Date' are unchecked. 'Start Year' is 1900 and 'End Year' is 2000. Under 'Place Limits', 'Known Places Only' and 'Limit by Place' are unchecked. There is a 'City' dropdown and a 'Begins With' text field. At the bottom left, 'Direct-line Ancestors Only' and 'Records to Search only' are unchecked. The 'Persons to Include' section on the right is identical to the previous tabs. The 'Verified Events' section has 'Families' and 'Other Events' checked, with 'Births/Christenings' and 'Death/Burial' also checked. The 'Limitation on surnames' section has 'Limit to a surname and its variants' unchecked and an 'Enter Name' text field. 'OK' and 'Cancel' buttons are at the bottom right.

### – *Places Report:*

This report is built based on all the places saved in your genealogy.

You can choose to limit to a city, a state...

## Documents

The image shows two overlapping dialog boxes. The 'Place Limits' box on the left has sections for 'Use:' (All Places), 'Geolocation:' (All Places, All subdivisions), 'Limiter les lieux:' (City, Commence par:), 'Direct-line Ancestors' (unchecked), and 'Private Data' (checked). The 'Date Limits' box on the right has 'Known Dates Only' (checked), 'Limit by Date' (unchecked), 'Start Year:' (1900), and 'Date de fin:' (2000). Both boxes have 'OK' and 'Cancel' buttons at the bottom right.

### – Sources Report:

This report is built based on all the sources saved in your genealogy.  
You can change options to display private sources only, used only...

The 'Grouping sources' dialog box contains sections for 'Classify by:' (None), 'Limitation on sources' (Sources to include: All), 'Use:' (All Sources), and 'Type of use:' (All). It also has 'OK' and 'Cancel' buttons at the bottom right.



## Design Button

You are given layout options for the following:

- Surnames, Given Names, Dates
- Font size displayed in the report
- Colors for males, females, direct-line ancestors, and implexes – since Heredis 2020. Since Heredis 2022, colors are exported to .xlsx and .csv formats.
- Major events

The image shows two overlapping dialog boxes. The 'Field Styles' box on the left has sections for 'Given Names:' (All), 'Surnames:' (of HATFIELD), 'Dates:' (8/2/1954), and checkboxes for 'Use Gregorian Dates' and 'Display initials of major events' (both checked). The 'Text' box on the right has a 'Font size:' dropdown set to '10 pt'. Both boxes have 'OK' and 'Cancel' buttons at the bottom right.



## Save Button

Click the **Save** button and name your report so it is saved with your custom options and preferences.

Find it again later in the menu **(Windows) Reports > Custom Reports; (Mac) Documents > Custom Reports**, right underneath the default model supplied by Heredis.

Starting with Heredis 2020, you can manage your custom reports models. Please refer to the

paragraph below (voir page 515) for more details.

### Delete Button

From the menu: **(Windows) Reports > Custom Reports; (Mac) Documents > Custom Reports**, open the model you do not wish to keep, click the **Delete** button, and confirm you want to delete the model. You can also delete from the model management tool. Please refer to the paragraph below (voir page 515) for more details.

### Refresh Button

Custom reports open in an independent Heredis window so you can continue working on your file while leaving a custom report open. If you make modifications or additions to your genealogy, all you need to do is click the Refresh button to update the content of the report displayed.

### CSV / XLSX Buttons


You can export the data from your report to a **CSV** or **Excel** format so you can use them later outside of the Heredis environment. The file will become independent from Heredis and you will be able to work on the data from your usual spreadsheet software.

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.

## Data Table

The various reports provide data presented in a multiple-column table ; content varies according to the type of model you choose.

You can sort data by clicking on a column header. An arrow displayed next to the header title indicates the type of sorting that has been applied: ascending, descending, or no sorting if no arrow is displayed.


Date of Event ↑ 

**Note:** some columns cannot be sorted; this is the case, for instance, of columns in which several types of data have been aggregated. A message in red will inform you that the column cannot be sorted.

You can also

- Reorganize the way data is displayed by moving columns, for example: click the header of a column and hold the click down while moving the column to the desired location, then release the mouse click.
- Delete a column: click on the 3 dots displayed on the column header and select the **Delete** option.
- Modify the content of a column: click on the 3 dots displayed on the column header and select the **Edit** option. An Edit Column window opens up, it allows you to:
  - modify the column title
  - add/modify/delete fields in this column
  - add and customize column data separators to display between 2 column fields

### *Edit or Delete a Column*



### *Organize data*



## Status Bar

In the status bar, Heredis shows the total number of pages for the report being displayed, as well as the range in which the current page is located (the indicator is displayed in the bottom right). Easily navigate through the different pages of a report by clicking on the **First / Last Page**, **Previous Page / Next Page** arrows. You can also move directly to a given page by entering its number.



## Custom Reports and Smart Search

Custom reports are also accessible directly from **Smart Search**.


- From the **Search** tab > **Smart Search**, launch a search.
- In the **Results** area, select the **Persons** or **Events** tab you are interested in.
- In the **Processing** area, click the **Edit** button > **(Mac) Custom Report / (Windows) Customizable Reports** and select the report model you want to use to display the



## Custom Reports

results from your search.

### Smart Search and Custom Report




## Manage your models

Starting with Heredis 2020, you can manage your custom reports models.


**(Windows)** Click on the **Reports** menu > **Custom Reports** > **Manage my models...** to open the model manager.



**(Mac)** Click on the **Documents** menu > **Custom Reports** > **Manage my models...** to open the model manager.

*(Windows) Manage custom reports models*



*(Mac) Manage custom reports models*



Select the report model you wish to modify and click the  button to rename this report model or the  button to delete the model.

## Custom Reports

Since Heredis 2023, you can print a Research journal with Custom report. See Research Journal (voir page 518) for all details.

# Research Journal

After taking a break from your research, it is not uncommon to wonder where you had left things at and what is left to do.

The research journal is there to help you in this matter. It allows you to track your research progress. No more spending half an hour trying to figure out what you intended to look for on the internet, or, even worse, during a visit to the Archives' reading room. There is nothing more annoying than wasting that kind of time when you have just made a special trip for the occasion.


For each event, enter the project to which you wish to attach the search, the status of your research, and other useful information about the status of the event so you know where you are standing.

Once this information has been entered, generate a Custom Report, selecting the Research Journal, and export it to CSV or Excel format.

From now on, no more scrambling when researching!

## Specify the search status and various other useful elements

With every event you create, you can enter as usual the date, place, etc. Starting with Heredis 2023, a magnifying glass is at your disposal. Click on it and open the **Search Data** tab for the event.



The screenshot shows the Heredis 2023 event form with the 'Search Data' tab selected. The form includes fields for Date (Tuesday), February 3, 1931; Place: Boston - Suffolk County - MASS...; Place Subdivision; Description/Cause; and a Note field. A red arrow points from the magnifying glass icon in the bottom left to the 'Search Data' tab. A red box highlights the magnifying glass icon.

Under the **Search Data** tab for the event, specify:

**Search Status:** Search record, No search record, Search in progress, or Untraceable record.

**Note:** you can change the default status in the Heredis preferences. On Windows, Tools menu > Preferences > Heredis Preferences > Format tab.

On Mac, menu Heredis > Preferences > Format tab.

If you choose to set “Search record” as the default Search Status, each new event created will be considered as a record to search for. Which means you will then only need to modify the events that shouldn’t be searched for as “No search record” once you have found them, or to qualify them as a “Search in progress” if the search has started but is not finished.

**Project:** to let you manage several projects, for instance the “Smith branch”, to access the searches related to this branch, or, as another example, “Killed in action” to manage searches related to persons who died on the battle field.

**Document:** to specify the type of document you need to consult, e.g., “vital records” or “notarial instruments”, etc.

**Place:** to indicate where to look. For example, the online Los Angeles County Registrar/Recorder, the NY Public Library, the Archives of Ontario, or even “at Grandma’s”, etc.

**Date:** what is the approximate date of the event, or also the date when you plan to do the research...

**Call #:** if you already know the exact reference of the document you want to consult. You could have found, for instance, thanks to the online inventory of your City Archives, that the call number for your document is 147 Q 50.

**URL:** a website address if the search is to be done online.

**Note:** this empty space allows you to type in a note to complete your search data if necessary.

## Get a Research Journal

Once you have filled in this information, generate your journal by clicking on the menu **Documents > Custom Reports > Research Journal**.

| Project      | Search Status      | Search Document   | Type of Eve | Persons  | Ahn. #   | Date of Ever   | Event Place                                | Search place    | Sea |
|--------------|--------------------|-------------------|-------------|--|--|----------------|--|-----------------|-----|
| Smith Branch | Search in progress | Birth Certificate | Birth       | SMITH Michael George Bi.: 3/2/1931   | 2  | Bi.: 3/2/1931  | Boston Suffolk County MA UNITED STATES     | Boston Archives |     |
| Smith Branch | Search Record      | Birth Certificate | Birth       | SMITH Peter Bi.: 12/6/1960 Bu.: 2/2/1999   | 1  | Bi.: 12/6/1960 | Boston Suffolk County MA UNITED STATES     | Boston Archives |     |
|              | Search Record      |                   | Birth       | CUMBERBATCH Nora Bi.: 1885 D: < 1925   |  | Bi.: 1885      | Unknown MASSACHUSETTS                      |                 |     |
|              | Search Record      |                   | Death       | CUMBERBATCH Nora Bi.: 1885 D: < 1925   |  | D: < 1925      |  |                 |     |
|              | Search Record      |                   | Marriage    | <ul style="list-style-type: none"> <li>SMITH Christopher Edward Bi.: 4/26/1881 D: 3/26/1973</li> <li>DAVIS Katherine "Emily" Bi.: 9/8/1896 D: 1/25/1988</li> </ul> | <ul style="list-style-type: none"> <li>4</li> <li>5</li> </ul> | M: 12/10/1925  | Boston Suffolk County MA UNITED STATES     |                 |     |
|              | Search Record      |                   | Birth       | JORDANNET Ferdinand Bi.: 8/8/1880  |  | Bi.: 8/8/1880  | Montpellier 34000 Hérault OCCITANIE FRANCE |                 |     |
|              | Search Record      |                   | Death       | JORDANNET Jonathas Bi.: 1/12/1820 D: 11/26/1895  |  | D: 11/26/1895  | Laon 02000 Aisne HAUTS-de-FRANCE FRANCE    |                 |     |

## Documents

Click on the **Options** button to:

- Group by Project, Search status, Document or Place.
- Modify the search status or add other ones. By default, only events with the “Search record” status and “Search in progress” status are displayed.
- Limit the search to a project, a document, a place, a call number or a URL.
- Limit the search to Direct-line Ancestors Only or to Marked Persons Only.
- Limit the search to Known Dates Only or to a specific time range.
- Limit the search to Known Places Only or to a specific place.

Search Data

Classify by: None

Search Status

☐ No Search Record ☒ Search Record

☐ Untraceable ☒ Search in progress

Others

☒ Limit the search

Project Begins With:

☐ Events with Search Data Only

Persons

☐ Direct-line Ancestors Only

☐ Marked Persons Only

Events

Date Limits

☐ Known Dates Only

☐ Limit by Date

Start Year: 1900

End Year: 2000

Place Limits

☐ Known Places Only

☐ Limit by Place

City Begins With:

OK Cancel

Click on **Add** button to insert additional columns that could be of interest to you: Event, Persons, Media, Sources, or Witnesses.

Event

Persons

Media

Sources

Witnesses

Event Title

Description

Shared

Date

Time

Age on Record

Place

Subdivision

Search data

Private

Note

With a note

Number of Sources

Number of Witnesses

Number of Media

☐ Group in a single column

OK Cancel

Just like in any other custom report, you can click on **Design** button to select a format for Given Names, for Surnames with a nobiliary particle, for Dates, for the Font size and Colors.

## Research Journal

Field Styles

Given Names: All

Surnames: of HATFIELD

Dates: 8/2/1954

☒ Use Gregorian Dates

☒ Display initials of major events

Text

Font size: 10 pt

Colors

Men: [Color Swatch]

Females: [Color Swatch]

Ahn. #: [Color Swatch]

Duplicate branch #: [Color Swatch]

OK Cancel

The **Save** button allows you to save your research journal “model” so you don’t have to go over every setting again each time you generate a research journal.

To delete a model (or template), once you have opened it, simply click on the **Delete** button.




Modify data in Heredis while keeping the research journal open. You can update your research data by clicking on **Refresh**.





The **CSV** and **Excel** buttons allow you to export your data to a CSV or Excel format so you can then open the journal in a spreadsheet with software programs such as Microsoft Excel or LibreOffice Calc.

**Note:** the exported version of your journal will become independent from Heredis and what you will modify in the spreadsheet will not be updated in Heredis.

### Access the Research Journal of an event directly from Search Tracking

Heredis offers a search tracking tool for the major life events of a person and his/her ancestors. (See the article on Search Tracking (voir page 312))

To modify a major life event, you can access the event search tab from the following icons:  or  or .

-  the event status is “No search record”,
-  the event status is “Search in progress”,
-  the event status is “Search record”,
-  the event status is “Untraceable”.

# (Windows) Pre-established reports

All documents you view and print with Heredis will open in your word processing. This way of operating puts you in a familiar environment, facilitates the manipulations you want to perform, allows you to completely reshape the presentation of the data and to record, if you wish, the documents displayed as independent files.

If no word processing is up and running on your computer, you can download free word processing, such as LibreOffice. Make sure your system has an application by default for .rtf, .xlsx, and .docx files.

Use the **Reports** menu to access the various editions offered by Heredis, with the exception of indexes entries that can only be accessed in indexes.

For more details on old Ascentors, Descendants and Persons Custom report, see (Windows) Customize your reports (voir page 531). For Custom Reports included since Heredis 2019, see Custom Reports (voir page 508).

## The different types of pre-established reports

### Ancestors reports

They are built from the primary person displayed on the navigation screen.

- The Default Ancestors report
- The By Men Ancestors report (agnatic line)
- The By Women Ancestors report (cognatic line)

### Descendants reports

They are built from the primary person displayed on the navigation screen.

- The Default Descendants report
- The By Name Descendants report

### Persons reports

It displays and prints all persons registered in the file regardless of their kinship or role, ranked in order of surname and then given name.

### Families report

It displays and prints all the unions recorded in the file regardless of the type (marriage, civil or religious, cohabitation, extramarital relationship...).



## Tiny Tafel report

This report is a review of genealogical researches. It lists all the surnames recorded in the file based on where the surnames were found and the period during which they appeared. For each surname and place, it counts the type of acts found: Birth – Baptism – Marriage – Death.

The Tiny Tafel report is the preferred mode of exchange within genealogical societies. It allows you to immediately see if bearers of the surnames you are interested in have already been identified by other genealogists, where and when they have been spotted.

## Events report

It displays and prints all events, individual or family, recorded in the file, ranked chronologically, with the date and location of the event.


## Facts report

It displays and prints all the facts recorded in the file, arranged in alphabetical order. For each fact, its description, the person to which it is attached and the place when this information is provided are displayed.

## Research Status report

It review of your researches and prints all the persons for whom you are looking for an original certificate in order to confirm your data. The list can be edited for the entire file or place by place, or for an entire County or State.



To get this report, you need to activate the landmark button (Research Status) in the **Data > Personal Data** screen, or in the event entry area of the **Add a Person** window or in the **Search Wizard**, by clicking on the magnifying glass. To activate it, change the display mode with the cogwheel  of the **Personal Data**.

## Anniversaries Report

It displays and prints events, individual or family, based on a “historical” selection: events that took place on a particular day of the month, or in the following week or month.

## Indexes lists

They allow the full content of each of the indexes generated by Heredis to be published.

The **Surname List**, the **Given Name List**, the **Occupations List** and the **Places List** show the list with the variants and the number of uses.

The **Source List displays** and prints all the sources cited in the events, specifying the persons related to them and the events involved.

These lists can be obtained directly from the corresponding indexes. In the index, click on the

**Print** button.

## The choice of data to display

- Click on the **Contents** tab. According to the chosen report, you may not have always the same options.
- Check the options for selecting the persons to be displayed in the report (men, women, witnesses, etc.) based on their genealogical role.
- Specify the limits to be made to the list (confidential, Direct-line Ancestors, Period, Places...).

Options vary depending on the type of report requested.

### *Persons Report (By Name or Alphabetical) – Contents*

The screenshot shows a dialog box titled "Alphabetical Report" with a close button (X) in the top right corner. It has two tabs: "Contents" (selected) and "Layout".

Under the "Contents" tab, there are two main sections:

- Exclude Unrelated Persons and Secondary Persons:** A checkbox that is currently unchecked.
- Person Options:** A group box containing three radio buttons:
  - ☐ Males Only
  - ☐ Females Only
  - ☒ All People

On the right side, there is a **Limits** group box containing four radio buttons and one checkbox:

- ☒ All People
- ☐ Exclude Confidential Persons
- ☐ Exclude Marked Persons
- ☐ Only Marked Persons
- ☐ Only Direct-line Ancestors

At the bottom right of the dialog box, there are three buttons: "Export", "OK" (highlighted with a blue border), and "Cancel".

## The layout of the reports

- Click on the **Layout** tab.
- Determine the layout of each report using the different settings proposed for the header, font, format, field styles, and colors.

### *Persons Report (By name or Alphabetical) – Layout*

The screenshot shows the 'Alphabetical Report' dialog box with the 'Layout' tab selected. The dialog is divided into several sections: 'Field Styles' on the top left, 'Colors' on the top right, 'Font' in the middle left, 'Page' in the middle right, 'Header' in the bottom left, and 'Margins' in the bottom right. At the bottom are 'Export', 'OK', and 'Cancel' buttons.

**Field Styles**

- Given Names: All Given Names (dropdown), ☐ Include Nickname
- Name Order: HATFIELD, William of (dropdown), ☐ Include Suffix, ☐ Include Prefix
- Dates: 30.9.1984 (dropdown), ☐ Use Gregorian Dates, ☒ Show Headings

**Colors**

- Males: [Blue color box] (dropdown)
- Females: [Red color box] (dropdown)
- Ahn. #: [Green color box] (dropdown)
- Duplicate Line #: [Magenta color box] (dropdown)

**Font**

- Font: Arial (dropdown), Size: 9 (dropdown)

**Header**

Title: Alphabetical Report

- ☒ Number of Items, ☒ Date
- ☒ File Name, ☒ Page #

**Page**

- ☒ Print Grid
- Print Setup button, A4 - 21.0 x 29.7 cm (Portrait)

**Margins**

- Top: 1,50 cm (spinner), Bottom: 1,50 cm (spinner)
- Left: 1,50 cm (spinner), Right: 1,50 cm (spinner)

#### **Font**

For each edited state, select a font and character size.

#### **Header**

Each page of each state reproduces a header where you post:

- A personal text entered in the header area
- The total number of items on the report
- The date of the report edition
- The name of the genealogical file
- The number on the page.

#### **Margins and Page**

You can change several elements of the page format:

- The margins of the document.
- The printing of the grid. Check **Print grid** to frame the areas assigned to the different types of information in the cards or separate each of the persons listed.
- The layout. Click the **Print Setup** button to select a printer, choose the orientation of the paper (portrait or landscape), choose the size of the paper. The paper sizes suggested depend on the type of printer you have selected.

### Field Styles

You can choose for each person displayed in the requested document, different layout options. Click on the drop-down menus and find out all the statement possibilities that are available to you for:

#### Given names

- All Given names
- Only the first given name
- Only the usual given name (in the absence of a common declared given name, Heredis will take the first given name)
- The first given name followed by the initials of others.

Check the option **include nickname** if necessary.

#### The name order

Different possibilities are proposed to place the surname, particle and given names. Check the option **include suffix** and **include prefix** if necessary.

#### Dates

- Digit separated by a point (with or without the display of 0)
- Digit separated by a slash (with or without the display of 0)
- Month in letters (in full or abbreviated)
- Month in letters and the day of the week (whole or abbreviated)
- Only the year.

## (Windows) Pre-established reports

**Styles des rubriques**

Prénoms : Tous les prénoms

☐ Avec le surnom

Nom et prénoms : Arnaud de ROUVILLE

☐ Avec le suffixe

☐ Avec la qualité

Dates : 3.9.1984

Lieux :

**Couleurs**

Hommes : [Blue]

Femmes : [Red]

N° Sosa/réf. : [Green]

N° en implexe : [Magenta]

**Police**

Arial Taille : 9

**Page**

☒ Imprimer le quadrillage

Format d'impression A4 - 21.0 x 29.7 cm (Portrait)

**En-tête**

Titre : Liste d'ascendance

☒ Nombre d'éléments ☒ Date d'impression

☒ Nom du fichier ☒ N° de page

**Marges**

Haut : 1,50 cm Bas : 1,50 cm

Gauche : 1,50 cm Droite : 1,50 cm

In each of these cases you can check the Dates option **in the Gregorian calendar** to view and print the dates in Gregorian format regardless of the calendar in which they were entered.

The **Show Headings** option precedes each date by the symbol corresponding to the type of event: ° for Birth, b for Baptism, x for Marriage, xR for Religious Marriage, xP for Other Union, mc for Marriage Contract, † for Death, (†) for Burial.

### The places

- Name of the city only
- Name of the city and postal code
- Name of the city, postal code and subdivision of the place if there is one
- Full place name.

## Documents

**Styles des rubriques**

Prénoms : Tous les prénoms  
☐ Avec le surnom

Nom et prénoms : Arnaud de ROUVILLE  
☐ Avec le suffixe  
☐ Avec la qualité

Dates : 3.9.1984  
☐ Dates en calendrier grégorien  
☐ Afficher les symboles généalogiques

Lieux : Commune  
Commune  
Commune (code lieu abrégé)  
Commune (code lieu complet)  
Commune (code lieu) - Subdivision  
Lieu complet

**Couleurs**

Hommes :

Femmes :

N° Sosa/réf. :

N° en implexe :

**Police**

Arial Taille : 9

**Page**

☒ Imprimer le quadrillage

Format d'impression A4 - 21.0 x 29.7 cm (Portrait)

**En-tête**

Titre : Liste d'ascendance

☒ Nombre d'éléments ☒ Date d'impression  
☒ Nom du fichier ☒ N° de page

**Marges**

Haut : 1,50 cm Bas : 1,50 cm  
Gauche : 1,50 cm Droite : 1,50 cm

### Sources (for some documents such as Biography)

- either they are ignored,
- or Heredis indicates the names of each of the associated sources,
- or Heredis details the description of each of the associated sources,
- or Heredis takes up the entirety of each of the associated sources, including the text of the deeds.

### Private data

If you exclude private data, notes, events, sources, media for which the **Private** box was checked at the time of entry will not be printed in the requested document.

### Colors

Differentiate each of the important elements of the edited state by assigning it a color. Select it from the drop-down menu. Items differ depending on the type of report requested.

## (Windows) Pre-established reports

**Field Styles**

Given Names: All Given Names  
☐ Include Nickname

Name Order: HATFIELD, William of  
☐ Include Suffix  
☐ Include Prefix

Dates: 30.9.1984  
☐ Use Gregorian Dates  
☒ Show Headings

**Colors**

Males: [Color Selection]  
Females: [Color Selection]  
Ahn. #: [Color Selection]  
Duplicate Line #: [Color Selection]

**Font**

Font: Arial Size: 9

**Page**

☒ Print Grid  
Print Setup A4 - 21.0 x 29.7 cm (Portrait)

**Header**

Title: Alphabetical Report  
☒ Number of Items ☒ Date  
☒ File Name ☒ Page #

**Margins**

Top: 1,50 cm Bottom: 1,50 cm  
Left: 1,50 cm Right: 1,50 cm

Click **OK** to validate the creation of the document in .rtf format.

**Note:** This format opens with any word-processing software. Make sure you have a default software for files with the .rtf extension. Check out the Windows user manual or online tutorials to learn more.

### Create a report of persons or events from Smart Search.

It is also possible to edit the result of a selection obtained with **Smart Search** as a report.

Search for one or more criteria from the **Search > Smart Search** Tab. Check out Smart Search (voir page 318) article for more details.

- Click the **Edit** button in the processing selected persons area.
- Select the type of report of **Persons** or **Events** based on the tab selected in the search results.

## Documents

Family

Data

History

Search

Search Wizard

Smart Search

Find/Replace

Family Search

Criteria

< Choose a search model >

Persons

Is Exactly

Surname

thomas

Search

All criteria

in

the entire file

I'm looking for persons whose surname is exactly "thomas".

Search

Results

Persons (15)

Families (11)

Events (38)

Facts (4)

| Surname | Given Names        | Birth Date   | Birth Place          | Death Date   | Death Place                     |
|---------|--------------------|--------------|----------------------|--------------|---------------------------------|
| THOMAS  | Christopher Edward | * 13.05.1910 | Oxford (Oxfordshire) | † 31.05.1991 | Dover (Kent)                    |
| THOMAS  | Edward             | * > 1804     |                      | † 1874       | Hull (East Riding Of Yorkshire) |
| THOMAS  | Elizabeth (Tic)    | * 1882       |                      |              |                                 |
| THOMAS  | George             | * 04.07.1877 | Oxford (Oxfordshire) | † 01.08.1947 | Oxford (Oxfordshire)            |
| THOMAS  | George             | * 06.12.1890 |                      | † 11.04.1891 |                                 |
| THOMAS  | Glenn Samuel Bruce | * 11.07.1997 | Paris (Paris)        |              |                                 |
| THOMAS  | John               | * 05.1854    | ? (ENGLAND)          | † > 1921     |                                 |
| THOMAS  | John               | * 15.09.1994 | Belleville (Essex)   |              |                                 |
| THOMAS  | Judy               | * 15.08.1962 | Hudson (Columbia)    |              |                                 |
| THOMAS  | Kate Elsie         | * 24.06.1941 | Margate (Kent)       |              |                                 |
| THOMAS  | Marion             | * 1900       |                      | † 1985       |                                 |
| THOMAS  | Michael George     | * 06.02.1933 | Margate (Kent)       |              |                                 |
| THOMAS  | Paul               | * 1883       |                      |              |                                 |
| THOMAS  | Paul               | * 10.10.1960 | Hudson (Columbia)    |              |                                 |
| THOMAS  | Peter              | * 03.12.1956 | Hudson (Columbia)    |              |                                 |

Processing selected persons (15)

Marked

Confidential

Secondary Person

Unmarried

Childless

Child Status

Signature

Declared consistent

Declared complete

Add to note

Link a source

Edit

Export Heredis File

Export GEDCOM

Delete

Find/Replace

Persons Report

Custom Persons Report

Customizable Reports

Ahn. # 1 Generation 1

1 Spouse 2 Children: 1 1

## Exporting documents

The various documents, reports or sheets, are exportable in text format (.txt). Click the **Export** button to create a .txt document or click on OK to create a .rtf document. Give the new document a name and specify its location before registering it. Then open this document in adapted software: word processing, spreadsheet...

Export

OK

Cancel

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.



# (Windows) Customize your Reports

This function existed prior to Custom Reports included since Heredis 2019. See also the new custom reports (voir page 508) article.

All documents you view and print with Heredis are open in your word processing. This way of operating puts you in a familiar environment, facilitates the manipulations you want to perform, allows you to completely reshape the presentation of the data and to record, if you wish, the documents displayed as independent files.

If no word processing is up and running on your computer, you can download free word processing, such as LibreOffice.

## Create a custom report

You can compose several types of custom reports: **Persons**, **Ancestors** or **Descendants**.

Click on the **Reports** menu to access the various editions offered by Heredis. Choose the type of list (**Ancestors**, **Descendants**, **Persons**) and then click **Custom Report...**

All selected settings will be memorized and offered by default when you'll next open the same type of report.

All **Ancestors** or **Descendants** custom reports will be built from the primary person displayed.

- Choose list settings for **Contents** and **Layout** in tabs of the same name.

*Contents tab*

Custom Persons Report ✕

Contents **Layout**

☐ Exclude Unrelated Persons and Secondary Persons

Person Options

☐ Males Only

☐ Females Only

☒ All People

Limits

☒ All People

☐ Exclude Confidential Persons

☐ Exclude Marked Persons

☐ Only Marked Persons

☐ Only Direct-line Ancestors

Modify Export **OK** Cancel

*Layout tab*

## (Windows) Customize your Reports

- Click the **Modify** button to change the default report or create your own report.

To build a custom report, you have the following:

- **Columns:** You can build your report with as many columns as you like, assign them a width, a title, and include the fields you want in each column. It is possible to insert or remove columns.
- **Fields:** Most of the fields in the **Data> Personal Data** screen are usable, as well as certain calculated fields (age at death, number of children, etc.).
- **The layout of the columns:** Each of the fields you put on the report can be shaped (attributes, alignment, etc.).  
You can also assign a **suffix** and a **prefix** to each selected field.

When you first open a custom report, Heredis displays a default report that you can use as is or change.

Custom reports as you have drawn them can be saved and recalled for future use. For example, you can create several themes for each type of reports (persons, ancestors, descendants).

The custom report offered by clicking on the **New Report** button is fully composed by you.

## Columns

### Add columns

The lower area of the window allows the columns to be displayed. It represents the useful width of the page. The columns are divided between the two margins in the same proportions as on the screen regardless of the print format chosen (portrait or landscape).

You can create up to 32 columns within the space available for printing.

- Click the **Add** button in the **Column** area to create the number of columns you need for the report to build.

The 'Column' configuration dialog box contains the following elements:

- Title:** A text input field.
- Buttons:** 'Add', 'Delete', and two arrow buttons (left and right).
- Heading alignment:** Three radio buttons: 'Left' (checked), 'Center', and 'Right'.
- Alignment of contents:** Three radio buttons: 'Left' (checked), 'Centered', and 'Right'.

## Swap columns

- Click in the column to move.
- Click the **Left arrow** or **Right arrow** button until the column has reached the desired location.

Two side-by-side screenshots of the 'Column' configuration dialog box, both with 'Birth Date' in the title field. In both, 'Center' is selected for heading alignment and 'Centered' for content alignment. In the left screenshot, the left and right arrow buttons are highlighted with a red box. In the right screenshot, the same buttons are also highlighted with a red box, illustrating the process of moving a column.

## Delete a column


- Click in the column to select it.
- Click the **Delete** button in the **Column** area.

## Give a column a title

- Click in the column to select it.
- Type in the title chosen for the selected column in the **Title** input area.
- Include the alignment chosen for the column title by checking the **Left**, **Centered** or **Right** boxes.
- Also indicate the alignment chosen for the contents that will be contained in this column.

## Change the width of the columns

Position the mouse on the right edge of the column you want to enlarge or reduce.

- The cursor then turns into a double  arrow.
- Hold the left button on the mouse.

- Move the right edge of the column to reach the desired width.

## Fields

### Position the fields in the columns

Depending on the type of information to be placed in the column, click on one of the tabs containing the data for the person, his/her father, his/her mother, his/her unions, or the calculated data.

- Choose on the list of fields on the one you want to set up and click on it.
- Click the **Add** button in the **Field** area to fit into the selected column.  
or Double-click on the name of the field in the list to fit into the selected column.
- Include for the added field any formatting attributes to apply to it by checking the **Bold**, **Italic** or **Underline** boxes.

The screenshot shows a configuration window titled 'Rubrique'. It has several sections: 'Headings' with a text input 'Ahn./Ref. Number' and 'Line skip' buttons; 'Prefix' and 'Suffix' with text inputs; 'Attributes' with checkboxes for 'Bold', 'Italic', and 'Underline'; and 'Add' and 'Delete' buttons.

The fields will be presented side by side in the edited document unless you have inserted a line break.

To spread the fields across different lines in the same column:

- Select the field.
- Click the **Line Skip** button.

The total number of fields and line breaks is limited to 32 per column. For delete and move options, line breaks should be treated as fields.

To switch the order of fields on the same line or within a column:

- Select the field to move.
- Click the **Up** or **Down** Arrow button until the field has reached its new location.

### Delete a field in a column

- Select the field to remove.
- Click the **Delete** button in the **Field** area.

### Add a suffix or prefix to a field

- Select the field to edit in the column.
- Click in the **Prefix** area and then type in the prefix to be applied to this field.
- Position yourself in the **Suffix** area and then type the suffix to apply to this field.

## (Windows) Customize your Reports

The screenshot shows a software interface for customizing reports. It features a 'Heading' tab with several input fields and buttons. The 'Headings' list contains the text 'Ahn./Ref. Number'. The 'Prefix' field is populated with 'at age of', and the 'Suffix' field is empty. To the right, the 'Attributes' section includes three checkboxes: 'Bold', 'Italic', and 'Underline', all of which are currently unchecked. Navigation buttons like 'Add', 'Delete', 'Line skip', and arrows are also visible.

For example, to indicate the age at death of a person:

- Select **Age at Death** in the column.
- Click in the **Prefix** box, type “at the age of”.
- Click in the **Suffix** box, type the word “years.”

You will thus get the mention: at the age of < age at the death > years.

### Create a Custom Persons Report from Smart Search.

It is also possible to edit the result of a selection obtained with **Smart Search** as a personalized list.

Search for one or more criteria from the **Search > Smart Search** Tab. Check out Smart Search article for more details.

- Click the **Edit** button in the results processing area.
- Select **Custom Persons Report**.

## Documents

The screenshot shows the Heredis software interface. At the top are tabs for Family, Data, History, and Search. Below these are buttons for Search Wizard, Smart Search, Find/Replace, and FamilySearch. The 'Criteria' section shows a search model dropdown, a 'Persons' dropdown, a 'Surname' dropdown, and a 'Begins With' dropdown set to 'Thomas'. The search scope is set to 'All criteria' in 'the entire file'. A search bar contains the text: 'I'm looking for persons whose surname begins with "Thomas"'. The 'Results' section shows a table of 15 persons, all with the surname 'THOMAS'. The table columns are Surname, Given Names, Birth Date, Birth Place, Death Date, and Death Place. The 'Processing selected persons (15)' section shows various options for the selected persons, including 'Edit', 'Export Heredis File', 'Export GEDCOM', and 'Delete'. The 'Edit' button is highlighted with a red box. The 'Persons Report' dropdown menu is open, showing options like 'Custom Persons Report' and 'Customizable Reports'.

| Surname | Given Names       | Birth Date   | Birth Place        | Death Date   | Death Place          |
|---------|-------------------|--------------|--------------------|--------------|----------------------|
| THOMAS  | Christopher Ed... | * 13.05.1910 | Oxford (Oxford...  | † 31.05.1991 | Dover (Kent)         |
| THOMAS  | Edward            | * > 1804     |                    | † 1874       | Hull (East Riding... |
| THOMAS  | Elizabeth (Tic)   | * 1882       |                    |              |                      |
| THOMAS  | George            | * 04.07.1877 | Oxford (Oxford...  | † 01.08.1947 | Oxford (Oxford...    |
| THOMAS  | George            | * 06.12.1890 |                    | † 11.04.1891 |                      |
| THOMAS  | Glenn Samuel B... | * 11.07.1997 | Paris (Paris)      |              |                      |
| THOMAS  | John              | * 05.1854    | ? (ENGLAND)        | † > 1921     |                      |
| THOMAS  | John              | * 15.09.1994 | Belleville (Essex) |              |                      |

## Save a Custom Report layout

### Change an existing report

Each time the same custom report (persons, ancestors or descendants) changes to the construction of the reports, it is memorized.

To create a custom report theme with the layout you've set:

- Click the **Save** button.
- Name the custom list theme you're creating. He'll wear a .hp18 extension.
- Heredis records this theme in the *Documents* folder – *BSD Concept – Heredis – Heredis Custom Reports*.

This theme can then be called and used in any type of custom report.

The screenshot shows a dialog box with four buttons: 'New Report', 'Open', 'Save', and 'OK'. The 'Save' button is highlighted.



## Create a new custom report

To create a new blank list theme:

- Click the **New Report** button to access a new blank list, to be completed with the desired fields and columns. The number of columns proposed by default is 4.


## Open a custom report theme already registered

To recall all the custom report themes you've created:

- Click the **Open** button.
- Select the existing theme to reuse. Custom report themes have a .hp18 extension.

This theme will appear on the screen for use or modification and will be the list theme that will open by default when the next request of the same type of list is set.

## Launch the edition of the custom report



The screenshot shows a window for editing a custom report. It features a table with several columns. The first column is labeled 'Margin'. The second column is labeled 'Ahn./Ref.'. The third column is labeled 'Surname-Give'. The fourth column is labeled 'Line skip' and contains the text 'Date of Birth or Christening' and 'Place of Birth or Christening'. The fifth column is labeled 'Surname-Given Names of Fat'. The sixth column is labeled 'Surname-Given Names of Mot'. The table has a light yellow background and is surrounded by a grey border. There are scroll bars on the right and bottom of the table area.

| Margin | Ahn./Ref. | Surname-Give | Line skip   | Surname-Given Names of Fat | Surname-Given Names of Mot |
|--------|-----------|--------------|---|----------------------------|----------------------------|
|        |           |              | Date of Birth or Christening<br>Place of Birth or Christening |                            |                            |

- Click the **OK** button to validate the layout of the built list.
- Click the **Cancel** button to return to the setting screen without changing the custom report theme used.
- Click the **OK** button on the setting screen to launch the text processor that will display the custom report.

## Documents

Alphabetical Report - 15 items - 04/08/2020 - File Sample\_Family\_File - page 1

| Ahn. # | Birth Date                 | Name                 | Father                     | Mother                  |
|--------|----------------------------|----------------------|----------------------------|-------------------------|
| 4      | THOMAS, Christopher Edward | 13.5.1910 Oxford     | THOMAS, George             | DAVIS, Violet Elizabeth |
| 32     | THOMAS, Edward             | > 1804               |                            |                         |
|        | THOMAS, Elizabeth (Tic)    | 1882                 | THOMAS, John               | BORK, Jeanne von        |
| 8      | THOMAS, George             | 4.7.1877 Oxford      | THOMAS, John               |                         |
|        | THOMAS, George             | 6.12.1890            | THOMAS, John               | BORK, Jeanne von        |
|        | THOMAS, Glenn Samuel Bruce | 11.7.1997 Paris      | THOMAS, Paul               | CARFAX, Mary            |
| 16     | THOMAS, John               | 5.1854 ?             | THOMAS, Edward             | DOBNEY, Anna            |
|        | THOMAS, John               | 15.9.1994 Belleville | THOMAS, Peter              | WATSON, Kristen         |
| 1      | THOMAS, Judy               | 15.8.1962 Hudson     | THOMAS, Michael George     | GREGSON, Vivian         |
|        | THOMAS, Kate Elsie         | 24.6.1941 Margate    | THOMAS, Christopher Edward | RUCASTLE, Alice Jean    |
|        | THOMAS, Marion             | 1900                 | THOMAS, George             | DAVIS, Violet Elizabeth |
| 2      | THOMAS, Michael George     | 6.2.1933 Margate     | THOMAS, Christopher Edward | RUCASTLE, Alice Jean    |
|        | THOMAS, Paul               | 1883                 | THOMAS, John               | BORK, Jeanne von        |
|        | THOMAS, Paul               | 10.10.1960 Hudson    | THOMAS, Michael George     | GREGSON, Vivian         |
|        | THOMAS, Peter              | 3.12.1956 Hudson     | THOMAS, Michael George     | GREGSON, Vivian         |

### Export the contents of a custom report

- Click the **Export** button in the setting screen to export the data in the custom report to Plain Text Files (.txt).

This data can then be used in a database, spreadsheet or word processor.

### Exporting documents

The various documents, lists or sheets, are exportable in text format (.txt).

Click the **Export** button to create a .txt document or click on **OK** to create a .rtf document. Give the new document a name and specify its location before registering it.

Then open this document in any type of adapted software: word processing, spreadsheet...

Exporter

OK

Annuler

Then once open with your word processing software or text reader software you can save, modify ... the document becomes independant of Heredis.

**Note:** Heredis is optimized for Microsoft Office (paid) or LibreOffice (free) word processing available for download. Heredis is compatible with Microsoft Office for Windows as from Office 2016 and for Mac as from Office 2019. As for LibreOffice, it is important that you have the latest version installed and not an older one.

# Family Chronology: Interface overview


Be it for direct-line ancestors only, or for your extended family, or, as another example, for the primary person's ancestors and descendants, you can:

- chronologically track ancestors
- trace back surnames used across time
- locate ancestors' birthplaces throughout ages

(Windows) To access the Family Chronology feature, click on the **Charts > Family Chronology** menu.

(Mac) To access the Family Chronology feature, click on the **Documents > Family Chronology** menu.

A window will pop open showing various persons on a timeline.




## Buttons


### Zoom in / Zoom out


Click on **+** or on **-** to zoom in and out, or use the mouse wheel while holding down the CTRL key. The target button centers the timeline back as it was when first opened.

## Refresh

You can leave the window open and continue working on your genealogy. Click the **Refresh**  button to update the timeline with new data you have just entered.

## Options

The **Options**  button allows you to modify the timeline scope.




The Options dialog box is used to configure the timeline scope. It contains the following sections:

- Scope:** A dropdown menu currently set to "Extended family".
- Period:** Two input fields for "Start year:" and "End Year:".
- Places:** A checkbox for "Places Limits". Below it, a "City" dropdown and a "Begins with" text input field.
- Persons to Include:** Four checked checkboxes: "Marked Persons", "Secondary Persons", "Confidential Persons", and "Persons born less than". The last checkbox is followed by a numeric input field set to "75" and the text "years".
- Surnames:** A checkbox for "Limit to a surname and its variants:". Below it is a disabled button labeled "Select a Surname".

At the bottom right are "OK" and "Cancel" buttons.

Select to display:




A vertical list of options for selecting what to display:

- Entire file
- Direct-line Ancestors
- Extended family
- Ancestors
- Descendants
- Smart Search

- **Entire file.** If your file includes over 2,000 persons, only the first 2,000 will be displayed for optimal performance.
- **Direct-line Ancestors** will display the root person's ancestors.
- **Extended family** (of the primary person) includes his/her usual family members such as aunts and uncles, cousins, etc. over 3 generations upward and 3 generations downward, as well as in-laws/stepparents and their descendants.
- **Ancestors** or **Descendants** of the primary person.
- Persons found through a **Smart Search** (look up the Family Chronology: Smart Search (voir page 556) article for more details).

*Extended family diagram*

## Documents



Enter a Start Year and End Year for the **Period** about to be displayed on the timeline.

Period

Start year:

End Year:

**Limit places** according to your selection of administrative division: City, Postal Code, County, State/Province, Country.

Places

☒ Places Limits

City

- City
- Postal Code
- County
- State/Province
- Country

Limit to a surname, by clicking on **Select a Surname** then choose desired surname.


Surnames

☒ Limit to a surname and its variants:

Select a Surname

Choose to **Include** (or not) Marked, Secondary, Confidential **Persons** and/or “Persons Born Less Than X Years Ago”.

## Family Chronology: Interface overview



Persons to Include

☒ Marked Persons

☒ Secondary Persons

☒ Confidential Persons


☒ Persons born less than  years

Click **OK** to confirm your choices. The Family Chronology is recalculated to implement your options.

### Panel Buttons

There are two side panels to **Search** and **Display** your family chronology.

The **Switch**  button lets you swap sides for the Search and Display panels.

If you need more screen space, you can hide the panels by clicking on the **Display**  and

**Persons**  buttons. Click again to display the panel(s) again.

### Export PDF Button

The Export PDF button launches the Export for printing settings window. See Family Chronology: Export to print or send (voir page 559) article.

## Panels

### Display Panel


## Documents

The 'Display' panel contains the following settings:

- Display direction:** A dropdown menu set to 'From bottom to top'.
- Scale:** A dropdown menu set to '10 years'.
- Show Grid:** A checked checkbox.
- Compress:** An unchecked checkbox.
- Grouping:** A dropdown menu set to 'None'.
- Show:** A list of checkboxes:
  - ☒ Numbering
  - ☐ Use Gregorian Dates
  - ☒ Ages
  - ☒ Images
    - ☐ Photo frame
  - ☒ Great-grandparents
  - ☒ In-Laws, Step-Relatives & Desc.
  - ☒ Non-blood children
  - ☒ Grandchildren
  - ☒ Great grandchildren

The **Display** panel allows you to:

- Switch **Display direction: From bottom to top** or **From top to bottom**. You'll display ancestors from the oldest to the youngest or vice-versa.



- Modify the time **Scale** from 1 to 100 years. The chronology is recalculated to take into account the scale you selected.






## Family Chronology: Interface overview

- Check or uncheck **Show Grid** (which helps identify the time period).  
If the grid is displayed, position your mouse between two markers to see the tooltip indicating the time period.
- Check the **Compress** box to save some screen space.
- Create groups, see paragraph on **Grouping**. See Family Chronology: Grouping (voir page 550) article.
- Display **Ahnentafel** or **User** Numbering according to your Preferences (see Heredis' Preferences (voir page 100) article), and **Generation**.
- Display (Use) Gregorian Dates.
- Display Ages at the time of events.
- Display Images (or not) with (or without) a Photo frame.

If you selected the **Extended Family** scope, you are welcome to uncheck the following boxes to choose not to display specific persons related to the primary person: Great-grandparents, In-Laws, Step-Relatives, & Descendants, Non-blood children, Grandchildren, Great-grandchildren.

### Person Panel



This panel consists of two areas, one for searching through the list of persons included in the timeline, and one for viewing the summary of a selected person.


The **Persons** area allows you to search for a person in the Family Chronology. Search using surnames and given names. As you enter the first letters of, e.g., the surname, the list will be narrowed down. You may enter the names in full or partially.

Click the **Remove Criteria**  or  button to go back to the full list of persons.

If you click the name of a person from the list of persons included in the timeline, it will be displayed in a brighter color in the center screen. Likewise, if you click on a person shown in the timeline itself, he or she will be highlighted in the list of persons.

The summary of the selected person – located immediately underneath the list of persons – includes all the data you've entered about him/her.

## Center Screen





Major events (birth/baptism, death/burial) are displayed with the corresponding dates at each end of the colored line representing the person's life.

**Note:** If a person in your file has neither a date of birth nor a date of death, he or she will not appear in the family chronology.

If no death date has been entered and that the person is considered as deceased (i.e. because he/she would be older than the default maximum age indicated in the Heredis' Preferences (voir page 100)), then a ? will be displayed.

If the person is considered as alive (i.e. because no death date has been entered and he/she

hasn't reached the default maximum age indicated in the Heredis' Preferences (voir page 100)), then a double-chevron icon  will be displayed to symbolize the continuation of his/her life.

**Families** (weddings) are represented by one or more circles  on the colored line representing the person's life.

Remember to uncheck the **Ages** box in the Display panel to increase screen space and to better see the dates, if necessary.

See also the articles Family Chronology: Grouping (voir page 550), Family Chronology: Smart search (voir page 556), Family Chronology: Export to print or send (voir page 559).

# Family chronology: Grouping

Be it for direct-line ancestors only, or for your extended family, or, as another example, for the primary person's ancestors and descendants, you can:


- chronologically track ancestors
- trace back surnames used across time
- locate ancestors' birthplaces throughout ages


(Windows) To access the Family Chronology feature, click on the **Charts > Family Chronology** menu.

(Mac) To access the Family Chronology feature, click on the **Documents > Family Chronology** menu.

A window will pop open showing various persons on a timeline. To learn more about how the interface works in general, see Family Chronology: Interface overview (voir page 542).

Family Chronology allows you to create groups of persons. This enables you to see how your ancestors' surnames were modified over time as well as where they were located.


Select the desired grouping in the **Display**  panel.




## Grouping by Surname

Grouping by **Surname** creates groups of persons bearing the same surname.

## Family chronology: Grouping




Here we can see that the SMITS surname was used in this family from 1662 to 1858.




Visualize also the various spellings over time. See here how SMETS was used since 1765 and

SMET since 1775.



We can also see that in the same time period, SMETS with an S at the end was used since 1765.



Grouping by Surname thus enables you to visualize the evolution of a surname over time, as well as its use in your genealogy.

## Grouping by Birth Place

Grouping
 


Birth Place
 ▼

City
 ▼


Grouping by **Birth Place** creates groups of persons who were born in the same location. Select a filter according to your needs:

- by **city**,
- by **county**,
- by **state/province**,
- by **country**
- or even by **subdivision** if there is any.

## Family chronology: Grouping



This lets you see where your ancestors lived across time.




### Grouping by Family link

Family Chronology is defaulted to open up using the **Extended Family** scope.

If you had changed the scope using the **Options** button, you can change it again. When the **Extended Family** scope is selected, you can select **Grouping by Family link**.

## Documents



Family Chronology will then display the primary person and his/her:


- spouse(s)
- parents,
- grandparents,
- great-grandparents,
- siblings,
- children,
- grandchildren,
- great-grandchildren,

as well as (if any) his/her:

- uncles and aunts,
- great-uncles and great-aunts,
- nephews and nieces,
- great-grand-nephews,
- first cousins,
- great cousins,
- first cousins once/twice removed,
- second cousins,
- third cousins,
- etc.



## Family chronology: Grouping



In italics, you'll see non-blood relatives such as the spouse's children from a previous marriage, or the second husband of the primary person's mother.



Uncheck the boxes for generations you don't want to display. For example, uncheck Non-blood children to get a better visual of your timeline.

- ☒ Great-grandparents
- ☒ In-Laws, Step-Relatives & Desc.
- ☒ Non-blood children
- ☒ Grandchildren
- ☒ Great grandchildren

This Grouping feature is really helpful to see the links between the primary person and his/he relatives on a time scale.

See also the articles [Family Chronology: Interface overview](#) (voir page 542), [Family Chronology: Smart search](#) (voir page 556), [Family Chronology: Export to print or send](#) (voir page 559).

# Family Chronology: Smart Search

Be it for direct-line ancestors only, or for your extended family, or, as another example, for the primary person's ancestors and descendants, you can:

- chronologically track ancestors
- trace back surnames used across time
- locate ancestors' birthplaces throughout ages

(Windows) To access the Family Chronology feature, click on the **Charts > Family Chronology** menu.

(Mac) To access the Family Chronology feature, click on the **Documents > Family Chronology** menu.

A window will pop open showing various persons on a timeline. To learn more about how the interface works in general, see Family Chronology: Interface overview (voir page 542).

Smart Search enables you to scan your genealogy for persons sharing common criteria, and to manage them as a whole.

Take, for example, all the persons born in the same city, or bearing the same surname.

Run the Smart Search and process the results. See also the Smart Search article.

As the Smart Search is an extremely thorough tool, we'll use just one example here, but many other criteria can be selected.

First example: let's look in the entire file for all the persons bearing the SMIT surname, so as to include only those with this surname in the Family Chronology.

We'll select **Persons > Surname > Begins With** [to make sure we also include the SMITS with an S at the end] > Smit.

Criteria

< Choose a search model >

Persons Surname

Begins With smit

Search All criteria in the entire file

I'm looking for persons whose surname begins with "smit".

Search

Search **All criteria** in **the entire file**.

The sentence in blue, right below, rephrases your search: "I'm looking for persons whose surname begins with "SMIT". This is indeed what I am looking for.

Click the **Search** button to launch the Smart Search.

## Family Chronology: Smart Search

Consult the results, then click on the **Family Chronology** button in the **Processing selected persons** area in order to generate their distribution on the timeline.

FamilyDataHistorySearchGraphs

Search WizardSmart SearchFind/ReplaceFamilySearch

Criteria

< Choose a search model >

PersonsSurnameBegins Withsmi

SearchAll criteriainthe entire file

I'm looking for persons whose surname begins with "smi".

Results

Persons (68)Families (43)Events (127)Facts (10)

| Surname | Given Names        | Birth Date   | Birth Place                    | Death Date   | Death Place             |
|---------|--------------------|--------------|--------------------------------|--------------|-------------------------|
| SMITH   | Caroline           | * 04.26.1881 | New York City (NY)             |              |                         |
| SMITH   | Charles            | * 06.03.1832 |                                | † 09.05.1864 |                         |
| SMITH   | Charles            | * 07.15.1898 | New York City (NY)             |              |                         |
| SMITH   | Chloe              |              |                                |              |                         |
| SMITH   | Christopher        | * 09.04.1965 | Boston (Suffolk County)        |              |                         |
| SMITH   | Christopher Edward | * 04.26.1881 | New York City (NY)             | † 03.26.1973 | Boston (Suffolk County) |
| SMITH   | Christopher Edward | * 04.26.1881 | New York City (NY)             | † 03.26.1973 | Boston (Suffolk County) |
| SMITH   | Christopher Edward | * 04.26.1881 | New York City (NY)             | † 03.26.1973 | Boston (Suffolk County) |
| SMITH   | Ella               |              |                                |              |                         |
| SMITH   | Helene             |              |                                |              |                         |
| SMITH   | Henry              | * 09.09.1802 | Amsterdam (Gemeente Amsterdam) |              |                         |
| SMITH   | Hubert             |              |                                |              |                         |
| SMITH   | Hugo               |              |                                |              |                         |
| SMITH   | Jack               | * 02.07.1981 | New York City (NY)             |              |                         |

Processing selected persons (68)

MarkedConfidentialSecondary PersonUnmarriedChildless

Child StatusSignatureDeclared as consistentDeclared as completeAdd to noteLink a source

EditFamily chronologyExport GEDCOMExport Heredis FileDeleteFind/Replace

A window opens up with the Smart Search results only displayed in the Family Chronology. You can then customize your timeline as described above in **Grouping** (voir page 550) and **Interface Overview** (voir page 542) articles.

The Family Chronology can also be launched from the **Charts** (Windows) or **Documents** (Mac) menu, as described before.

To generate the Family Chronology with the results of a Smart Search for which results are still available, click on the **Options** button and choose **Smart Search**. Heredis will then display the list of persons resulting from the Smart Search still current under the **Search** tab.

The screenshot shows the 'Options' dialog box with the following sections:

- Scope:** A dropdown menu is open, displaying the following options: 'Entire file', 'Direct-line Ancestors', 'Extended family', 'Ancestors', 'Descendants', and 'Smart Search'. The 'Smart Search' option is highlighted with a red rectangular border.
- Period:** Fields for 'Start year:' and 'End Year:'.
- Places:** A checkbox for 'Places Limits', a 'City' dropdown menu, and a 'Begins with' text input field.
- Persons to Include:** Checkboxes for 'Marked Persons', 'Secondary Persons', and 'Confidential Persons'. A field for 'Persons born less than' with the value '75' and a unit 'years'.
- Surnames:** A checkbox for 'Limit to a surname and its variants:' and a button labeled 'Select a Surname'.
- Buttons:** 'OK' and 'Cancel' buttons at the bottom right.

Customize your timeline according to your needs.  
You can use any type of Smart Search to generate a Family Chronology.

See also the articles Family Chronology: Interface overview (voir page 542), Family Chronology: Grouping (voir page 550), Family Chronology: Export to print or send (voir page 559).

# Family Chronology: Export to print or send

Be it for direct-line ancestors only, or for your extended family, or, as another example, for the primary person's ancestors and descendants, you can:

- chronologically track ancestors
- trace back surnames used across time
- locate ancestors' birthplaces throughout ages

(Windows) To access the Family Chronology feature, click on the **Charts > Family Chronology** menu.

(Mac) To access the Family Chronology feature, click on the **Documents > Family Chronology** menu.

A window will pop open showing various persons on a timeline. To learn more about how the interface works in general, see Family Chronology: Interface overview (voir page 542).

You'd like to export your Family Chronology for printing it at home, or to send it to a professional printer, or to share it with a cousin.


Nothing is easier: once you've set up all of your preferences in Family Chronology to

customize your timeline, click on the **Export PDF** button. This is the same export module used for Wheels.



A screenshot of the Family Chronology software interface. The main window is divided into a grid with six numbered green boxes (1-6) highlighting different sections. A vertical timeline of family members is visible in the center. On the right side, there is a sidebar with 'Options' (Hide page preview, Use assembling link-up zone, Hide title), 'Page Setup' (Letter), 'Orientation' (Landscape), 'Number of pages' (Width: 2, Height: 3), and 'Document size' (22.00 x 25.50 in). At the bottom of the sidebar is a dark blue button labeled 'Export as PDF'.

Select your **Page Setup** before printing, from A4 to A0 or using a Customized setting.



Paper **Orientation**: select Portrait or Landscape.

You can change the **Number of pages** in height and width, but beware: this may shrink the text to the point you won't be able to read anything (if you set a number of pages that is too little).



Click on **Hide page preview** if necessary.

**Use assembling link-up zone** will leave a white stripe on each page to help you assemble the document once printed.

If you don't intend to print the document, you can **Delete assembling link-up zone**.

**Hide title** if you don't wish to show it.

Finally, when done setting your export, click on **Export as PDF**.

Name your PDF file, choose where to save it.

The file is now independent from Heredis and can no longer be modified.

Then all you need to do is email the file to your cousin or to your professional printer. To print it, open the PDF file and start printing from your computer's PDF reader.

See also the articles Family Chronology: Interface overview (voir page 542), Family Chronology: Grouping (voir page 550), Family Chronology: Smart search (voir page 556).





# Tree Charts

# XXL Family


Not only can you visualize the primary person's family – parents, grandparents, great-grandparents, spouses, children – but also all the relatives that might have been around him/her: you'll get to display a true XXL view!

## Persons displayed

Access the XXL Family by clicking on **Family** tab then **XXL Family**.

All persons are always displayed clearly distinguishing their affiliation or not to the main line. The primary person has a bigger box, centered on your screen. Background colors of the boxes change according to the affiliation or not of the person to the main line of the primary person. The other ones are usually grayed.

## XXL Family View



Around the primary person, you will see, generation by generation:

- In ascendance:
  - His/her great-grandparents,
  - His/her grandparents, their brothers and sisters (great-uncles and aunts of the


## XXL Family

primary person), their other spouses,

- His/her parents, their brothers and sisters (uncles and aunts of the primary person), their other spouses (father-in-law, mother-in-law of the primary person).

**Note:** sometimes the siblings will not be displayed chronologically, unlike in other parts of the tree, because a parent's sibling(s) cannot be inserted between the two parents – otherwise the tree chart would not be legible.

- In descendance:
  - His/her children, children from another union, his/her nephews and nieces,
  - His/her grandchildren, those of his/her brothers and sisters, half-brothers and half-sisters and cousins


Since the  2019 version, his/her great grand children.


**Note:** You can also display the descendants of other spouses, grandparents and great-grandparents.

- Concerning generation of the primary person:
  - His/her spouses, brothers and sisters, half-brothers and half-sisters, stepbrothers and stepsisters, and cousins,

You can fold the left or right panels to gain more space and reveal the XXL Family.


If one of the ancestors of the primary person (from the generation of grand-parents) has had several spouses his/her box and that of his/her spouses are marked by a colored band, except the one in direct-line of the primary person. For a question of clarity of the tree, the other spouses are staggered. So you quickly see the direct ancestors of the primary person.



The revealed tree includes persons you do not want to display? Click on the cogwheel 

## Tree Charts

button to hide some persons: the great-grandparents, relatives, children unrelated to the primary person's bloodline, the descendants of cousins or grandchildren.



### Available information

“Focus” or “unfocus” in this dynamic tree for more or less details for each displayed person. In order to do that, use the mouse wheel, press the + or – button on your keyboard or click on the + and – buttons in the upper right corner of the window.

According to the focus level, Heredis display every person:

- his/her main media,
- his/her surnames and given names,
- his/her occupation,
- his/her birthdate, birthplace, deathdate and deathplace and age at the death,
- the icon indicating if the person is part of the Ahnentafel line.

If the displayed person is an additional spouse that you found, the information on the main union event will be displayed in the banner at the bottom of the box.

**Note:** Heredis memorizes all your settings to allow you to display the XXL Family format that satisfies you the most.

### Navigation

From **XXL Family**, a simple click on a displayed person allows you to put this person as the primary person or to navigate to his/her relatives.


As everywhere in the software, you can also navigate from a person to another thanks to the **Navigation** panel or from the **Person's** index by double-clicking on one of them.


If all family members are not shown on the screen, you can navigate in the tree by pressing and holding down the left mouse button and by moving the cursor to the right or the left, up or down, then let go of the mouse button.

You can also move in that tree thanks to the preview displayed at the right bottom of the navigation thumbnail. Select the pink frame with the left mouse button, by moving it, you navigate in the tree.



### Since 2019 version : Hide or display media and silhouettes


The XXL Family displays the main media for each person in the tree. You can decide to hide the media by clicking on the cogwheel button , then **Hide** all media. If some persons are without a media, Heredis is defaulted to display a silhouette instead. You can choose to hide them or to display them again at any time from the cogwheel by clicking on **Display/Hide Silhouettes**.



### Since 2019 version : Adding spouses and children to the primary person

Heredis allows you to add spouses and children to the primary person directly from the XXL Family view. To do so, click on the + sign located below the primary person's box.

## Tree Charts




### The other actions in the contextual menu

When you click the right button on a person, you can also:

- move to primary person
- print his/her individual sheet.
- define him/her as the Root person.
- add him/her as a favorite in the bookmarks.
- see his/her relatives

## XXL Family

| THOMAS Michael George (1933-) |   |
|-------------------------------|---|
| Move to Primary Person        |   |
| Print Person Sheet...         |   |
| Define As Root Person...      |   |
| Add to the Bookmarks          |   |
| Relatives                     |   |
| Grandparents                  | ▶ |
| Parents                       | ▶ |
| Parents-in-Law                |   |
| Spouses                       | ▶ |
| Uncles and Aunts              | ▶ |
| Siblings                      | ▶ |
| Children                      | ▶ |
| Nephews and nieces            | ▶ |
| Cousins                       |   |
| Grandchildren                 | ▶ |

To add membership at this family, click on the add button from the toolbar or directly in the tree, or click on the  button displayed in this view, to complete the direct ascendance.

### Export XXL Family


Your tree is ready. You hid the persons that you do not wish to show. You applied the focus level that convinces you in order to display the information you believe are essential, export this tree so you can print it.

- Click the cogwheel 
- Choose to **Hide the Navigation Panel**
- Click **Export to PDF format for printing**

A new window opens to preview your tree. You can access to the regular printing settings such as the pages' display or the recovery, the choosing printing format, orientation of pages or the possibility to change the height and width of the pages.

- Choose the Page Setup and orientation of the paper
- Activate or not the assembling link-up zone. The assembling link-up zone allows you to make the assembly by leaving a white area on the beginning and end of the page.

# Tree Charts



Hide Page Breaks

Use assembling link-up zone

Page Setup:

A4

Orientation:

☒ Portrait ☐ Landscape

Width:

21.00 cm

Height:

29.70 cm

PDF File


Finally, click on the **PDF file** button, and you can save the file at PDF format to print it from home or with a professional's.


**Important:** Note that you can generate customized size, but be careful, PDF format allows only 200" x 200". If your XXL Family is bigger and your printer can print on a paper roll, then click on the assembling button to delete assembling link-up zone. (it is desable when you see Use assembling link-up zone)



# The Dynamic Ancestors Wheel

Dynamic wheels are available in the Graphs tab. They can be represented as a wheel or a fan, and can be colored according to various filters.

Click on the **Graphs > Ancestors Wheel** tab or, if you have already added it to your toolbar, click on the icon . The wheel is built around the primary person currently displayed on your other Heredis screens (**Immediate Family**, **XXL Family**, **Personal Data...**)



Depending on the generation, the information displayed as well as its format will vary so it can fit in the box.

## Navigate

You can navigate the wheel by changing the primary person. Right click on the person you want to place in the center of the wheel and choose **Move to Primary Person**.


The wheel automatically recalculates the ancestors of the new primary person, who will also be displayed under the other tabs (**Family**, **Data**, **Search**).

Double-click on a person's box to go directly to this person's **Personal Data** screen.

Left click and hold your mouse button to move the wheel around on your screen. Click on the

## Tree Charts

🕸 button to re-center the wheel on your screen.



Right-clicking also allows you to view a person's relatives. Clicking on one of the relatives' name modifies the wheel by placing this relative as the primary person.

To zoom in or out, you can use :

- the scroll-wheel on your mouse,
- the + and – buttons in the top left-hand corner of the wheel screen.


### Other Options

A foldable **Options** panel is at your disposal in the top right-hand corner to set up the wheel's parameters. To give yourself more space when viewing the wheel, click on the cross ✕ in the **Options** panel.

To re-open the **Options** panel, click on the hamburger ☰ button.

The **Options** panels allows you to choose:


- the **Shape** of the wheel. You may prefer to view the wheel at a different angle than the default one of 360 degrees. Click on the graph icon that suits you best.



- the **Number of generations** to be displayed. You may choose from 4 to 12 generations. The more generations you have selected, the longer it will take for Heredis to display the wheel.

**Tip:** The speed at which the wheel is displayed also depends on the power of your computer and the current use of your computer's memory. Avoid using other programs simultaneously if you want the wheel to be displayed at a faster rate.

- **Coloring.** You may choose to color the wheel by:
  - **Generation.** Each generation will have its own color.
  - **Gender.** Men and women will be highlighted in two different colors.
  - **Quarter.** Quarters start from the grandparents' generation. The paternal grandfather's and grandmother's, the maternal grandfather's and grandmother's quarters can each be highlighted in a different color.
  - **Ahn. Number.** Display clearly which persons of the wheel belong to the Ahnentafel line.
  - **Person declared as Complete.** This coloring option gives you an opportunity to visualize the persons whose conditions of completeness for major life events are met. See Heredis' Preferences > Completeness of data (voir page 100).
  - **Marked Person.** If you have marked persons based on one or more criteria, they can be assigned a different color than those unmarked. E.g., if you want to identify all persons born in the same city. See The different data fields > Flags (voir page 79) and their use, and Smart Search (voir page 318) for information on how to tag or "mark" persons.
  - **Place:** see Location wheels (voir page 598) article.
  - **None.** No wheel coloring at all.




Depending on the selected color format, one or more sliders will appear so you can choose the color to be applied. Left-click on the black slider and move it over the color bar to apply the desired color.


Once you have chosen which color to apply, release the left click. The color will then be applied to the wheel.

## Tree Charts

### *Coloring by Generation filter with arrows*




### *Coloring by quarter, color selection by grandparent*



You can choose whether or not to display

- **empty boxes.** To obtain a perfect wheel, or simply to view the remaining work, check the Show empty boxes box to view them.
- **duplicate branches.** In genealogy, consanguineous marriages are common. These marriages lead to the repetition of branches, known as implexes. You can view implexes by checking the **duplicate branches** box. The text in the boxes of persons present several times in the wheel is then written in red. You can then right-click on one of the implexed boxes and choose **Show all occurrences** to see where the boxes for that person are located. Heredis highlights them for ease of use.

# The Dynamic Ancestors Wheel



To stop highlighting occurrences, right-click again on one of the boxes and select **Do not show all occurrences**.


- **Untraceable Parents** allows you to display the boxes of missing parents of an individual.
- **Confidentials** display or not the persons declared confidential in the genealogy. If “Confidential” is unchecked, persons will appear with the word Confidential in their box.
- **Use Gregorian Dates**. This option makes it possible to transform the dates entered into an unusual calendar into a Gregorian date for a better understanding, for your family members, for example.

## Given names

Choose the format of your first names by clicking on the drop-down menu.

- all given names,
- first given name,
- usual given name
- or the given name and initials of subsequent names.

### Places



Choose the format of the places shown in the boxes.

### Return to default settings

To return to the default settings (6 Generations, coloring by generation, 360° wheel shape, without empty boxes and implexes, without parents not found with confidentials and with date calendar entered), click on the **Default Settings** button.


### Highlight a branch

Do you wish to highlight a branch so you can show your maternal family the section of the wheel that will be of interest to them?

Right-click on the box of the person at the base of the branch you wish to view. Select Highlight the branch.




## The Dynamic Ancestors Wheel



Colors will be brighter and the branch will be shaded, thus highlighting it on the screen.


### Export for printing

The **Dynamic Ancestors Wheel** was designed as a printable document.

Click on the cogwheel  then click on **Export to PDF format for printing**.

A setup windows opens. In it, the wheel is previewed as it was set up in the **Graphs** tab.

## Tree Charts



The wheel's title is automatically generated using the primary person's information. Click on **Hide title** to see it disappear, or on **Show title** to see it again.

Before exporting to PDF, set up your print format. The preview will show you the number of pages needed for printing based on the chosen format.

Click on **Hide Page Breaks** to no longer see them.

Click on the **Page Setup** drop-down list to select your settings. If none of the suggested paper sizes suits your needs, select **Customized**. Then enter the desired width and height in cm.

**Note:** The PDF format allows you to create a document with a maximum size of 5 by 5 meters. If your wheel is larger and your printer has a paper roll larger than 5×5 m, remember to “delete assembling link-up zone”. This way, when printing, the document won't show any breaks.

Change orientation from **Landscape** to **Portrait** if necessary.

The number of pages depends on the paper size you selected. Modifying the number of pages will decrease or increase the print factor. If you decrease it too much, the data entered in your wheel may not be legible.

**Tip:** Before printing, make sure that your data is legible by opening the PDF file and setting the zoom to 100%. If you can't read what is inside the boxes located the furthest from the center of the wheel, do not start printing.

Once your parameters are set, click on the **Export PDF** button. Choose where to save the file on your computer and name it. The file is now independent from Heredis and can be opened by anyone with a PDF reader software (Adobe reader...).



# Descendants Wheel


The **Graphs** tab allows you to display the Ancestors Wheel (voir page 571) as well as the **Descendants Wheel** and mixed wheel (voir page 590). Its process is similar to the Ancestors Wheel.

Any change made in a person's data entry form will automatically be reflected in the wheel.

Access the wheel by clicking on the **Graphs** tab > **Descendants Wheel** or from the button




you can add to the toolbar.



## Navigate the Wheel

The same way you do it in the XXL Family window, you can zoom in and out by scrolling with your mouse wheel or using the **+** and **-** buttons in the upper left corner. Hold down the left click of your mouse to move the wheel around in the window.

Click on the target  button to re-center the wheel on the screen.

Right-clicking with your mouse on a person's box allows you to:

## Tree Charts

- View the person's Relations
- Define him/her as the Primary Person
- Print the Person Sheet
- Define him/her as the Root Person
- Add the person to the Bookmarks
- Highlight the branch from this person
- Show all occurrences in case of an implex ("duplicate branches").

| SMITH Christopher Edward (1881-1973)  |   |
|---|---|
| Define as Primary Person<br>Print Person Sheet...<br>Define As Root Person...<br>Add to the Bookmarks<br>Highlight the branch<br>Show all occurrences |   |
| Relations   |   |
| Grandparents  | ▶ |
| Parents   | ▶ |
| Parents-in-Law  | ▶ |
| Spouses   | ▶ |
| Uncles and Aunts  | ▶ |
| Siblings  | ▶ |
| Children  | ▶ |
| Nephews and nieces  | ▶ |
| Cousins   | ▶ |
| Grandchildren   | ▶ |

To free up your screen, fold the Options palette by clicking the ✕ button; unfold it using the burger ≡ button.

## Options

### Spouses

Spouse:

All spouses ▼

All spouses

CUMBERBATCH Nora  
(1885-< 1925)

DAVIS Katherine "Emily"  
(1896-1988)

If the primary person had several spouses, select one of the spouses to display only the descendants from that spouse.

If you select **All spouses**, then all descendants from the main person will be visible.

If the person has children from none of his/her spouses, a question mark will show the descendants born from an unknown parent.

### Shape

Shape:

●

◐

◑

◒

You can choose from a variety of shapes for your wheel. A full wheel or a fan wheel with various angles. Click on the shape that suits you best.

### Number of Generations

Number of generations:

12 ▼

4

5

6

7

8

9


10

11

Click on scroll-down menu to specify the number of generations to generate. Between 4 and 12 generations from the Primary Person.

### Filters

Depending on the filter selected, the wheel will display different colors.



The various filters offer coloring by:


- **Generation.** Each generation will have its own color.
- **Gender.** Men and women will be highlighted in two different colors.
- **Branch.** Each child of the primary person and his descendants has a different color.
- **Family.** If primary person has more than one spouse. You can change the character's spouse in the spouse list filter.
- **Ahn. Number.** Display clearly which persons of the wheel belong to the Ahnentafel line.
- **Person declared as Complete.** This coloring option gives you an opportunity to visualize the persons whose conditions of completeness for major life events are met. See Heredis' Preferences > Completeness of data (voir page 100).
- **Marked Person.** If you have marked persons based on one or more criteria, they can be assigned a different color than those unmarked. E.g., if you want to identify all persons born in the same city. See The different data fields > Flags (voir page 79) and their use, and Smart Search (voir page 318) for information on how to tag or "mark" persons.
- **Place:** see Location wheels (voir page 598) article.
- **None.** No wheel coloring at all.

## Tree Charts

You can change the color gradient by clicking on the arrows and holding the left mouse click on the color strip and dragging it; or by holding the slider with the left mouse click and dragging it. Depending on the filter you choose, you will be offered several color sliders.

Once you have reached the chosen color, you can release the mouse click. The wheel will change colors, applying your selection.

*Coloring by Generation filter with arrows*



*Coloring by Gender filter with arrows*

Coloring by:

Gender ▼

☒ Men  
☒ Women  
☒ Unknown

## Other Options

Show:

☐ Duplicate branches  
☐ Persons with no descendants  
☒ Confidentials  
☐ Use Gregorian Dates

### Duplicate branches (aka “Implexes”)


It was not uncommon for cousins to marry each other. The wheel helps you identify duplicate branches created by such marriages.

Check the **Duplicate branches** box.  
Words inside these boxes are then displayed in red.

Right-click on a person in the duplicate branch and choose to display all occurrences in order to locate them among the various branches in the wheel. You will see the boxes for this person stand out and thus better locate its multiple appearances in the wheel.


### Persons with no descendants

If you have ticked the “**Persons with no descendants**” box (see The different data fields > Flags and their use (voir page 79)) in personal data tab, you can display the end of the branch by ticking the box. Childless will then be written in a box to indicate the end of the branch.



## Confidential

Confidentials box allows you to choose whether or not to display persons declared confidential in the genealogy. If “Confidentials” is unchecked, confidential persons will appear with the word “Confidential” in their box (see The different data fields > Flags and their use (voir page 79)).



## Dates in Gregorian format

We currently use the Gregorian calendar. Yet you may have already entered dates in another calendar format, such as the Republican calendar.

Check the **Use Gregorian Dates** box to convert Republican dates to Gregorian format so your family gets a better understanding of the graph.

## Given Names


Choose the Given Names format you like best by clicking on the drop-down menu.

- All Given Names,
- First Given Name,
- Usual Given Name



- First Given Name and Initials.

### Places



Choose the format of the places shown in the boxes.

### Return to default settings

To return to the default settings (6 Generations, coloring by generation, 360° wheel shape, without empty boxes and implexes, without parents not found with confidentials and with date calendar entered), click on the **Default Settings** button.


### Export to PDF before printing

Are you happy with the result and wish to have this wheel printed so you can show it to your family?

Click on the cogwheel  and **Export to PDF format for printing**.

The window that opens up will allow you to set up the PDF export.

## Tree Charts



The wheel's title is automatically generated using the primary person's information. Click on **Hide title** to see it disappear, or on **Show title** to see it again.

Select your export options before printing.

Make sure you select the optimal format for printing this wheel.  
Click on the **Page Setup** drop-down list to select your print settings.  
Standard paper sizes are already preset.

If your wheel is very large, choose to customize the size, then change the height and width sizes. Ask your professional printer for additional information if necessary.  
You'll be able to select the number of pages desired (for the height and width), as well as the orientation of the page (landscape or portrait), and then to modify its size if needed.  
Specify the size in centimeters for the width and height. If you are using the services of a professional printer, ask him/her for the maximum paper size he/she can supply.

**Note:** The PDF format allows you to create a document with a maximum size of 500 by 500 cm. If your wheel is larger than this, remember to "delete assembling link-up zone".

The assembling link-up zone is a white strip on each end of your sheet of paper that lets you assemble the sheets together without overlapping on any part of the graph. If your professional printer has a large enough roll of paper, click on the "**delete assembling link-up zone**" button to remove these strips so the wheel can be printed without showing any breaks even if its size exceeds 500 cm.

Click on **Hide Page Breaks** to no longer see them on your screen.

When you are done with your settings, click on **Export as PDF** and generate the file you'll provide to your printer.  
Modify the file name if the one generated does not suit you and choose the location where you

want to save it. Validate by clicking on **Save**.


All you have left to do is open the PDF file and print it on your personal printer or send the PDF file to your professional printer.

# Mixed wheels

The **Graphs** tab features the Ancestors (voir page 571) and Descendants (voir page 579) wheels.

The Mixed wheels have been added as well.


To access them, click on the **Graphs** tab from the main screen, then on **Mixed Wheel**.



The mixed wheel lets you display both the ancestors and descendants of the primary person.

## Navigate

Use the + and – buttons to zoom in and out. You can also hold down the CTRL key (Windows) or Cmd key (Mac) on your keyboard and zoom in/out using the mouse wheel.

Hold down the left-click on the wheel to drag it. Use the target  button to reposition the wheel in the center.


Right-clicking on one of the wheel's boxes will open the same contextual menu as in the Ancestors and Descendants wheels.

The menu provides the following information about the selected person:

- his/her relatives,
- the option of placing him/her as the primary person; the wheel is then recalculated,
- the option of printing the Person Sheet for the person you selected,
- the option of defining him/her as the root person,
- the option to add him/her to the Bookmarks,
- the option to highlight/unhighlight the Ancestors or Descendants branch, depending on whether the selected person is part of the primary person's ancestors or descendants,
- the option to show all occurrences and better visualize the various boxes in case of duplicate branches.

|   |   |
|---|---|
| SMITH Christopher Edward (1881-1973)  |   |
| Define as Primary Person<br>Print Person Sheet...<br>Define As Root Person...<br>Add to the Bookmarks<br>Highlight the branch<br>Show all occurrences |   |
| Relations   |   |
| Grandparents  | ▶ |
| Parents   | ▶ |
| Parents-in-Law  | ▶ |
| Spouses   | ▶ |
| Uncles and Aunts  | ▶ |
| Siblings  | ▶ |
| Children  | ▶ |
| Nephews and nieces  | ▶ |
| Cousins   | ▶ |
| Grandchildren   | ▶ |

## Wheel settings

Just as with the other wheels, you are offered a panel of options that can be removed using the cross ✕. Click on the burger  button to reopen it.

Click on the drop-down menu under **Spouse** to select the spouse, if there is more than one, and thus view the primary person and selected spouse's descendants only.

If the primary person has a child with another parent who is unknown or cannot be found, then a "?" will appear to allow you to see his/her descendants only.

## Tree Charts

Spouse:

All spouses ▼

All spouses

CUMBERBATCH Nora  
(1885-< 1925)

DAVIS Katherine "Emily"  
(1896-1988)

Click on the drop-down menu to select the number of **Ancestor Generations** to be processed (between 4 and 12 generations). Do the same to select the number of **Descendant Generations**.

Ancestor Generations:

6 ▼

Descendant Generations:

6 ▼

**Note:** the more generations you select, the greater the load on your computer's processor. If your computer is overloaded or has a weak processor, it will have difficulty displaying lots of generations. Keep this in mind, and above all avoid having other software or your web browser open simultaneously, as these will also put a strain on your processor.

Apply colors based on the following filters:

- by **generation**. The wheel displays a different color for each Ancestor and Descendant generation. Use the slider to select the desired starting color.

Coloring by:

Generation ▼

◀ [Color Wheel] ▶

- by **gender**. To show the male/female breakdown. Move the cursor to select the color for men, for women and for persons of unknown gender ( i.e. stillborn babies). By unchecking a category, you can choose not to select a color, in which case gray will be applied.

Coloring by:

Gender ▼

☒ Men

☒ Women

☒ Unknown

- by **Ahn. Number**. Move the cursor to select the color. Please note that Ahnentafel numbering is applied in relation to the root person and only in the ascending line. There will therefore be no coloring option for descendants.  
If the primary person is not one of the ancestors of the root person, not all of his/her ancestors will be colored.  
You can, however, check the **Not Ahn. Number** box to apply a particular coloring to individuals who are not in direct line with the root person.

Coloring by:

Ahn. Number ▼

☒ Ahn. Number

☒ Not Ahn. Number

- by **Complete Person**. Move the cursor to select the color. This option allows you to visualize how much work is left to do. “Completeness” varies according to your Heredis preferences. For more details, see the Heredis’ Preferences (voir page 100) article, “Completeness of data” paragraph, Event Icons.  
You can also choose to color Incomplete person by checking the related box.

Coloring by:

Complete Person ▼

☒ Complete

☒ Incomplete

- by **Marked/Unmarked Person**. Marking allows you to easily identify persons according to a specific criterion, i.e. all those who died in the city of Lyon. See the article The


## Tree Charts

different data fields, “Flags and their use (voir page 79)” paragraph.



- by birth **Place**. See the Location Wheels (voir page 598) article for details on how to use it.

Check **Options** boxes to display:



- **Empty boxes**, for ancestors only, as it is impossible to predefine a number of children per person for descendants. You will then see the work remaining to do on ancestors.
- **Duplicate branches** to identify the presence of “implexes” in your genealogy thanks to the red text. Right-click on a duplicate branch and choose “Show all occurrences” if you have several duplicate branches, so you can easily spot in which generation they occurred. See the Implex (duplicate branches) (voir page 259) article for more details.
- **Untraceable parents** so you can locate “treetops” that don’t require further research.
- **Persons with no descendants** to view the end of a descendant’s branch.
- **Confidentials** to hide/unhide data on persons marked as confidential.
- **Use Gregorian Dates** to convert Republican calendar dates into dates understandable to all.

Finally, click on the drop-down menu to select the format for:

- **Given Names**



## Mixed wheels

Given Names:

Usual Given Name ▼

All Given Names

1st Given Name

Usual Given Name

1st Given Name and Initials

- Places mentioned in the wheel

Places:

City (Full Postal Code) ▼

City (Short Postal Code)

City (Full Postal Code)

City (County)

City (State/Province)


City (Country)

City (County, State/Province,

### Export to PDF format for printing

Are you happy with the result? Would you like to print this wheel and show it to your family?

## Tree Charts



Click on the cogwheel  to **Export to PDF format for printing**.  
The pop-up window lets you set the PDF export parameters.  
Select your export options before printing.

Make sure you have chosen the right format for printing this wheel.  
Click on the drop-down list to modify it if necessary.  
Standard paper sizes are preset.

If your wheel is very large and you'd like it in a specific size, choose to customize it.  
Modify the height and width. Ask your professional printer about this if necessary.

You can manage the number of pages to be set in height and width, as well as the page orientation, then modify the size.

Enter the size in centimeters for width and height.

If you're having the document printed by a professional printer, ask for the maximum paper size.

**Note:** PDF format allows a maximum size of 500 cm by 500 cm. If you need your wheel to be larger than this, remember to remove the overlap ("assembling link-up zone").

The overlap leaves a white strip at each end of the paper for mounting.

If your professional printer can provide a large enough roll of paper, click on the **Delete assembling link-up zone** button to remove this strip and have a continuous wheel even if its size exceeds 500 cm.

## Mixed wheels

You can **Hide page preview** so pages are not displayed on the screen.

If you do not wish to display any title for your wheel, click on **Hide title**.

When you are done with options/settings for your wheel, go ahead and click on **Export as PDF** to generate the file for your professional printer.


Modify the file name if the one automatically generated does not suit you and choose where to save the file.

Confirm by clicking on **Save**.

All that's left to do is open the PDF file and print it on your home printer, or email it to your professional printer.

# Location Wheels

The Ancestors and Descendants wheels can be found under the **Graphs** tab. Starting with Heredis 2023, you can apply an additional filter to create a “location wheel” and see at a glance the geographical origin of your ancestors and of their descendants.



## Create a location wheel


Select the primary person for whom you wish to create an Ancestors or Descendants location wheel.

Click on the **Graphs** tab.

Click on the type of wheel you have in mind: **Ancestors Wheel** or **Descendants or Mixed Wheel**.

Under **Options**, select the shape of the wheel and the number of generations you wish to include.

## Location Wheels



Click on the dropdown list and choose the coloring by **Place**, then proceed in the same manner with the next dropdown list to choose the coloring either by


- city
- county
- state/province
- country

You can modify your wheel's base color by clicking on the arrows or hold your mouse left click on the color strip and drag to the desired color.



Click on **Hide the legend** to remove the color legend available to the right of the wheel. If you click on a location in the legend, all occurrences are highlighted. You can click on multiple locations at once.

## Tree Charts



If the person has no place of birth, the box will be colored gray. Click on **No place** in the legend to highlight

As with the previous Ancestors (voir page 571), Descendants (voir page 579) and Mixed (voir page 590) wheels, you can check/uncheck the following boxes:

- **Show duplicate branches**, for those to be displayed (or not).
- **Show persons with no descendants**, to display the “Childless” mention. Remember to tag the persons with no descendants in **Data** tab by clicking the **Childless** 🐦 icon for this to work (see The Different Data Fields (voir page 79)).
- **Use Gregorian Dates** to convert dates – such as dates entered using the Republican calendar – for everyone to get a better understanding.
- **Use the Given Names** dropdown list to select the given names format you are looking for:
  - All Given Names
  - 1st Given Name
  - Usual Given Name
  - or, even, 1st Given Name and Initials.

Click the **Default parameters** button to go back to return to the default settings of the wheel.

## Export and Print the Wheel

Zoom in till you reach the level of details that suits your needs.

Click on the cogwheel and **Export to PDF format for printing**.



The window that opens up will allow you to set up the PDF export. Select your export options before printing.

A screenshot of a 'Options' dialog box. The title 'Options' is at the top. Below it are two buttons: 'Hide page preview' and 'Use assembling link-up zone'. Under the heading 'Page Setup', there is a dropdown menu currently showing 'Letter'. Below that, under the heading 'Orientation', is another dropdown menu showing 'Landscape'. The 'Number of pages' section contains two rows: 'Width:' with a value of '2' and 'Height:' with a value of '3', each with up and down arrow controls. Below these is the 'Document size' section showing '22.00 x 25.50 in'. At the bottom of the dialog is a large blue button labeled 'Export as PDF'.

Make sure you select the optimal format for printing this wheel. Click on the **Page Setup** dropdown list to select your print settings. Standard paper sizes are already preset.

You can also choose to customize the size, then change the height and width sizes. Ask your professional printer for additional information if necessary.

You'll be able to select the number of pages desired (for the height and width), as well as the orientation of the page (landscape or portrait), and then to modify its size if needed. Specify the size in inches for the width and height. If you are using the services of a professional printer, ask him/her for the maximum paper size he/she can supply.

**Note:** The PDF format allows you to create a document with a maximum size of 200 by 200 inches. If your wheel is larger than this, remember to “delete assembling link-up zone”.

The assembling link-up zone is a white strip on each end of your sheet of paper that lets you assemble the sheets together without overlapping on any part of the graph. If your professional printer has a large enough roll of paper, click on the “**delete assembling link-up zone**” button to remove these strips so the wheel can be printed without showing any breaks even if its size exceeds 200 inches.

You can hide pages so that they are not displayed on the screen by checking the corresponding box.

When you are done with your settings, click on **Export as PDF** and generate the file you’ll provide to your printer.

Modify the file name if the one generated does not suit you and choose the location where you want to save it. Validate by clicking on **Save**.

All you have left to do is open the PDF file and print it on your personal printer or send the PDF file to your professional printer.




# Location Tree



Under the **Ancestors** dynamic view, Heredis will automatically color code the banner of each box in the family tree, based on the place of birth of the persons displayed.

Heredis will also let you see the criteria on which the color coding is based, that is either the persons' City, County, State/Region, or Country of birth.

## How to display the Location Tree


### *Standard Ancestors Tree Chart*




- Click on the **Family** tab > **Ancestors**, then on the cogwheel .
- You can now select **Location Tree**. Heredis is defaulted to color code each banner based on each person's City of birth but you can, if you wish to, switch to another option such as **County**, **State/Region**, or **Country** of birth by clicking on the cogwheel  in the upper right corner of the screen and selecting > Location Tree.

### *The New Location Tree*


## Tree Charts



**Note:** When no data has been entered for the person's place of birth, his/her banner is displayed on a white background.

You can choose to increase or decrease the number of generations displayed in this Location Tree by clicking on the wheel  and selecting the desired option.

### Printing the Location Tree


You can also choose to print the Location Tree by clicking again on the cogwheel  and then on Print.

**(Mac only)** The printing format will depend on the size of your screen.


The Print window of your operating system pops up.

*(Windows) Print window*

## Location Tree




(Mac) Print window



## Export to PDF


**(Windows)** If you wish to export to PDF, instead of choosing your printer, select Print-to-PDF or any other PDF add-on installed on your computer.

*(Windows) Export to PDF*



**(Mac)** Click the **PDF** button in the lower left corner of the Print window then select **Save as PDF**.

*(Mac) Export to PDF*



# (Windows) Building single-page pedigree tree charts


Single-page pedigree trees are ancestors trees of predefined size whose presentation always conforms to the same scheme. They are designed to be printed on a single page.


## Choose the presentation of the chart

Select the **Charts menu – Ancestors Tree Charts – Single-page...**, or click the button  and click the thumbnail representing a single-page.

Graphic thumbnails show the different themes of single-page pedigree charts.


For each theme selected, Heredis indicates the format for which the document has been optimized. Some themes can accept up to 8 generations in a single-page. If so, choose how many generations you wish to see by page.



- Type the name of the theme that you want in the search bar.
- Display only your favorite themes (to set them, click the  button).

The left-hand column allows you to specify who will be automatically included or not in the tree. Check or uncheck the boxes to print marked persons, secondary persons, persons declared confidential. If you choose to print persons declared confidential, you will need to specify how they will be displayed (in full or blur or partially). See the article The different data fields (voir page 79) to find out what the marked, confidential and secondary tags are.

## Tree Charts

A dialog box titled "Persons Options" with a light gray background. It contains six options: three checked checkboxes and three radio buttons. The checked checkboxes are "Print Marked Person", "Print Secondary Persons", and "Print Confidential Persons". The radio buttons are "Show All" (selected), "Show Surname Only", and "Blur All".

Persons Options

- ☒ Print Marked Person
- ☒ Print Secondary Persons
- ☒ Print Confidential Persons
- ☒ Show All
- ☐ Show Surname Only
- ☐ Blur All

Choose to add the File name, page number and/or Today's date.

Click the **OK** button to start creating the single-page pedigree tree.

---


### Change the chart layout

It is possible to make changes to the entire tree chart or to a selection of boxes.

#### Select boxes

Click a box in the tree chart to select it. To extend the selection to other boxes, maintain **Ctrl** key and **click** or **Shift** key and **click** the other boxes you need to select and make a personal multi-selection. You can also hold down the mouse button and draw a rectangle around the boxes you want to select, if those boxes are contiguous.

## (Windows) Building single-page pedigree tree charts



Use the **Search** panel and double-click one of the people in the tree to select their box.

Type **Ctrl A** to select the entire tree or use the **Select** menu – **Select All**.

Use the right click to make a multi-genealogical selection. Click on the first box to select and then right click of the mouse to choose from the following options: **Select Person and All Ancestors** – **Select Person and All descendants** – **Select the generation** – **Select All** (the entire tree chart) – **Select Males Only** – **Select Females Only**.

To unselect a box, maintain **Ctrl** key and **click** or **Shift** key and **click** the box.

See the article (Windows Pro) Apply a selection to a tree chart (voir page 632) for more details on box selection.

### Change the presentation of the boxes


It is very simple to change the formatting of a selection of boxes using the options provided in the **Tools Panels**:

- Apply a different font
- Increase or decrease the overall font size
- Change the alignment of content
- Change the color of the text in all the selected boxes.

The changes can also relate to the content of the selected boxes:


## Tree Charts

- Change the format of the surnames
- Change the format of given names
- Change the format of dates
- Change the format of places
- Apply other headings as genealogical symbols
- Show or not the Ahnentafel number
- Show or not the picture in tree charts themes allowing pictures.



### Change the title of the tree chart

The title of the tree chart is an editable text box. Heredis offers a title containing the name of the primary person. Double-click the title to open the text editor and make your content or text formatting changes. When the processing window has been closed, if necessary, use the mouse to change the size of the title area by clicking on the border and then dragging with the mouse in the desired direction.



See (Windows) Print or export as PDF the tree chart (voir page 641) for layout and printing functions.




# (Windows) Building Fan charts


Trees of ancestors can be printed in the shape of a fan, with the primary character as the origin.

The number of generations represented on a fan chart can be up to 12 of ancestors (including the character at the base of the tree) .

These charts can be printed according to their dimensions on a single page or on several pages to be assembled. If they are printed on multiple pages, an assembling link-up zone between the pages makes editing easier.

Click the button  and then click the thumbnail representing the Fan chart.

or Select the **Charts** menu – **Ancestors Tree Charts – Fan Charts**.




**Choose the presentation of the chart**


**Formatting the contents of the boxes**

The content of the boxes is defined in the left part of the setup screen.

## Tree Charts

It can then be modified by clicking on  once the fan chart is created.

- Choose the styles of the fields for the tree chart (should one or more given names be included, should the dates specify the day of the week...).



Field styles

Surname: of HATFIELD


Given Names: All Given Names

Dates: 9.30.1984

☐ Use Gregorian Dates

Places: City

- Specify the formatting of the text: font, size, colors.



Text format

☒ 4 lines ☐ 6 lines

☒ Show Ahn./User Number

Font and color


AR CENA

7

Males Females

Other text lines:

- Apply the limitations on the persons to be displayed (marked, confidential...). See the article The different data fields (voir page 79) to learn all about this marking.



Persons Options

☒ Print Marked Person

☒ Print Secondary Persons


☒ Print Confidential Persons

☒ Show All

☐ Show Surname Only

☐ Blur All

- Specify whether you want, in each box of the tree chart, succinct or more detailed information by clicking on the **buttons 4 lines** or **6 lines**. Heredis manages, depending on the generation, the maximum amount of information that can be edited.



Text format

☒ 4 lines ☐ 6 lines


☒ Show Ahn./User Number

- Set the width of the printed line and specify whether you want to display the Ahnentafel number of persons.


## Graphic formatting

The right part of the setup screen includes the different tools to use to give the desired shape to the fan tree chart.


- Select a tree theme from the **Templates** drop-down menu and observe in the preview window the change made by each new layout you choose (number of generations, angle, colors...).



- Indicate the number of generations to be treated (up to 12), Heredis specifies the number of persons contained in the tree chart according to the number of generations chosen.
- Choose the angle of the fan (between 180° and 300°). Choose the shape of the fan (up to 300°).



- Move the slider to specify the number of different quarters to color if you chose the **By quarters**. The number of quarters can range from 4 to 16.
- Choose the color settings. Select the options:
  - **Males / Females** to color the different boxes according to the sex of the person,
  - **By generations** to apply a different color to each,
  - **By quarters** to materialize the 4, 8 or 16 chosen quarters.
- Select the **Gradient Fill** check box to choose the two extreme colors for generations or quarters coloring.  
or Click in each of the preview areas (generation, quarter...) to specify a fill color.




Click **OK** to draw the tree according to the choices you specified.

## Save your modified theme

When you have made personal changes to a template, your formatting is preserved until the next personal edit you make in the tree chart.


You will be able to try the different themes but also return to **Lastest layout** in the **Templates** drop-down menu.

Save the created template by clicking  next to the template choice and give your template a name.

### Change the tree chart layout

#### Change the title of the tree chart

The title of the tree chart is an editable text box. Heredis offers a title containing the name of the main person. Double-click the title to open the word processor and make your content or text formatting changes.



#### Change the formatting in the tree chart

In tree charts of fan ancestors, it is possible to make modifications, either to the whole tree or to a selection of boxes.

##### Select boxes

Click a box to select it. To extend the selection to other boxes, maintain **Ctrl** key and **click**, or **Shift** key and **click**, on the other boxes you select for a personal multiselection.

Type **Ctrl A** to select the entire tree.

Use the right click to do a genealogical multiselection. Click on the first selected box and choose from **Select** menu the following options: **Select Ancestors** – **Select Descendants** – **Select Generation** – **Select All** (the entire tree) – **Select Females Only** – **Select Males Only**.

Use the **Search** list and double-click one of the people in the tree chart to select their box. To unselect one of the boxes, maintain **Ctrl** key and **click** or **Shift** key and **click** the box.


See the article (Windows) Apply a selection to a tree (voir page 632) for more details.

##### Apply a change

It is possible to change the color of the selected box(es). Click the color pad in the **Boxes** panel and specify the new color to apply to the selected boxes.



Restore the fan tree chart according to the colors of the template by clicking on the **Default** button: each of the selected boxes will take the color defined by the template.

To return to the general settings of the tree chart, click the button  or select the **Display** menu – **Graphical preferences** and change the number of generations, the template used, or any content or coloring options.

The new settings will apply as soon as you click **OK** to rebuild the fan tree chart.

See Finding your way around a tree (voir page 634) for display and move functions in the tree chart.

See (Windows) Print or export as PDF the tree chart (voir page 641) for layout and printing features.

# (Windows) Unlimited size tree chart : ancestors, descendant and hourglass

You can create as many graphical representations of your genealogy as you wish. A tree chart may be saved with the data it contains and its layout. It can then be reopened, modified in its presentation, printed again. It has become independent of the Heredis data file.

Choose from the different types of tree charts proposed in the **Charts** menu or click **Charts**



on the toolbar to visually select the tree charts proposed by Heredis.







## Edit a tree chart

The printing of a tree chart takes as its starting point the primary person displayed and will display his/her ancestors, descendants or both as an hourglass tree chart.

## Choice of tree chart

In the **Charts** menu or in the displayed selection screen, choose the type of tree to build from the list to the right.

*Choose a tree chart*

|             |  |
|-------------|--|
| Ancestors   |     |
| Descendants |   |
| Hourglass   |   |


Heredis proposes various types of tree charts of unlimited size. Whatever the type of tree chart selected, you can print it or have it printed over several pages or a single long strip of paper.

When a tree exceeds the size of your printer, each page is printed with an overlap to facilitate

mounting of the chart.

## Choice of theme

*Choose a theme*



Click a theme in the viewer. To facilitate your choice, Heredis displays an overall preview of the tree to be edited with this theme or a preview of a box. Scroll through the different themes by pressing the arrow keys or with the mouse. The last used themes are preset for each type of tree chart. After testing the different themes of tree charts, you may define your favorite themes. Click the **Add to Favorite** ❤️ button and the theme is marked with a heart icon that allows it to be recognized.

**Info** • You have a search filter for favorite themes. Thus, you can display only the themes that you commonly use.


## Chart Settings

Specify the construction parameters that suit you for the selected theme: number of generations, people to be displayed or not on the tree chart.

1. Indicate the number of generations. It is unlimited for ancestors as well as descendants.

*Unlimited Chart*

## Tree Charts




If this option is available, specify who will be automatically included or not in the tree. Check or uncheck the box to print marked persons. Check or uncheck the box to print confidential persons. If you choose to print them, you will need to specify how they will be displayed (in full or blur). See the article [The different data fields](#) (voir page 79) to know everything about this marking.

2. Choose the orientation of the tree chart, building from bottom to top, from left to right or from right to left.

*Choose Orientation & Layout*





3. Choose a method for automatic construction according to the space you want to allocate to the tree chart.

- The **Default** tree chart is built with all boxes of the same size, that is to say that the box of the central character has the same size as that of persons shown in the third generation or 10th generation. In this tree chart, generations will be located one above the other without overlapping.
- In the **Optimized** tree chart, boxes gradually decrease in size with the higher generations and they slightly overlap.
- In the **Minimized** tree chart, the boxes will diminish in size and content and their position can be rotated at the end of the branch to save even more room.

4. Select the persons for inclusion on the tree chart. By default all persons appearing in the ancestry or descent of the primary person are displayed on the tree chart. You may untick secondary persons, or marked and confidential persons, for them not to be displayed on the tree chart. You may also hide all the data you have declared to be private (events, pictures, etc.).

Click **OK** to start the construction of the tree chart according to the theme selected and with the chosen parameters.






## Tree Chart Screen

Heredis displays a tree chart representing the lineage of the primary person and which is printable immediately. If you want to make changes to the tree chart, you have tools in the

specific Tools panels of the various tree charts.

### Toolbars and menus

When the tree chart is displayed, the menus and buttons are different from those for data management. You may use the buttons for normal actions:

 **Save**,  **Pages**,  **Add**,  **Layout**,  **Print**. Display only the buttons you use most often by choosing **Windows > Customize Toolbar**.



Use the tree chart menus to manage also the layout of the screen or the selection of people on the tree chart.

**Info** • You can open another previously saved tree chart while the tree chart is already open on the screen choose **File > Open**.

### Persons displayed in the tree chart

The **Search** panel of the tree chart contains a list of all persons included in the chart. Clicking a person in the list previews that person's box in the tree chart. A double click navigates through the tree, if its size exceeds that of the screen, to display the box for a selected person.

To quickly find a person in the list of individuals on the tree chart, enter the surname or given name. Refine the search by selecting from the drop-down menu, the gender of the person sought if the name is multiple.

When there are marriages between blood relations (implex) on your tree chart, certain ancestors may be included more than once. By default, Heredis will only display one complete branch and duplicate branches are cut off. If you want to repeat the implex branches, tick the option in the settings screen of the tree chart prior to construction.

Click the name of the ancestor in the **Search** panel and Heredis displays the various positions of the person in the tree chart. Click on the first position to see the entire branch displayed. The different boxes for the ancestor have identical lettering.

**Info** • In **Search** panel of the tree chart, click the name of a person in the list, his/her summary appears in the **Summary** panel.

### Preview of the selected box

The **Tools** panels displays the selected box. At the opening of the tree chart, Heredis displays a complete view of the document, whatever its size. The preview is very useful in large tree charts, when the content of the boxes is not readable on the screen. This visualization immediately displays any changes that you apply to the box.

For more details, see the article (Windows Pro) Apply a selection to a tree chart

## Tree chart formatting

You may modify the unlimited tree charts to give them a more personal graphical appearance. In the fixed size tree charts, the changes apply only to the content of the boxes. The overall environment is not editable.

The different **Tools** panels allow either changes to be applied to the whole tree chart or changes to a given selection (one or more boxes).

## Display screen

The central area of the screen shows all the boxes of the tree chart, the title of the tree and any images that you have added.

To help you check and estimate the size of your tree chart, materialize the pages on the screen.

In the toolbar, click **Pages > Show/Hide Page Breaks**  or in the menu choose **Display> Show/Hide Page Breaks**.

The number of pages depends on the chosen page format for your printer. To change the format and page orientation in your printer, click the Page Setup button in the **Print** panel.

To move around the tree chart, use the horizontal and vertical bars, or change the zoom factor or double-click the name of a person from the Persons panel to display his/her box directly.

## Zoom

You can increase (zoom in) or reduce (zoom out) the display of the tree chart. It is often necessary to reduce the display of a tree chart to visualize all required generations. Choose **Display > Zoom > Increase Magnification** or **Decrease Magnification**. To return to the actual size of the tree, choose **Display > Zoom > 100 %**.

You may also select different levels of zoom on the bottom bar of the tree chart screen.

- Click the arrow and select a value from the drop-down menu or use the slider to change the zoom level. Heredis indicates the factor used to reduce or enlarge to the left of the bar.
  - Click the **100%** button to return to the real size of the tree.
  - Hold down the **Alt** key. With a left click, the tree chart grows, with a right click, the tree chart is reduced. You may also use the mouse wheel up or down to enlarge or reduce.
- Info** • Remember to fold back the **Search** and/or **Tools** panels to have the maximum available space for display of the tree chart.

## Selection

Before making changes to a tree chart, first select the boxes to which they will apply.

Depending on the type of change to be made, make individual selections or selections of a genealogical order.

- To select all boxes of the tree chart, choose **Select > Select All**. From anywhere in the tree chart, you can right-click the mouse and choose **Select All**.
- To select one or more boxes of the tree chart, drag the mouse cursor over the boxes to be selected.
- To select more boxes that are not contiguous, select the first box, and then, holding down the **Shift** key, the additional box or boxes To make genealogical selections from any box in the tree, right-click the mouse and choose **Select Men Only** (or **Women Only**, or **Person and All Ancestors**, or **Person and All Descendants** or **Generation**).


**Info** • Persons corresponding to the selected boxes are also selected in the **Search** panels.

For more details, see the article (Windows) Finding your way around a tree (voir page 634)

### Format the tree chart

To make changes, use the tools in the tree chart **Tools** panels. To go further in the formatting of the boxes, make your changes in the **Layout** panel.

#### *Layout Panel*



## Modify the contents of selected boxes

- Choose the content formats that suit you for surnames, given names, dates, places and genealogical headings from the drop-down menus.
- Tick the **Show Ahn./User Number** and **Show Preferred Picture** boxes to add this information, if it exists, in the selected boxes.


## Change the text formatting

Without delay, change the font, size, color and text alignment with the drop-down menu, the cursor and the buttons of the **Layout** panel.

**Info** • Do not forget that you can make a selection of all men in the tree chart, then all women, to apply different text colors. For this, use the **Select** menu or right-click of the mouse.

## Hourglass Chart

## Tree Charts



### Change the layout of the tree

1. In the **Layout** panel, change the spacing between boxes or the spacing between generations by clicking the arrow buttons.
2. Tick the **Display Empty Lines** box for all boxes to be filled with the same number of lines, even if you do not have information.
3. Click the **Pages > Center Tree Chart** button to reposition it optimally after modifications.

Move elements in the tree chart. After selecting boxes, several methods for moving them are available. Choose the one that suits you best


- Mouse: Drag the selection to its destination by holding the mouse button pressed.
- Info** • Hold down the **Shift** key to prevent any movement off the generation axis. Each box moved will remain aligned with the other boxes in the same generation.
- Arrow keys: press the arrow keys to move to the position you wish to select.

To cancel the moving of the selection, press **Ctrl-Z** or choose **Edit > Undo**. To restore the move, press **Shift-Ctrl-Z** or choose **Edit > Redo**.

## Change the design of the tree chart

Change the graphical appearance of your tree charts with a few clicks. Some graphical changes apply to the whole tree chart, others apply only to the boxes you selected.

1. Select the boxes to be modified or choose **Select > Select All**.
2. In the **Layout** panel, change the overall font, size, alignment and text color.
3. The display of boxes on the tree chart is defined by three elements: box styles, content types and connecting line styles. The different themes that come with Heredis contain several presets for each of these elements. They are available in the **Tools > Layout** panel of the tree chart.
  - Choose a preset to be applied to the selected boxes in the dropdown menus A preview screen shows you the appearance of available presets.




- You can change each preset of box styles, contents or connecting lines. Click the **Layout** button in the toolbar, use the right-click menu on the selected box, or click the **Edit...** box shown as a pencil to the right of each menu to access all the changes.

**Info** • By clicking on the pencil, you open the setup screen of the preset. To change the presets of box style, contents and connecting lines at the same time, click the **Layout** button.

- The box preview contains a tick box in the top left of the preset edit screen, for applying a modification to the males and females simultaneously.

## Change the box style

## Tree Charts



Change the Box style preset displayed or choose a different preset from the Box Styles drop-down menu to form a base for your custom formatting.

1. Click the border of the box to change border, shading, box background, orientation and size of the box including padding.
2. Click on an item, eg. name, to access the formatting of this item. When a line contains two distinct elements, they may be changed independently of one another, for example Surname – Given Name or Date – Place.
3. Click on the picture to determine its size, its border and its eventual position in the box.  
**Info** • One can only change the borders of the drawn boxes If you choose an image for the box background, the outline must be included in the image.


All changes are immediately displayed in the preview of the box.

**Info** • To see better the changes made in the preview box, use the zoom slider at the bottom of the window or click the magnifying glass icon and choose a zoom percentage.

Click **OK** to apply the changes to all selected boxes on the tree chart.



## Modify the content



Change the **Content type** preset displayed or choose a different preset from the drop-down menu as a base for your custom formatting.


Click on each item displayed in the box to change the data formats. For example, click the name to indicate management of the particle, whether to include the prefix and suffix of the name. Click on a date to indicate the desired format (long, short, in numbers or letters, etc.).

**Info** • One can materialize the presence of a source for each event mentioned in the boxes. Select the date field and tick the Mention source box to add the symbol (s) following the dates shown.

Click **OK** to apply the modified contents of the selected boxes on the tree chart.

## Modify connecting lines

## Tree Charts



Modify the Line style preset displayed or choose a different preset from the drop-down menu as a base for your custom formatting.

1. Click the border of the box or on the connecting line to display the **Line** tab.
2. Choose the type of line to connect the selected boxes from the dropdown menu: right angles, rounded corners or curves.
3. Specify the width of the connecting line with the cursor and click the color box to choose a color.

Click **OK** to apply the modified lines to the selected boxes.

### Edit the text of a box

Child Family a Family b

Number : 1

Surname : THOMAS

Given Names : Michael George

Occupation : cabinet maker

Title :

Date of Birth : Birth : February 6, 1933

Place of Birth : Margate

Date of Death :

Place of Death :

OK Cancel

1. Right click on the box to be edited and choose Edit Text to open the editing field.


**Info** • You can only edit one box at a time.

2. Enter changes to the displayed text.

3. Click **OK** to apply changes.

**Edit the tree chart title**


## Tree Charts




The tree chart title is a modifiable text zone.

Heredis proposes a title containing the name of the primary person. Double-click the title to open the text editor and make the necessary content changes and formatting of the text.

### Add a Picture

Select the **Edit > Add Picture** menu or click the **Add**  button on the toolbar to add a graphic illustration to your tree chart.

The picture is added at the top left of the tree chart displayed

- It is possible to add several pictures. If they must overlap, there are options for stacking images. Right-click the image to move the selected image forward, backward or to the background if it is a background image for the tree chart. Whatever option chosen, the boxes of the tree chart remain in the foreground
- When the picture is enlarged or reduced manually with the mouse, it is possible to restore the proportion between the picture and its frame by using the right-click **Resize Image Proportionally** option.
- The right-click Resize Image to **Fit Frame** and **Default Picture Size** options allow to resize the image in its display area.
- The image is an object that can be formatted. Click the  button on the toolbar or select **Modify Properties** from the right-click menu on the image. Only box style changes are possible As with the tree chart boxes, you have available presets

(Windows) Unlimited size tree chart : ancestors, descendant and hourglass

applicable to the surround of the image.

You can also consult our articles (Windows) Print or export as PDF a tree chart (voir page 641), (Windows) Save a tree chart.

## (Windows) Apply a selection to a tree chart

Heredis allows persons to be identified by applying a particular layout in ancestors tree charts, descendants tree charts, or hourglass tree charts.


### Select boxes in the tree chart

There are several possibilities for selecting a group of boxes.

To select a box in the tree chart, click on the box.


To extend the selection, you can:

- hold down the left click of the mouse and draw a rectangle around the boxes you want to select.
- make a selection based on specific criteria, click right on the box or unroll the **Selection** menu. You can then extend the selection(**Ancestors**, **Descendants** or **Generation** of the selected **person**, or **All the Tree**), select only the **men**, or only the **women**.




- Use the **Shift** or **Ctrl** button to click on additional boxes or apply other extensions with the right click.

## (Windows) Apply a selection to a tree chart



## Apply a layout to the selection


### In unlimited tree charts

Apply a preset of appearance or content to the selected boxes by selecting it from the drop-down menus of the **Tools panels**. You can also make a customized layout by clicking the button . Modify the **layout** and change any items in the selected boxes.

Check out the article (Windows) Unlimited size tree chart : ancestors, descendant and hourglass (voir page 616) for the details of customization manipulations.

### In predefined sized trees (fan, single-page, designed)

For Single-page tree charts and designed tree charts, use the Tools panels to change the **layout** and **contents** of the selected boxes.

For fan tree charts, choose the highlight color in the **Boxes** area of the Tools Panels, it will apply to all tree boxes containing the selected persons. If you want to go back to the tree presentation before the change, click the **Default** button for the same selection. You can change the format of the text by clicking the button  **Layout**.

Check out the articles (Windows) Predetermined size tree charts : Single-page Chart, Designed Chart, Fan Chart for detailing the setting of these trees.

# (Windows) Finding your way around a tree


## Use the preview window

In trees (except fan or wheel of the Charts menu), a window displaying only one box at a time allows:

- immediately see a box formatting change.
- to view the contents of a box in a tree that would be displayed with a reduction rate preventing the direct reading of the contents of the boxes.

This window is displayed at the bottom of the Tools panel. As soon as you select one of the boxes of the tree, it updates by showing you, in full size, the selected box.

100 %




## Enlarge or reduce the view of the tree

To display all the boxes, regardless of the actual size of the tree chart:

- Select the **Display menu – Zoom – All the Pages**.
- Select **All the Pages** from the zoom drop-down menu in the lower banner of the tree window or drag the slider to the left end.





To enlarge or collapse the tree chart image on the screen:



- Select a value from the zoom drop-down menu in the lower banner of the tree window, or drag the slider to change the display of the tree.



- Select the **Display menu – Zoom – Actual size** to get the full-size representation of the tree chart.  
or Select the **Display menu – Zoom – Zoom in** or **Zoom out**.
- Press the **Alt** key and left-click to increase and right-click to reduce the display of the part of the tree you click.

## View pages

To materialize the pages according to the format of your printer:

- Select the **Display menu – Show/Hide Pages Breaks**.
- Click the button  and then click the button  on the tree toolbar. Click the same button to remove the display from the pages.

## Go to a page in the tree

Use elevators to scroll the tree image horizontally and vertically.

or Press the **Spacebar** key, the cursor changes to a **Hand** tool that moves the tree chart image.

To view a particular page:


- Select the **Display menu – Go to Page** and then specify the number of the desired page.
- Validate with **OK**.

## Spotting persons in the tree

### Locate persons displayed on the tree screen

The **Search** list lists all the persons named in the tree chart.

A double-click on a name displays, in the center of the screen, the box of this person.



## Spotting implexes

When you print a tree with ancestors for whom there is inbreeding (implexed), they appear several times.


If the **Repeat duplicate branches** option has not been checked, the branch in which the implexed ancestors appear is stopped as soon as an individual already present in the tree appears for the second time.


To find this person easily, Heredis places colored marks referring to the branch to consult the rest of the interrupted branch.

# (Windows) Save the tree chart

Save the tree charts created with Heredis. You may modify or print them later. The tree chart file can be reopened, changed and saved, as a

## Saving a tree chart for the first time

- Click the **Save**  button, choose **File** menu > **Save**.
- In the **File name** field, change the name of the tree chart if necessary.
- Choose the location where the tree chart should be saved, if you do not want to save it in the default folder.



- Click **Save**

After saving your tree chart for the first time, click again the **Save** button to save it as you work.

## Save a copy of the tree chart

This action allows you to keep the displayed tree to continue its formatting and to duplicate it to apply other different changes or save it.


To obtain a copy of the tree chart and make further changes, select **File** menu > **Save a Copy...**

It doesn't open automatically the copy of the tree chart. You can keep working on the original tree chart.

### Reopen a saved tree chart

To reopen a saved tree chart:


- From the Heredis home page, click on **Open a chart file**.



Choose the location in your Windows Explorer and click **Open**.

- From your Heredis file, select the **File** menu > **Open**. Select the location of the tree file to open on your computer and make sure you have selected the **Charts Files** type. Heredis allows tree opening saved from version 11. Select the file you want to open. By default, Heredis saves the tree charts you created in the Documents/BSD Concept/Heredis/Heredis Tree Charts folder. If the tree chart was saved in another folder, select it in Windows Explorer.


## (Windows) Save the tree chart



Click **Open** button.

# Open a Chart file


You have edited and saved a tree chart created with Heredis? You can reopen it to further edit it or print it. A tree chart file is a graphic file, it becomes independant of your Heredis file. It contains only the data of persons included in the tree chart. Data can not be changed in this tree chart file to modify the Heredis file.

- To open a tree chart saved when Heredis is already running, choose **File > Open**. Select the tree chart file your file directory and click **Open**.
- To open a tree chart from the **Home** page, click the **Home**  button and choose **(Windows) Open a Chart file; (Mac) Chart File** from the **Open** menu. Click **OK** and then select it.
- To open a tree chart file when another tree is already open, click **(Windows) File > Open; (Mac) the Open** button in the tree chart toolbar. Select the file in your tree chart directory of files and click **Open**.

Read also (Mac) Unlimited size tree chart : ancestors, descendant and hourglass, (Mac) Save the tree chart, (Mac) Predetermined size tree charts: Single-page Chart, Designed Chart, Fan Chart, (Windows) Unlimited size tree chart : ancestors, descendant and hourglass (voir page 616), (Windows) Save the tree chart (voir page 637), (Windows) Building single-page pedigree tree charts (voir page 607), (Windows) Building fan charts (voir page 611), (Windows) Apply a selection to a tree chart (voir page 632), (Windows) Print or export as PDF the tree chart (voir page 641)

# (Windows) Print or export as PDF the tree chart


You can create as many graphical representations of your genealogy as you wish. A tree chart may be saved with the data it contains and its layout. It can then be reopened, modified in its presentation, printed again. It has become independent of the Heredis data file.

Choose from the different types of tree charts proposed in the **Charts** menu or click **Charts**  on the toolbar to visually select the tree charts proposed by Heredis. The tree chart will be created from the primary person.

## Printing mode

First, choose between **Local Printer** or **PDF File** in the **Print Setup** panel.

Then, you'll be able to setup the page setup as you wish.



## Adjust the size of a tree chart.


Before printing, you must make sure that the size and orientation of the paper are set as you wish. This setup will be different if you chose Local Printer or PDF file.

## Paper size

After choosing the print mode and before printing the tree, indicate the paper size your printer uses (A4 – A3...) and the orientation of the paper you want (portrait, landscape).

- Choose **File > Page Setup** or click **Page setup**  in the **Print Setup** panel.

## Tree Charts



A window opens and may be different according to your printer. Choose the orientation and paper size.

- Select the printer you will use in the **Name** menu.
- Choose a standard paper size in the corresponding menu. In PDF file Mode, if you want to select a customized paper size, choose **Personalized Paper Size** in the drop-down menu.
- Click the round button corresponding to the desired orientation.
- Click **OK** to confirm the print size.

**Note:** If you want to print through a professional printer, export to PDF. The PDF format can go up to 200" x 200" , if your tree is larger and your printer has rolls larger than 200", consider removing the assembling link-up zone (see PDF Export part of this article).

If the tree is too large, you may change its size by reducing the number of pages in the **Print Setup** panel, but make sure to be able to still read what will be print (click on 100% focus button to see if you can read on your screen).


- Select **Display > Show/Hide Page Breaks** or click the **Pages > Show/ Hide Page Breaks** button. Heredis displays how many pages corresponding to the selected paper size will be needed to print the tree chart.
- Change the number of pages in width and/or height.
- To enlarge or reduce the overall size of the tree chart, enter a percentage in the **Scale** field or move the cursor. A value below 100% reduces the size of the tree chart, a value greater than 100% enlarges it.

It only remains to launch the printing of the tree chart.



## Launching the print-out

Depending on the printer you are using, you can print the tree on one page or series of pages to be assembled together.


- Click the **Print**  button on the toolbar or choose **File > Print**.
- Select the printer you want to use from the list of available printers. If your printer does not appear, select **Find Printer** in the **Windows Print** screen.


**Info** • For more information on adding a printer, type Add Printer in Windows Help.

- Click **OK** to start printing.

## Export a PDF tree chart

Export the displayed tree to get it printed by a professional or share your Heredis trees with people who do not have the software. Heredis constructs a tree chart using a file format that is likely to be used on other computers or devices in the form of a readable file.

- Choose **Edit > PDF File Mode** or choose **PDF File** from the **Print Setup** drop-down menu.
- The **Print** button changes form and name. Click the **Export**  button on the toolbar.
- Before to export the tree chart, make sure to setup the paper size format and orientation. Click on **Page Setup** button in **Print Setup** panel.



- Choose the location where the tree file in PDF format will be saved, if you do not want to save it in the default folder. If necessary, change the name of the tree proposed by

## Tree Charts

Heredis in the **File Name** field.

**Important:** Note that you can generate customized size, but be careful, PDF format allows only 200" x 200". If your XXL Family is bigger and your printer can print on a paper roll, then click on the cogwheel near the PDF file mode (or assembling link-up zone of the new charts as the XXL Family for example) and chose **Delete assembling link-up zone**.

- Click **Save**.

**Share your genealogy**

## What is a Heredis file?

Heredis files come in the form of a *.hmw* folder stored at the chosen location when it was created. On Windows, they are stored by default in a *Documents/BSD Concept/Heredis/Heredis Files* folder of your documents. *Documents*

In this folder you will find various types of files: *.bak*, *.hmw*, media folder...


**Do NOT** change, move or delete files in this folder. Indeed, if you move, rename, modify these files, you may no longer be able to use this genealogy.

To rename your files or know where they are stored, use the cogwheel from the Heredis homepage.

**(Windows)** To find out where your files are stored click **Show the file location in computer**.


**(Mac)** To find out where your files are stored click **Reveal in Finder**.

*(Windows) Homepage cogwheel*



*(Mac) Homepage cogwheel*

What is a Heredis file?



Check out the article Find a file on your computer (voir page 266) for more details.

# Export a complete file in Heredis format

You export your data for exchange. To exchange with other users of the same version of Heredis as you, use Heredis export.

If you wish to exchange data with someone who has an older version of Heredis or another software, you will need to export in GEDCOM format.


See the articles What is a GEDCOM (voir page 661), Export a complete file in GEDCOM format (voir page 664) and Export a branch in GEDCOM format (voir page 672).

In a Heredis export, you can select the data to be exported: exclude confidential persons, restrict to one branch or exclude living persons.

## Windows & Mac

Click on the **File** menu > **Export** > **Heredis File**.

*(Windows) Heredis export settings window*



*(Mac) Heredis export settings window*

## Export a complete file in Heredis format

**Exporting to Heredis File**

**Branches to be Exported**

All People (dropdown) | Ancestors: 99 | Descendants: 99 | Collaterals: 2

**Include**

☐ Export Marked Persons Only

☒ Marked Persons

☒ Secondary Persons

☒ Confidential Persons (Show All dropdown)

☒ Persons Born Less Than 75 Years Ago

**Data to be Exported**

☒ Notes/Transcriptions

☒ Sources

☒ Witnesses & Other Linked Persons

☒ Minor Events

☒ Facts

☒ Media

☐ Private Data

Cancel Export

- Export (Windows) **Entire file** or (Mac) **All People**

*(Windows)*

Branches to be Exported

Entire File (dropdown)

*(Mac)*

Branches to be Exported

All People (dropdown) | Ancestors: 99 | Descendants: 99 | Collaterals: 2

- Select the type of data to be exported (media, notes...).

*(Windows) Data selection*

Data to be Exported

☒ Media | ☒ Sources

☒ Notes/Transcriptions | ☒ Witnesses/Links

☒ Minor Events



☒ Facts | ☐ Private Data

*(Mac) Data selection*


## Data to be Exported

- ☒ Notes/Transcriptions
- ☒ Sources
- ☒ Witnesses & Other Linked Persons
- ☒ Minor Events
- ☒ Facts
- ☒ Media
- ☐ Private Data

### (Windows) Select the persons to be included in the exported file

- **Export all persons:** exports all persons contained in the file.
- **Exclude marked persons:** persons who have been marked  in their personal data tab are not exported.
- **Export marked persons only:** only persons who have been marked  in their personal data tab and are contained in the file are exported.





- **Export confidential persons, Exclude confidential persons, Export surname only** (of the confidential persons), **Blur all data for confidential persons**, or **Hide all data for confidential persons**. applies the indicated treatment to individuals for whom the **Confidential** tag  has been ticked in the personal data tab. They are exported without further specification.



## Export a complete file in Heredis format



- (Windows) Check the box **Exclude secondary persons** ; (Mac) Untick the box **Secondary Person**  to avoid exporting people you have declared secondary because they are of little genealogical interest to you (children who died in infancy, unrelated persons).




**Info** – It is therefore possible to ignore a branch just by marking a person. There are many applications for marking persons: cutting branches, eliminating duplicates, eliminating stillborn babies, not showing people who are still alive... See the article The different data fields (voir page 79) to find out more about tags. You can check off these labels on several persons at the same time, thanks to the smart search. See Smart search (voir page 318).

### (Mac) Select the persons to be included in the exported file

- To prevent the export of certain types of person (marked, confidential or secondary), uncheck the corresponding boxes. See The different data fields (voir page 79) for more information on labels.

A screenshot of a software interface showing the 'Include' section of an export window. It contains several checkboxes and a dropdown menu. The checkboxes are: 'Export Marked Persons Only' (unchecked), 'Marked Persons' (checked), 'Secondary Persons' (checked), 'Confidential Persons' (checked), and 'Persons Born Less Than' (checked). To the right of the 'Persons Born Less Than' checkbox is a text input field containing '75' and a dropdown arrow, followed by the text 'Years Ago'. To the right of the 'Confidential Persons' checkbox is a dropdown menu showing 'Show All' and a dropdown arrow.

- To export data in part, specify your choices in the local menus.  
**Confidential persons:** You can export all information, or only the surnames of confidential persons, or their surnames and givennames. You can also export people by blurring all the data. The recipient of your file will simply know that there is a person at such and his/her place in the lineage, without knowing any information about that person.
- **Persons born less than...:** Choose the number of years to be taken into account for exporting contemporaries. Type a value or use the arrows to change the proposed value. To prevent the export of persons born less than... years ago, enter the value and uncheck the box.

**Info** – It is possible to exclude a branch from the exported file. Declare the person at the origin of this branch as a Marked person, then uncheck the Marked persons option in the export window. You can check off the labels ,  or  on several persons at the same time thanks to the smart search. See Smart search (voir page 318).

## Windows & Mac

- Click on **Export**.
- Give the new file a name and choose the location where it should be saved. Heredis offers the same folder as your genealogy file. To select another location, choose one in your file directory.  
**(Mac)** If your file directory is not visible, click on the display triangle (arrow) to the right of the **Save as** field.

**Info:** Search information is always exported. If you wish to exclude notes from search information, check the **Private** box available when editing the note and uncheck the **Private data** box in the export settings window.

To export a branch rather than the whole file, see Export a branch to Heredis.

# Export a branch in Heredis format

You export your data for exchange. To exchange with other users of the same version of Heredis as you, use Heredis export.

If you wish to exchange data with someone who has an older version of Heredis or another software, you will need to export in GEDCOM format.


See the articles [What is a GEDCOM](#) (voir page 661), [Export a complete file in GEDCOM format](#) (voir page 664) and [Export a branch in GEDCOM format](#) (voir page 672).

In a Heredis export, you can select the data to be exported: exclude confidential persons, restrict to one branch or exclude living persons.

## Windows & Mac

Click on the **File** menu > **Export** > **Heredis File**.

*(Windows) Heredis export settings window*



*(Mac) Heredis export settings window*

## Share your genealogy

**Exporting to Heredis File**

**Branches to be Exported**

All People ▾

Ancestors: 99 ▴ ▾

Descendants: 99 ▴ ▾

Collaterals: 2 ▴ ▾

**Include**

☐ Export Marked Persons Only

☒ Marked Persons

☒ Secondary Persons

☒ Confidential Persons

☒ Persons Born Less Than 75 ▴ ▾ Years Ago

Show All ▾

**Data to be Exported**

☒ Notes/Transcriptions

☒ Sources

☒ Witnesses & Other Linked Persons

☒ Minor Events

☒ Facts

☒ Media

☐ Private Data

Cancel Export

- (Windows) Choose **Export branch**.
- Select branches from the drop-down menu: **Ancestors**, **Descendants** or **Ancestors & Descendants**.

(Windows)

**Branch Options**

Ancestors & Descendants ▾

Ancestors: 99 ▴ ▾

Collaterals: 2 ▴ ▾

Descendants: 99 ▴ ▾

(Mac)

All People

Ancestors

Descendants

✓ Ancestors & Descendants

Ancestors: 99 ▴ ▾

Descendants: 99 ▴ ▾

Collaterals: 2 ▴ ▾


Indicate the **number of generations** in ascendance, descendance, or both.

- Specify the **number of degrees of collaterals** for ancestors branches. Heredis goes through the branches, tracing back the lineage of each direct ancestor to include these people in the exported file.

## Export a branch in Heredis format

- 0 = only direct ancestors are exported (with their spouses).
  - 1 = export direct ancestors with all their children and spouses.
  - 2 = export direct ancestors, their children and grandchildren, accompanied by their spouses.
  - 3 = export also their great-grandchildren, etc.
- Select the type of data to be exported (media, notes...).

### *(Windows) Data selection*



Data to be Exported

|  |   |
|--|---|
| <input checked="" type="checkbox"/> Media                | <input checked="" type="checkbox"/> Sources         |
| <input checked="" type="checkbox"/> Notes/Transcriptions | <input checked="" type="checkbox"/> Witnesses/Links |
| <input checked="" type="checkbox"/> Minor Events         |   |
| <input checked="" type="checkbox"/> Facts                | <input type="checkbox"/> Private Data               |

### *(Mac) Data selection*






Data to be Exported


- ☒ Notes/Transcriptions
- ☒ Sources
- ☒ Witnesses & Other Linked Persons
- ☒ Minor Events
- ☒ Facts
- ☒ Media
- ☐ Private Data

### **(Windows) Select the persons to be included in the exported file**



- **Export all persons:** exports all persons contained in the file.

- **Exclude marked persons:** persons who have been marked  in their personal data tab are not exported.
- **Export marked persons only:** only persons who have been marked  in their personal data tab and are contained in the file are exported.



- **Export confidential persons, Exclude confidential persons, Export surname only** (of the confidential persons), **Blur all data for confidential persons**, or **Hide all data for confidential persons** applies the indicated treatment to persons for whom the **Confidential** tag  has been ticked in the personal data tab. They are exported without further specification.



- (Windows) Check the box **Exclude secondary persons** ; (Mac) Untick the box **Secondary Person**  to avoid exporting people you have declared secondary because they are of little genealogical interest to you (children who died in infancy, unrelated persons).

**Info** – It is therefore possible to ignore a branch just by marking a person. There are many applications for marking persons: cutting branches, eliminating duplicates, eliminating stillborn babies, not showing people who are still alive... See the article The different data fields (voir page 79) to find out more about tags. You can check off these labels on several persons at the same time, thanks to the smart search. See Smart search (voir page 318).




#### **(Mac) Select the persons to be included in the exported file**

- To prevent the export of certain types of person (marked, confidential or secondary), uncheck the corresponding boxes. See The different data fields (voir page 79) for more information on labels.

Include

- ☐ Export Marked Persons Only
- ☒ Marked Persons
- ☒ Secondary Persons
- ☒ Confidential Persons Show All
- ☒ Persons Born Less Than 75 Years Ago

- To export data in part, specify your choices in the local menus.
  - **Confidential persons:** You can export all information, or only the surnames of confidential persons, or their surnames and givennames. You can also export people by blurring all the data. The recipient of your file will simply know that there is a person at such and his/her place in the lineage, without knowing any information about that person.
  - **Persons born less than...:** Choose the number of years to be taken into account for exporting contemporaries. Type a value or use the arrows to change the proposed value. To prevent the export of persons born less than... years ago, enter the value and uncheck the box.

**Info** – It is possible to exclude a branch from the exported file. Declare the person at the origin of this branch as a Marked person, then uncheck the Marked persons option in the export window. You can check off the labels ,  or  on several persons at the same time thanks to the smart search. See Smart search (voir page 318).

## Windows & Mac

- Click on **Export**.
- Give the new file a name and choose the location where it should be saved. Heredis offers the same folder as your genealogy file. To select another location, choose one in your file directory.  
**(Mac)** If your file directory is not visible, click on the display triangle (arrow) to the right of the **Save as** field.

**Info:** Search information is always exported. If you wish to exclude notes from search information, check the **Private** box available when editing the note and uncheck the **Private data** box in the export settings window.



To export the whole file rather than just a branch, see Export a complete file in Heredis format (voir page 648).

# Import a Heredis file in an existing file

Importing Heredis data to an existing file allows you to connect a new branch created in a separate file by yourself or by a family member.

1. Choose **File > Import > Heredis File**.

**Note:** A message will alert you that it is irreversible, so please make sure to make a copy of your file in case the result doesn't please you.



2. Select the Heredis file. Only files created with the same version of Heredis may be merged (Mac file or Windows folder with the extension *.hmw*).

3. Click **Open**. Choose if you want to import or not medias and sources. **(Windows)** Click on **Next**. **(Mac)** Click on **Import**.

*(Windows) Import Options*



## Import a Heredis file in an existing file

Importing Heredis File

**Heredis import options**  
Demo-DEBACQ\_CLOUET\_Version\_2017\_export

Import options:

☒ Import Media  
☒ Import Sources

Previous Next Done Cancel

Importing Heredis File

**Heredis import options**  
Demo-DEBACQ\_CLOUET\_Version\_2017\_export

☐ Assign a new source to

All Events

Source

Title:

Repository:

File: Demo-DEBACQ\_CLOUET\_Version\_2017\_export.heredis

Document:

Import Heredis from 18 décembre 2019

Previous Next Done Cancel

*(Mac) Import Options*

Importing Heredis File

File: Fichier Exemple 2020.hmw

☒ Import Pictures

☒ Import Sources

☐ Assign a new source to All Events

Source Title:

Repository:

Document:

4. If you desire to associate a common source of data from the import, tick the box **Assign a new source to** and select in the list where you want this source to be assigned. Fill up the fields of this new source. You will be able to modify it on your **Sources index** later. After importing the new data, you must create links that will connect the imported persons to those already present in the main file.

See also Find Duplicates (voir page 279), Merging two persons (voir page 285).

# What is a GEDCOM?

The GEDCOM format is a genealogical data format that was created to facilitate the exchange of data between different software, sites, etc.

You want to pass on your data to other genealogists who do not have Heredis to read them, or who use an older version of Heredis? Use the GEDCOM format.

This universal format is recognized by almost all genealogy software. It makes it possible to transmit information concerning persons: surname, first names, gender, profession, dates and places of birth, marriage, death, notes, etc., but also retains the family ties established between the different persons.

Some things are normalized, others are not. Each software labels the data that are not normalized, etc. as it wishes using proprietary "Tags" (specific to the software), as for minor events (Residency, Census etc.). It is therefore possible that these proprietary Tags, starting with a \_ followed by a literate code, are not read by some software.

## GEDCOM 5.5.1

GEDCOM 5.5.1 file is a text file, it NEVER includes media. Indeed, only the name and path leading to your media is exported. You can check them back in through the media index (if their name hasn't changed, Heredis will quickly check all of your media back in a few clicks). See the article [The Media Index > Searching for missing media](#) for more details)

Heredis can export and import a GEDCOM 5.5.1.

**Note:** The Anhentafel numbering is a mobile data, it can be changed at any time, therefore it is not a data that is exported. See the article on [The Root Person](#) (voir page 131).

See also the articles [Create a new file from a GEDCOM 5.5.1](#) (voir page 681), [Import a GEDCOM 5.5.1 into an existing file](#) (voir page 700), [GEDCOM tags generated by Heredis](#). (voir page 717)

## GEDCOM 7

The GEDCOM 7 format is an evolution of the previous GEDCOM 5.5.1 format. The evolution to GEDCOM 7 format now allows you to include media in your GEDCOM.

Files in GEDCOM 5.5.1 have the extension .ged while the GEDCOM 7 format has the extension .gdz

Starting with the 2023 version of Heredis, GEDCOM 7 files can be imported.

See also the articles [Create a new genealogy from a GEDCOM 7 file](#) (voir page 690),

## Share your genealogy

Importing a GEDCOM 7 file to your existing genealogy (voir page 707), GEDCOM tags generated by Heredis. (voir page 717)

# How do I export a GEDCOM?

You export your data for exchange. If you want to pass them on to other genealogists who don't have Heredis to read them, or if they use an older version of Heredis, or if you want to keep a version that can be used by other software, use the GEDCOM format. This is a text-based file format, containing only text and no media. See the article [What is a GEDCOM?](#) (voir page 661) for more details.

**Important** : if you make limitations on persons (marked, confidential...) and the root person (in the case of an export of the whole file) or the central character (in the case of an export of a branch) is affected by these limitations, then your GEDCOM file will be empty! You can't create a file without having a referent person at the base of your file.

To export an entire file, consult the article: [Export a complete file in GEDCOM format](#) (voir page 664)

To export a part or a branch of a file, consult the article: [Export a branch in GEDCOM format](#) (voir page 672)

# Export a complete file in GEDCOM format

You export your data for exchange. If you want to pass them on to other genealogists who don't have Heredis to read them, or if they use an older version of Heredis, or if you want to keep a version that can be used by other software, use the GEDCOM format. Heredis exports in GEDCOM 5.5.1 format. This is a text-only file format, with no media. See the article [What is a GEDCOM?](#) for more details.

**Important:** if you make limitations on persons (marked, confidential...) and the root person (in the case of an export of the whole file) or the primary person (in the case of an export of a branch) is affected by these limitations, then your GEDCOM file will be empty! You can't create a file without having a referent person at the base of your file.

To switch from one version of Heredis to another, it is not necessary to create a GEDCOM format. See the article [Is it possible to recover data created with an older version of Heredis?](#)

## Windows & Mac

- Click on the **File menu > Export > GEDCOM**.

*(Windows) GEDCOM export settings window*

*(Mac) GEDCOM export settings window*

## Export a complete file in GEDCOM format

### Export GEDCOM

#### Branches à traiter

Toutes les branches

Ascendance 99

Descendance 99

Collatéraux 2

#### Individus à inclure

☐ Exporter uniquement les individus marqués

☒ Individus marqués

☒ Individus secondaires

☒ Individus confidentiels Tout afficher

☒ Individus nés il y a moins de 75 ans

#### Caractères

☐ Mac

☐ Windows (ANSI)

☒ UTF-8 (universel toutes langues)

#### Coordonnées de l'expéditeur

☐ Inclure les coordonnées de l'expéditeur dans l'export

Nom & prénom

Email

Adresse 1

Site WEB

Adresse 2

Téléphone

Adresse 3

#### Données à exporter

☒ Notes/Transcriptions Garder la mise en forme (RTF)

☒ Sources/Citations

☒ Témoins et individus liés

☒ Événements mineurs

☒ Rubriques personnelles

☒ Médias ☐ Créer un dossier de médias

☐ Données privées

☐ Coordonnées des subdivisions

#### Format

☒ Exporter toutes les dates en calendrier grégorien

☐ Convertir les événements partagés en individuels

Annuler Exporter

Export (Windows) **Entire file** or (Mac) **All branches**

(Windows)

Individus à exporter

Exporter tout le fichier

(Mac)

#### Branches à traiter

Toutes les branches

Ascendance 99

Descendance 99

Collatéraux 2

- Select the type of data to be exported (media, notes...).

(Windows)

## Share your genealogy

Sélection des données

|  |   |
|--|---|
| <input checked="" type="checkbox"/> Médias                       | <input checked="" type="checkbox"/> Sources/Citations |
| <input checked="" type="checkbox"/> Créer un dossier de médias   | <input checked="" type="checkbox"/> Témoins et liens  |
| <input checked="" type="checkbox"/> Notes/Transcriptions         | <input type="checkbox"/> Adresses                     |
| <input checked="" type="checkbox"/> Événements mineurs           | <input type="checkbox"/> Données privées              |
| <input checked="" type="checkbox"/> Rubriques personnelles       |   |
| <input checked="" type="checkbox"/> Coordonnées des subdivisions |   |

(Mac)

Données à exporter

|   |   |
|---|---|
| <input checked="" type="checkbox"/> Notes/Transcriptions      | Garder la mise en forme (RTF)                       |
| <input checked="" type="checkbox"/> Sources/Citations         |   |
| <input checked="" type="checkbox"/> Témoins et individus liés |   |
| <input checked="" type="checkbox"/> Événements mineurs        |   |
| <input checked="" type="checkbox"/> Rubriques personnelles    |   |
| <input checked="" type="checkbox"/> Médias                    | <input type="checkbox"/> Créer un dossier de médias |
| <input type="checkbox"/> Données privées                      |   |
| <input type="checkbox"/> Coordonnées des subdivisions         |   |

**Info** – Check the **Create media folder** box to accompany the GEDCOM file with a folder containing all the media linked to the data. The media paths indicated in the GEDCOM file correspond to the media contained in this folder. If you check the box, Heredis will fetch the originals and make a copy which will be placed in a folder parallel to the .ged file. If you don't, only the media path will be indicated in the GEDCOM, there will be no media.

- If you're exporting notes, choose whether you want to **Preserve text format** or **No format**.  
**Note:** Some software programs cannot read formatting. To be sure of retaining the information in your notes, it's best to ignore the formatting.
- Heredis recognizes the dates of the revolutionary calendar – not all programs are able to do this. Check the box **Use Gregorian dates** to be sure of having the dates entered.
- Heredis lets you share an event. This function is specific to Heredis.  
Check the **Convert shared events to individual events** box to have Heredis copy the event for each person concerned by the shared event.

(Windows)



## Export a complete file in GEDCOM format

Options du fichier

☒ Exporter toutes les dates en calendrier grégorien

☐ Convertir les événements partagés en individuels

Caractères : UTF-8 (universel toutes langues) ▼

Notes : Ignorer la mise en forme (Texte brut) ▼

Coordonnées de l'exp Garder la mise en forme (RTF)

(Mac)

Données à exporter

☒ Notes/Transcription

☒ Sources/Citations

☒ Téléphones et individus liés

☒ Garder la mise en forme (RTF)

☐ Ignorer la mise en forme (texte brut)

Format

☒ Exporter toutes les dates en calendrier grégorien

☐ Convertir les événements partagés en individuels

Choose the character format for the data to be exported:

- **Mac**: characters readable by all Mac programs
- Windows(**ANSI**): use this format if you know that the recipient of the file uses Windows software.
- **UTF-8**: use this format to preserve all special characters. This is a recent universal format. Please note that some genealogy programs do not support this format.

**Info:** Use **UTF-8 characters**, which is an international language for computer encoding, if the software that will open the GEDCOM is less than 6 years old.

(Windows)

Caractères : UTF-8 (universel toutes langues) ▼

Notes : Windows (Ansi)

Mac

UTF-8 (universel toutes langues)

(Mac)

Caractères



☐ Mac

☐ Windows (ANSI)

☒ UTF-8 (universel toutes langues)

You can add information about the sender of the file. They enable the person receiving the file to identify you and contact you if necessary.

### (Windows) Select the persons to be included in the exported file

- **Export all persons:** exports all persons contained in the file.
- **Exclude marked persons:** persons who have been marked  in their personal data tab are not exported.
- **Export marked persons only:** only persons who have been marked  in their personal data tab and are contained in the file are exported.


Limitations

Exporter tous les individus

Exporter tous les individus

Exclure les individus marqués

Exporter uniquement les individus marqués

- **Export confidential persons, Exclude confidential persons, Export surname only (of the confidential persons), Blur all data for confidential persons, or Hide all data for confidential persons.** applies the indicated treatment to persons for whom the **Confidential tag**  has been ticked in the personal data tab are exported without further specification.

Exporter les individus confidentiels


Exporter les individus confidentiels

Exclure les individus confidentiels

Exporter uniquement le nom des individus confidentiels

Exporter le nom et l'initiale du 1er prénom des confidentiels

Masquer toutes les données des individus confidentiels

- (Windows) Check the box **Exclude Secondary Persons** ; (Mac) **Untick the box Secondary Person** to avoid exporting people you have declared secondary because they are of little genealogical interest to you (children who died in infancy, unrelated persons).

**Info** – It is therefore possible to ignore a branch just by marking a person. There are many applications for marking persons: cutting branches, eliminating duplicates, eliminating stillborn babies, not showing people who are still alive... See the article The different data fields to find out more about tags. You can check off these labels on several persons at the same time, thanks to the smart search. See Smart search.

## Export a complete file in GEDCOM format

### (Windows) GEDCOM creation window

Export GEDCOM

Options du fichier

☒ Exporter toutes les dates en calendrier grégorien

☐ Convertir les événements partagés en individuels

Caractères : UTF-8 (universel toutes langues)

Notes : Ignorer la mise en forme (Texte brut)

Coordonnées de l'expéditeur

☐ Indiquer les coordonnées dans l'export

Nom :

Adresse :

Téléphone :

E-mail :

Internet :

Sélection des données

☒ Médias

☐ Créer un dossier de médias

☒ Notes/Transcriptions

☒ Événements mineurs

☒ Rubriques personnelles

☐ Coordonnées des subdivisions

☒ Sources/Citations

☒ Témoins et liens

☒ Adresses

☐ Données privées

Individus à exporter

Exporter tout le fichier

Limitations

Exporter tous les individus




Exporter les individus confidentiels

☐ Exclure les individus secondaires

Exporter Annuler

Add your contact details to the GEDCOM file so that the recipient of the file knows who it's from.

### (Mac) Select the persons to be included in the exported file

- Check all the boxes to include all the people registered in the file except the Export marked persons only box.
- To prevent the export of certain types of people (marked , confidential  or secondary , uncheck the corresponding boxes. See The different data fields for more information on labels.
- To export data in part, specify your choices in the local menus.
  - **Confidential persons:** You can export all information, or only the surnames of confidential persons, or their surnames and givennames. You can also export people by blurring all the data. The recipient of your file will simply know that there is a person at such and his/her place in the lineage, without knowing any information about that person.
  - **Persons born less than...:** Choose the number of years to be taken into account for exporting contemporaries. Type a value or use the arrows to change the proposed value. To prevent the export of persons born less than... years ago, enter the value and uncheck the box.

## Share your genealogy

**Individus à inclure**




☐ Exporter uniquement les individus marqués

☒ Individus marqués

☒ Individus secondaires

☒ Individus confidentiels Tout afficher

☒ Individus nés il y a moins de 75 ans

**Info**—It is possible to exclude a branch from the exported file. Declare the person at the origin of this branch as a Marked person, then uncheck the Marked persons option in the export window. You can check off the labels ,  or  on several persons at the same time thanks to the smart search. See Smart search.

*(Mac) GEDCOM creation window*

**Export GEDCOM**

**Branches à traiter**

Toutes les branches

Ascendance 99 Descendance 99 Collatéraux 2

**Individus à inclure**

☐ Exporter uniquement les individus marqués

☒ Individus marqués

☒ Individus secondaires

☒ Individus confidentiels Tout afficher

☒ Individus nés il y a moins de 75 ans

**Données à exporter**

☒ Notes/Transcriptions Garder la mise en forme (RTF)

☒ Sources/Citations

☒ Témoins et individus liés

☒ Événements mineurs

☒ Rubriques personnelles

☒ Médias ☐ Créer un dossier de médias

☐ Données privées

☐ Coordonnées des subdivisions

**Format**

☒ Exporter toutes les dates en calendrier grégorien

☐ Convertir les événements partagés en individuels

**Caractères**

☐ Mac

☐ Windows (ANSI)

☒ UTF-8 (universel toutes langues)

**Coordonnées de l'expéditeur**

☐ Inclure les coordonnées de l'expéditeur dans l'export

Nom & prénom Email

Adresse 1 Site WEB

Adresse 2 Téléphone

Adresse 3

Annuler Exporter

Add your contact details to the GEDCOM file so that the recipient of the file knows who it's from.

## Windows & Mac

- Click on **Export**.

## Export a complete file in GEDCOM format

- Give the new file a name and choose the location where it should be saved. Heredis offers the same folder as your genealogy file. To select another location, choose one in your file directory.  
**(Mac)** If your file directory is not visible, click on the display triangle to the right of the **Save as** field.

**Note:** Ahnentafel numbering is a mobile data, and can be changed at any time, so it is not exported. See the article on The root person.

**Info:** Search information is always exported. If you wish to exclude notes from search information, check the **Private** box available when editing the note and uncheck the **Private data** box in the export settings window.

To export a branch rather than the entire file, see Export a branch in GEDCOM format.

## Export a branch in GEDCOM format

You export your data for exchange. If you want to pass them on to other genealogists who don't have Heredis to read them, or if they use an older version of Heredis, or if you want to keep a version that can be used by other software, use the GEDCOM format. Heredis exports in GEDCOM 5.5.1 format. This is a text-only file format, with no media. See the article [What is a GEDCOM?](#) (voir page 661) for more details.

**Important:** if you make limitations on persons (marked, confidential...) and the root person (in the case of an export of the whole file) or the primary person (in the case of an export of a branch) is affected by these limitations, then your GEDCOM file will be empty! You can't create a file without having a referent person at the base of your file.

To switch from one version of Heredis to another, it is not necessary to create a GEDCOM format. See the article [Is it possible to recover data created with an older version of Heredis?](#)

### Windows & Mac

Put the person you want as the primary person at the base of the GEDCOM.  
If you want your spouse's ancestry, you'll need to use one of the couple's children as the primary person.

- Click on the **File** menu > **Export** > **GEDCOM**.

*(Windows) GEDCOM export settings window*

## Export a branch in GEDCOM format

GEDCOM Export ✕

**File Options**

☒ Use Gregorian Dates

☒ Convert shared events to individual events

Characters: UTF-8 ▾

Notes: No Formatting (Plain Text) ▾

Submitter \_\_\_\_\_

☐ Include Submitter Address

Name \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone \_\_\_\_\_

Email \_\_\_\_\_

Web Page \_\_\_\_\_

**Data to be Exported**

☒ Media ☒ Sources

☒ Create a folder for media ☒ Witnesses/Links

☒ Notes/Transcriptions

☒ Minor Events ☒ Private Data

☒ Facts

☒ Subdivision coordinates

**Branches to be Exported** \_\_\_\_\_

Entire File ▾

**Limits** \_\_\_\_\_

Export All Persons ▾

Export Confidential Persons ▾

☐ Exclude Secondary Persons

Export Cancel

*(Mac) GEDCOM export settings window*

## Share your genealogy

### Exporting to GEDCOM File

#### Branches to be Exported

All People

Ancestors99

Descendants99

Collaterals2

#### Data to be Exported

☒ Notes/TranscriptionsNo Formatting (Plain Text)

☒ Sources

☒ Witnesses & Other Linked Persons

☒ Minor Events

☒ Facts

☒ Media☒ Create a folder for media

☐ Private Data

☐ Subdivision coordinates

#### Include

☐ Export Marked Persons Only

☒ Marked Persons

☒ Secondary Persons

☒ Confidential PersonsShow All

☒ Persons Born Less Than75 Years Ago

#### Character Set

☐ Mac

☐ Windows (ANSI)

☒ UTF-8

#### Submitter

☐ Include Submitter Address

Name

Email

Address line 1

Web Page

Address line 2

Phone

Address line 3

#### Date Style

☒ Use Gregorian Dates

☒ Convert shared events to individual events

Cancel

Export

- (Windows) Choose **Export branch**.
- Select branches from the drop-down menu: **Ancestors**, **Descendants** or **Ancestors & Descendants**.

(Windows)

#### Branch Options

Ancestors & Descendants

Ancestors99


Collaterals2

Descendants99

(Mac)



## Export a branch in GEDCOM format




Indicate the **number of generations** in ascendance, descendance, or both.

- Specify the **number of degrees of collaterals** for ascending branches. Heredis goes through the branches, tracing back the lineage of each direct ancestor to include these people in the exported file.
  - 0 = only direct ancestors are exported (with their spouses).
  - 1 = export direct ancestors with all their children and spouses.
  - 2 = you export direct ancestors, their children and grandchildren, accompanied by their spouses.
  - 3 = you also add their great-grandchildren, etc.
- Select the type of data to be exported (media, notes...).

(Windows)




(Mac)




**Info** – Check the **Create a folder for media** box to accompany the GEDCOM file with a folder containing all the media linked to the data. The media paths indicated in the GEDCOM file correspond to the media contained in this folder. If you check the box, Heredis will fetch the originals and make a copy which will be placed in a folder parallel to the .ged file. If you don't, only the media path will be indicated in the GEDCOM, there will be no media.

- If you're exporting notes, choose whether you want to **Preserve text format** or **No format**.  
**Note:** Some software programs cannot read formatting. To be sure of retaining the information in your notes, it's best to ignore the formatting.
- Heredis recognizes the dates of the revolutionary calendar – not all programs are able to do this. Check the box **Use Gregorian dates** to be sure of having the dates entered.
- Heredis lets you share an event. This function is specific to Heredis.  
Check the **Convert shared events to individual events** box to have Heredis copy the event for each person concerned by the shared event.

(Windows)



(Mac)




- Choose the character format for the data to be exported:
  - **Mac**: characters readable by all Mac programs
  - Windows(**ANSI**): use this format if you know that the recipient of the file uses Windows software.
  - **UTF-8**: use this format to preserve all special characters. This is a recent universal format. Please note that some genealogy programs do not support this format.


## Export a branch in GEDCOM format

**Info:** Use **UTF-8 characters**, which is an international language for computer encoding, if the software that will open the GEDCOM is less than 6 years old.

(Windows)






(Mac)




You can add information about the sender of the file. They enable the person receiving the file to identify you and contact you if necessary.

**(Windows) Select the persons to be included in the exported file**


- **Export all persons:** exports all persons contained in the file.
- **Exclude marked persons:** persons who have been marked  in their personal data tab are not exported.
- **Export marked persons only:** only persons who have been marked  in their personal data tab and are contained in the file are exported.



- **Export confidential persons, Exclude confidential persons, Export surname only** (of the confidential persons), **Blur all data for confidential persons, or Hide all data for confidential persons.** applies the indicated treatment to persons for whom the **Confidential** tag  has been ticked in the personal data tab are exported without further specification.

## Share your genealogy



(Windows) Check the box **Exclude Secondary Persons** ; (Mac) Untick the box **Secondary Person** to avoid exporting people you have declared secondary because they are of little genealogical interest to you (children who died in infancy, unrelated persons).

**Info** – It is therefore possible to ignore a branch just by marking a person. There are many applications for marking persons: cutting branches, eliminating duplicates, eliminating stillborn babies, not showing people who are still alive... See the article The different data fields (voir page 79) to find out more about tags. You can check off these labels on several persons at the same time, thanks to the smart search. See Smart search (voir page 318).

(Windows) *GEDCOM creation window*




A screenshot of the 'Export GEDCOM' window. The window is divided into two main sections. The left section, titled 'Options du fichier', contains checkboxes for 'Exporter toutes les dates en calendrier grégorien' (checked) and 'Convertir les événements partagés en individuels' (unchecked). It also has dropdown menus for 'Caractères' (set to 'UTF-8 (universel toutes langues)') and 'Notes' (set to 'Ignorer la mise en forme (Texte brut)'). Below this are fields for 'Coordonnées de l'expéditeur' and a checkbox 'Indiquer les coordonnées dans l'export'. The right section, titled 'Sélection des données', contains two columns of checkboxes. The first column has 'Médias' (checked), 'Notes/Transcriptions' (checked), 'Événements mineurs' (checked), 'Rubriques personnelles' (checked), and 'Coordonnées des subdivisions' (unchecked). The second column has 'Sources/Citations' (checked), 'Témoins et liens' (checked), 'Adresses' (checked), and 'Données privées' (unchecked). Below these are dropdown menus for 'Individus à exporter' (set to 'Exporter tout le fichier'), 'Limitations' (set to 'Exporter tous les individus'), and 'Exporter les individus confidentiels' (set to 'Exporter les individus confidentiels'). There is also an unchecked checkbox 'Exclure les individus secondaires'. At the bottom right are 'Exporter' and 'Annuler' buttons.


Add your contact details to the GEDCOM file so that the recipient of the file knows who it's from.

**(Mac) Select the persons to be included in the exported file**

- Check all the boxes to include all the people registered in the file except the Export marked persons only box.

## Export a branch in GEDCOM format

- To prevent the export of certain types of people (marked , confidential  or secondary ) , uncheck the corresponding boxes. See The different data fields (voir page 79) for more information on labels.
- To export data in part, specify your choices in the local menus.
  - **Confidential persons**: You can export all information, or only the surnames of confidential persons, or their surnames and givennames. You can also export people by blurring all the data. The recipient of your file will simply know that there is a person at such and his/her place in the lineage, without knowing any information about that person.
  - **Persons born less than...**: Choose the number of years to be taken into account for exporting contemporaries. Type a value or use the arrows to change the proposed value. To prevent the export of persons born less than... years ago, enter the value and uncheck the box.



Include




☐ Export Marked Persons Only

☒ Marked Persons

☒ Secondary Persons

☒ Confidential Persons    Show All

☒ Persons Born Less Than    75    Years Ago

**Info-**It is possible to exclude a branch from the exported file. Declare the person at the origin of this branch as a Marked person, then uncheck the Marked persons option in the export window. You can check off the labels ,  or  on several persons at the same time thanks to the smart search. See Smart search (voir page 318).

*(Mac) GEDCOM creation window*

## Share your genealogy

**Exporting to GEDCOM File**

**Branches to be Exported**

All People Ancestors 99 Descendants 99 Collaterals 2

**Data to be Exported**

☒ Notes/Transcriptions No Formatting (Plain Text)  
☒ Sources  
☒ Witnesses & Other Linked Persons  
☒ Minor Events  
☒ Facts  
☒ Media ☒ Create a folder for media  
☐ Private Data  
☐ Subdivision coordinates

**Include**

☐ Export Marked Persons Only  
☒ Marked Persons  
☒ Secondary Persons  
☒ Confidential Persons Show All  
☒ Persons Born Less Than 75 Years Ago

**Character Set**

☐ Mac  
☐ Windows (ANSI)  
☒ UTF-8

**Date Style**

☒ Use Gregorian Dates  
☒ Convert shared events to individual events

**Submitter**

☐ Include Submitter Address

Name Email  
Address line 1 Web Page  
Address line 2 Phone  
Address line 3

Cancel Export

Add your contact details to the GEDCOM file so that the recipient of the file knows who it's from.

## Windows & Mac

- Click on **Export**.
- Give the new file a name and choose the location where it should be saved. Heredis offers the same folder as your genealogy file. To select another location, choose one in your file directory.  
**(Mac)** If your file directory is not visible, click on the display triangle to the right of the **Save as** field.

**Note:** Ahnentafel numbering is a mobile data, and can be changed at any time, so it is not exported. See the article on The root person (voir page 131).

**Info:** Search information is always exported. If you wish to exclude notes from search information, check the **Private** box available when editing the note and uncheck the **Private data** box in the export settings window.

To export the entire file rather than just a branch, see Exporting a complete file in GEDCOM format (voir page 664).

# Create a new file from a GEDCOM 5.5.1


You have already created a genealogy file or you have been given one created on another application? Importing a GEDCOM file, the recognized standard in the world of genealogy, is very simple.

Though, importing a GEDCOM or opening it for the first time, takes time. Do not validate too quickly the import options, you won't be able to change the import afterwards.

## On Mac

- From the Heredis **Home Page**, choose the **GEDCOM File** in the **Open** menu and click **OK**.
- The GEDCOM file must have the extension `.ged` to be recognized by Heredis. Select the file and click **Open**.


**Note:** Heredis recognize also `.gdz` format, this kind of files are GEDCOM 7 file. See Creating a new genealogy from a GEDCOM 7 file (voir page 690).



- Give it a name.
- Choose where to store it on your hard drive disk. Use the arrow on the right to access

## Share your genealogy


to all folders on your computer.



A 'Save As' dialog box with a red border. The 'Save As:' text is followed by a text field containing 'MyFamilyTree' and a dropdown arrow. Below this is a 'Tags:' text field. The 'Where:' section shows a folder icon and the text 'Desktop' with a dropdown arrow. At the bottom are 'Cancel' and 'Save' buttons.


- Validate by clicking on **Save** and wait while Heredis analyzes the data.
- Check the information found in the GEDCOM file (quantity of data, structure of places). All softwares do not manage all data of places the same way. Click on **Select Appropriate Place Elements** if you need to reorganize the data and click on the headings of columns to change them.

It will not be possible to modify this order once the file is open! So take your time.



A dialog box titled 'Importing GEDCOM File'. It has two main sections: 'Imported file' and 'Places'.

**Imported file**

|  |                 |                      |   |
|--|-----------------|----------------------|---|
|  | Persons: 10 182 | <input type="text"/> | 0 |
|  | Families: 3 319 | <input type="text"/> | 0 |
|  | Sources: 701    | <input type="text"/> | 0 |

**Places**

☐ Automatically Identify Places  
☒ Select Appropriate Place Elements

| City                   | Postal Code    | County         | State/Province | Country | Place Subdivision |
|------------------------|----------------|----------------|----------------|---------|-------------------|
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Palo Alto              | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Bellville              | Richland Co    | OH             |                |         |                   |
| Jefferson Twp          | Richland Co    | OH             |                |         |                   |
| Great Lakes            | IL             |                |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |

Previous Next Cancel Import

- Click on **Next** when your done with places.



## Create a new file from a GEDCOM 5.5.1

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be possible to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

**Importing GEDCOM File**

Imported file

Persons: 501  
Families: 195  
Sources: 217  
Media: 256

Events/Facts

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.  
Once it is imported, you can manage it in the Data tab in Heredis.

|      |            |               |
|------|------------|---------------|
| COLO | COLO       | Fact          |
| EYES | EYES       |               |
| HAIR | Hair color | ✓ Fact        |
| HEIG | HEIG       | Do not import |

Previous Next Cancel Import

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.


If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.
- Choose how to manage given names in quotes.
- Choose to import or not medias and sources.

Be aware that a GEDCOM 5.5.1 file **never contains media**, only the name and way to the original of the media. So even if you choose to import a media, you'll import only the name and way to the original.

- If you have the media on your computer, click on **Select a folder** to indicate to Heredis where they are stored.



- You may add a source common to all data imported. In this case, tick the box **Assign a new source to** and choose the kind of data to source (events, facts...). Fill in the name, repository and type of document of the source.
- Click on **Import** to start converting your GEDCOM 5.5.1 into a Heredis format. This step can take some time depending on the size of the file, so be patient. Your GEDCOM file will still be available in the GEDCOM format. Heredis extract the data from the GEDCOM file and converted them into a Heredis format.


**Note:** Ahnentafel numbering is a mobile data, it can be changed at any time, so it is not a data stored in the GEDCOM format. You might have to change the root person to get the Ahnentafel numbering washed. See The Root Person (voir page 131) article.

## On Windows


- From the Heredis **Home Page**, click on **Open a GEDCOM file**.
- The GEDCOM file must have the extension **.ged** to be recognized by Heredis. Select the file and click **Open**.

**Note:** Heredis recognize also **.gdz** format, this kind of files are GEDCOM 7 file. See Creating a new genealogy from a GEDCOM 7 file (voir page 690).

## Create a new file from a GEDCOM 5.5.1



- Give it a name.
- Choose where to store it on your hard drive disk. Click on **Modify** to change where to keep your file. By default Heredis puts it in Document > BSD Concept > Heredis > Heredis files.




## Share your genealogy

- Validate by clicking on **OK** and wait while Heredis analyzes the data.
- Choose how to manage given names in quotes.
- Choose to import or not medias and sources.

Be aware that a GEDCOM 5.5.1 file **never contains media**, only the name and way to the original of the media. So even if you choose to import a media, you'll import only the name and way to the original.

- If you have the media on your computer, click on **Select a folder** to indicate to Heredis where they are stored.
- Click on **Next**.



- Check the information found in the GEDCOM file (quantity of data, structure of places). All softwares do not manage all data of places the same way. Click on **Select Appropriate Place Elements** if you need to reorganize the data and click on the headings of lines to change them.

It will not be possible to modify this order once the file is open! So take your time.

## Create a new file from a GEDCOM 5.5.1

Import GEDCOM

**Gedcom import options**  
Check and modify the different place fields.

☐ Automatically identify places  
☒ Select appropriate place elements

| City                  | Postal Code | County | State/Province | Country | Subdivision |
|-----------------------|-------------|--------|----------------|---------|-------------|
| ?                     |             |        |                |         |             |
| Criquetôt le Maucondu |             |        |                |         |             |
| Criquetôt le Maucondu |             |        |                |         |             |
| Criquetôt le Maucondu |             |        |                |         |             |
|                       |             |        |                |         |             |
|                       |             |        |                |         |             |
|                       |             |        |                |         |             |
|                       |             |        |                |         |             |

Back Next Done Cancel

- Once the places have been listed correctly, click Next.

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be possible to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

**It will not be easy to modify this order once the file is open! So take your time.**

## Share your genealogy

| Tag  | Title      | Type |
|------|------------|------|
| HEIG | HEIG       | Fact |
| HAIR | Hair color | Fact |
| EYES | EYES       | Fact |
| COLO | COLO       | Fact |

Back Next Done Cancel

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.


If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.

You may add a source common to all data imported. In this case, tick the box **Assign a new source to** and choose the kind of data to source (events, facts...). Fill in the name, repository and type of document of the source.

## Create a new file from a GEDCOM 5.5.1



Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to

All Events  
All persons  
All Events  
All Persons and Events  
All Persons, Events and Facts

Repository:  
File: My\_family\_tree.ged

Document:  
Import GEDCOM file from 24 juillet 2020

Back Next Done Cancel

- Click on **Done** to start converting your GEDCOM into a Heredis format. This step can take some time depending on the size of the file, so be patient. Your GEDCOM file will still be available in the GEDCOM format. Heredis extract the data from the GEDCOM file and converted them into a Heredis format.

**Note:** Ahnentafel numbering is a mobile data, it can be changed at any time, so it is not a data stored in the GEDCOM format. You might have to change the root person to get the Ahnentafel numbering washed. See The Root Person (voir page 131) article.



# Create a new genealogy from a GEDCOM 7 file


You want to know what is a GEDCOM? See the What is a GEDCOM file? (voir page 661) article.

## (Mac) Creating a new genealogy from a GEDCOM 7 file

*Important! Opening a GEDCOM file requires your full attention, do not just click on next, next, finish. It is important to take the time to read the different steps required by Heredis.*

Launch Heredis.


From the Home page, choose **GEDCOM File** under **Open an existing file** menu. Click **OK**.



Choose the location where the file is stored on your computer. Select it and click **Open**.



## Create a new genealogy from a GEDCOM 7 file



A "Save As" dialog box with a red border. The "Save As:" label is followed by a text field containing "MyFamilyTree" and a dropdown arrow. Below this is a "Tags:" label followed by an empty text field. Then is a "Where:" label followed by a folder icon and the text "Desktop", with a dropdown arrow. At the bottom are "Cancel" and "Save" buttons.

Name this new genealogy file. Choose where to save the file on your computer.


Click on **Save** to confirm.

Heredis will detect whether it is a GEDCOM 7 or an older format.

Make sure that places are listed correctly.

If not, click on **Select appropriate places elements** and modify the line titles by clicking on the dropdown list at the beginning of the line. Choose the appropriate heading.

It will not be possible to modify this order once the file is open!



An "Importing GEDCOM File" dialog box. The "Imported file" section shows a blacked-out filename and statistics: Persons: 10 182, Families: 3 319, Sources: 701, each with a progress bar and a "0". The "Places" section has two radio buttons: "Automatically Identify Places" (unselected) and "Select Appropriate Place Elements" (selected, highlighted with a red box). Below is a table with columns: City, Postal Code, County, State/Province, Country, and Place Subdivision. The table contains 14 rows of place data. At the bottom are "Previous", "Next", "Cancel", and "Import" buttons.

| City                   | Postal Code    | County         | State/Province | Country | Place Subdivision |
|------------------------|----------------|----------------|----------------|---------|-------------------|
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Palo Alto              | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Bellville              | Richland Co    | OH             |                |         |                   |
| Jefferson Twp          | Richland Co    | OH             |                |         |                   |
| Great Lakes            | IL             |                |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |

## Share your genealogy

- Once the places have been listed correctly, click **Next**.

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be possible to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

**Importing GEDCOM File**

Imported file

Persons: 501 0  
Families: 195 0  
Sources: 217 0  
Media: 256 0

Events/Facts

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.  
Once it is imported, you can manage it in the Data tab in Heredis.

|      |            |                                  |
|------|------------|----------------------------------|
| COLO | COLO       | Fact                             |
| EYES | EYES       |                                  |
| HAIR | Hair color | Event<br>✓ Fact<br>Do not import |
| HEIG | HEIG       |                                  |

Previous Next Cancel Import

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.

If you don't know the data type, choose **Do not import** to avoid polluting your file with


## Create a new genealogy from a GEDCOM 7 file

unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

Once the tags are taken care of, click **Next**.

Click on the dropdown menu to choose how to handle given names in quotes. Choose whether or not to import sources and media.



Options


Process given names in quotes as:

Usual Given Name  
✓ Nickname

✓ Import Sources

✓ Import Pictures

Check the “**Assign a new source to**” box to add a source to the file data. Choose from the dropdown list which type of data you are adding the source to: All persons, All events, All persons and events, All persons, events, and facts.



✓ Import Pictures

✓ Assign a new source to

All persons  
All Events  
All Persons and Events  
✓ All Persons, Events, and Facts

Title: Aunty Vero's family tree

Repository: Vero

Document: Gedcom import

Specify a title for this source, the Repository (where the information is stored), and the Document.

The screenshot shows a form titled "Assign a new source to" with a checked checkbox. To the right is a dropdown menu showing "All Persons, Events, and Facts". Below this is a "Title:" label followed by a text box containing "Aunty Vero's family tree". Underneath the title box is a "Repository:" label followed by a text box containing "Vero". At the bottom is a "Document:" label followed by a text box containing "Gedcom import".

Click on **Import** to validate the opening of the file.

Let Heredis finish the import. A GEDCOM import can be more or less fast depending on the number of data to be processed but also the power and occupancy of your computer. Be patient and let your computer finish!

Heredis retrieves the data from the .gdz file and puts it in a new file in the Heredis format. The .gdz file remains on your computer.


## **(Windows) Creating a new genealogy from a GEDCOM 7 file**

*Important! Opening a GEDCOM file requires your full attention, do not just click on next, next, finish. It is important to take the time to read the different steps required by Heredis.*

Launch Heredis.

From the Home page, click on **Open a GEDCOM File** menu on the left.

## Create a new genealogy from a GEDCOM 7 file



Choose the location where the file is stored on your computer. Select it and click **Open**.

Name this new genealogy. If you wish to, click **Modify** button to change the default “save” location.


A dialog box titled 'Save your genealogy file' with a leaf icon and a '23' badge. It contains a section 'New family file' with the instruction 'Precise file name and location of your genealogy file'. Below this is a text input field with the label 'Give a name to your new genealogy:' and the text 'aunty\_vero'. Underneath is a 'File path:' label followed by the path 'C:\Users\helen\Documents\BSD Concept\Heredis\Heredis Files\' and a 'Modify' button. At the bottom are 'OK' and 'Cancel' buttons.

Heredis will detect whether it is a GEDCOM 7 or an older format.

Choose whether or not to import sources and media.

Click on the dropdown menu to choose how to handle given names in quotes.

## Share your genealogy



Import GEDCOM

**Gedcom import options**

...

Process given names in quotes as:

Usual Given Name

Import options:

☒ Import Sources

☒ Import Media


Back Next Done Cancel

Click **Next**.

Make sure that places are listed correctly.

If not, click on **Select appropriate places elements** and modify the line titles by clicking on the dropdown list at the beginning of the line. Choose the appropriate heading.

It will not be possible to modify this order once the file is open!



Import GEDCOM

**Gedcom import options**

Check and modify the different place fields.

☐ Automatically identify places

☒ Select appropriate place elements

|                |                     |               |               |           |
|----------------|---------------------|---------------|---------------|-----------|
| City           | Estavar             | Oum Teboul    | La Calle      | Achen     |
| Postal Code    | 66072               | 36020         | 36002         | 57412     |
| County         | Pyrénées-Orientales | Daira el Kala | Daira el Kala | Moselle   |
| State/Province | Occitanie           | El Tarf       | El Tarf       | Grand Est |
| Country        | FRANCE              | ALGÉRIE       | ALGÉRIE       | FRANCE    |
| Subdivision    |                     |               |               |           |

Back Next Done Cancel

- Once the places have been listed correctly, click **Next**.

## Create a new genealogy from a GEDCOM 7 file

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be possible to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

Import GEDCOM

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.

|      |            |  |
|------|------------|--|
| HEIG | HEIG       | Fact   |
| HAIR | Hair color | Fact<br>Event<br>Fact<br>Do not import<br>Fact |
| EYES | EYES       | Fact   |
| COLO | COLO       | Fact   |

Back Next Done Cancel

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.


If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.

Check the **"Assign a new source to"** box to add a source to the file data. Choose from the dropdown list which type of data you are adding the source to: All persons, All events, All persons and events, All persons, events, and facts.

## Share your genealogy



Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to


All Events  
All persons  
All Events  
All Persons and Events  
All Persons, Events and Facts

Repository:  
File: aunty\_vero.gdz

Document:  
Import GEDCOM file from 29 juillet 2022

Back Next Done Cancel

Specify a title for this source, the Repository (where the information is stored), and the Document.



Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to

All Persons, Events and Facts

Source

Title:  
Aunty Vero file

Repository:  
Vero

Document:  
Import GEDCOM file from 29 juillet 2022


Back Next Done Cancel

Click on **Done** to validate the opening of the file.

Heredis retrieves the data from the .gdz file and puts it in a new file in the Heredis format. The .gdz file remains on your computer.



## Create a new genealogy from a GEDCOM 7 file



Let Heredis finish the import. A GEDCOM import can be more or less fast depending on the number of data to be processed but also the power and occupancy of your computer. Be patient and let your computer finish!

The file will open once the import is completed.

# Import a GEDCOM 5.5.1 into an existing file

**Warning:** Any import into an existing file changes its structure. Consider before this type of operation to save a copy of your original file if necessary or back up the modified file under another name.

Importing a GEDCOM requires taking its time, don't validate too fast, you won't be able to make any changes after the import.


## (Windows) Importing a GEDCOM

From the file in which you want to import the GEDCOM file.

- Launch Heredis.
- Open your genealogy file.
- Choose **File > Import > GEDCOM file**.

A message will warn you that the process is irreversible; if you have not created a backup, we advise you to click on No and to create one beforehand.

- Select the file (it must carry a *.ged* extension to be recognized by Heredis), then click **Open**.
- Select it and click **Open**.
- Choose whether or not to import media and sources, and how to handle quote names.



Import GEDCOM

Gedcom import options

...

Import options:

- ☒ Import Media
- ☒ Import Sources

Process given names in quotes as:

Usual Given Name

Back Next Done Cancel

- Click **Next**
- You will probably have to check the places, not all software manages them in the same

## Import a GEDCOM 5.5.1 into an existing file

way. If you see a window like the one below, check the locations. Click **Select appropriate places elements** if the order does not match the data correctly. Click on the title of the column on the left to change the categories. (*Example: below, the line Postal Code should be County*)

Import GEDCOM

**Gedcom import options**  
Check and modify the different place fields.

☐ Automatically identify places  
☒ Select appropriate place elements

| City           | San Jose       | Palo Alto      | San Jose       | Bellville   |
|----------------|----------------|----------------|----------------|-------------|
| Postal Code    | Santa Clara Co | Santa Clara Co | Santa Clara Co | Richland Co |
| County         | CA             | CA             | CA             | OH          |
| State/Province |                |                |                |             |
| Country        |                |                |                |             |
| Subdivision    |                |                |                |             |

Back Next Done Cancel

- Once the places have been listed correctly, click **Next**.

Each software has its own way of managing certain data in the GEDCOM format. So there are Owner Tags that may be unknown to Heredis (see article What is a GEDCOM? (voir page 661) and GEDCOM tags generated by Heredis (voir page 717) for more details).

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be easy to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

## Share your genealogy

Import GEDCOM

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.

|      |            |       |
|------|------------|-------|
| HEIG | HEIG       | Fact  |
| HAIR | Hair color | Fact  |
| EYES | EYES       | Event |
| COLO | COLO       | Fact  |

Back Next Done Cancel

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.


Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.

If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.
- Check the **Assign a new source to** box and choose which data to add that source to you. Fill the fields out of the source if you want to assign one. By adding a common source to all the information from this GEDCOM, you'll know where you get your information from.

## Import a GEDCOM 5.5.1 into an existing file



Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to

All Persons, Events and Facts

Source

Title:


Repository:

File: Sample-file.ged

Document:

Import GEDCOM file from 28 juillet 2020

Back Next Done Cancel

- Click **Done** to validate the import with the settings you've indicated.
- After the GEDCOM data is imported, it is necessary to create the links that will link the imported persons to those that were already present in the main file. To do this, use the  **Add features**.

A GEDCOM **never contains media** because it is a text file format. On the other hand, the path and the name of the media are kept, so you can reintegrate them through the media index (if their name has not changed, Heredis will quickly reintegrate all of your media in a few clicks). See the article Media > Searching Media (voir page 163) for more details.

### (Mac) Importing a GEDCOM

From the file in which you want to import the GEDCOM file.

- Launch Heredis.
- Open your genealogy file.
- Choose **File > Import > GEDCOM file**.

A message will warn you that the process is irreversible; if you have not created a backup, we advise you to click on No and to create one beforehand.

- Select the file (it must carry a *.ged* extension to be recognized by Heredis), then click **Open**.
- Select it and click **Open**.
- You will probably have to check the places, not all software manages them in the same way. Click **Select Appropriate Place Elements** if the order does not match the data correctly. Click on the header of the column to be changed to change the categories. (Example: below, the line Postal Code should be County)

## Share your genealogy

Importing GEDCOM File

Imported file

Persons: 10 182 0

Families: 3 319 0

Sources: 701 0

Places

☐ Automatically Identify Places

☒ Select Appropriate Place Elements

| City                   | Postal Code    | County         | State/Province | Country | Place Subdivision |
|------------------------|----------------|----------------|----------------|---------|-------------------|
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Palo Alto              | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Bellville              | Richland Co    | OH             |                |         |                   |
| Jefferson Twp          | Richland Co    | OH             |                |         |                   |
| Great Lakes            | IL             |                |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| Salina                 | Saline Co      | KS             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |
| Oak Hill Memorial P... | San Jose       | Santa Clara Co | CA             |         |                   |
| San Jose               | Santa Clara Co | CA             |                |         |                   |

Previous Next Cancel Import

Each software has its own way of managing certain data in the GEDCOM format. So there are Owner Tags that may be unknown to Heredis (see article What is a GEDCOM? (voir page 661) and GEDCOM tags generated by Heredis (voir page 717) for more details).

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

It will not be easy to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.

You can choose whether or not to import unknown tags.

## Import a GEDCOM 5.5.1 into an existing file

**Importing GEDCOM File**

Imported file

Persons: 501 0  
Families: 195 0  
Sources: 217 0  
Media: 256 0

Events/Facts

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.  
Once it is imported, you can manage it in the Data tab in Heredis.

|      |            |                                  |
|------|------------|----------------------------------|
| COLO | COLO       | Fact                             |
| EYES | EYES       |                                  |
| HAIR | Hair color | Event<br>✓ Fact<br>Do not import |
| HEIG | HEIG       |                                  |

Previous Next Cancel Import

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.

If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.
- Choose whether or not to import media and sources, and how to handle quote names.
- Check the **Associate a Common Source** box and choose which data to add that source to you. Fill the fields out of the source if you want to assign one. By adding a common source to all the information from this GEDCOM, you'll know where you get your information from.

## Share your genealogy

Importing GEDCOM File

Imported file

Persons: 10 182

Families: 3 319

Sources: 701

Options

Process given names in quotes as: Nickname

☒ Import Pictures

☒ Import Sources

☐ Assign a new source to

All Events


Title:

Repository: [redacted] ged

Document: Gedcom import dated July 28, 2020

Progress

Previous Next Cancel Import

- Click **Launch import** to start importing. This may take more or less time depending on the size of the file to be imported.
- After the GEDCOM data is imported, it is necessary to create the links that will link the imported persons to those that were already present in the main file. To do this, use the  **Add** features.

A GEDCOM **never contains media** because it is a text file format. On the other hand, the path and the name of the media are retained, so you can reintegrate them through the media index (if their name has not changed, Heredis will quickly reintegrate all of your media in a few clicks). See the article Media > Searching Media (voir page 163) for more details.

You will then need to link the persons in your file to those in the imported file. You should also check for duplicates. See also (Windows) Permanent control for duplicates, (Mac) Permanent control for duplicates and Merging Two Persons. (voir page 285)



# Importing a GEDCOM 7 file to your existing genealogy

To understand what a GEDCOM file is and the different type of GEDCOM, read What is a GEDCOM? (voir page 661)

*Be careful! Heredis does not compare files, so importing a file into another one can generate many duplicates. Since this operation is irreversible, we advise you to make a copy of your file before the import. Thus, if the result does not suit you, you can delete the new genealogy and start again from the copy created before the import.*

See the article How to save your file (voir page 120).

## (Mac) Importing a GEDCOM 7 file to your existing genealogy


*Important! Opening a GEDCOM file requires your full attention, do not just click on next, next, finish. It is important to take the time to read the different steps required by Heredis.*

- Launch Heredis.
- Open your genealogy file.
- Click on the menu **File > Import > GEDCOM File**.

A message will warn you that the process is irreversible; if you have not created a backup, we advise you to click on **No** and to create one beforehand.

- Choose the location where the .gdz file is stored on your computer.
- Select it and click **Open**.

## Share your genealogy



Heredis will detect whether it is a GEDCOM 7 or an older format.

Make sure that places are listed correctly.

If not, click on **Select appropriate places elements** and modify the line titles by clicking on the dropdown list at the beginning of the line. Choose the appropriate heading.

**It will not be possible to modify this order once the file is open!**

## Importing a GEDCOM 7 file to your existing genealogy

### Importing GEDCOM File

Imported file

Aunty-Vero.gdz

Persons: 496

Families: 193

Sources: 199

Media: 241

Places

☐ Automatically Identify Places

☒ Select Appropriate Place Elements

| City                   | Postal Code | County              | State/Province      | Country   | Place Subdivi... |
|------------------------|-------------|---------------------|---------------------|-----------|------------------|
| Postal Code            | 66072       | Pyrénées-Orienta... | Occitanie           | FRANCE    |                  |
| County                 | 36020       | Daïra el Kala       | El Tarf             | ALGÉRIE   |                  |
| State/Province         | 36002       | Daïra el Kala       | El Tarf             | ALGÉRIE   |                  |
| Country                | 57412       | Moselle             | Grand Est           | FRANCE    |                  |
| Place Subdivision      | 57412       | Moselle             | Grand Est           | FRANCE    |                  |
| Ignore                 | Ain Draham  | Jendouba            | TUNISIE             |           |                  |
|                        | 77694       | Ortenaukreis        | Bade-Wurtemberg     | ALLEMAGNE |                  |
|                        | 91100       | Trapani             | Sicile              | ITALIE    |                  |
| Tunis                  |             | Tunis               | TUNISIE             |           |                  |
| Tunis                  | Tunis       | TUNISIE             | rue de la Commis... |           |                  |
| Béning-lès-Saint-Av... | 57800       | Moselle             | Grand Est           | FRANCE    |                  |
| Béning-lès-Saint-Av... | 57800       | Moselle             | Grand Est           | FRANCE    |                  |
| La Llagonne            | 66210       | Pyrénées-Orienta... | Occitanie           | FRANCE    |                  |
| Madegney               | 88450       | Vosges              | Grand Est           | FRANCE    |                  |
| Regney                 | 88450       | Vosges              | Grand Est           | FRANCE    |                  |

Previous

Next

Cancel

Import

Once the places have been listed correctly, click **Next**.

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

**It will not be easy to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.**

You can choose whether or not to import unknown tags.

## Share your genealogy

### Importing GEDCOM File

Imported file

Persons: 501

Families: 195

Sources: 217

Media: 256

0

0

0

0

Events/Facts

There is some unknown data in the Gedcom file.  
You can either transform it into events, store it in facts or discard it.  
Once it is imported, you can manage it in the Data tab in Heredis.

|      |            |                                  |
|------|------------|----------------------------------|
| COLO | COLO       | Fact                             |
| EYES | EYES       |                                  |
| HAIR | Hair color | Event<br>✓ Fact<br>Do not import |
| HEIG | HEIG       |                                  |
|      |            |                                  |
|      |            |                                  |
|      |            |                                  |
|      |            |                                  |
|      |            |                                  |

Previous

Next

Cancel

Import

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.

If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.
- Click on the dropdown menu to choose how to handle given names in quotes.
- Choose whether or not to import sources and media.

710

## Importing a GEDCOM 7 file to your existing genealogy

Options

Process given names in quotes as:

Usual Given Name

✓ Nickname

☒ Import Sources

☒ Import Pictures

Check the “**Assign a new source to**” box to add a source to the file data. Choose from the dropdown list which type of data you are adding the source to: All persons, All events, All persons and events, All persons, events, and facts.

☒ Import Pictures

☒ Assign a new source to

All persons

All Events

All Persons and Events

✓ All Persons, Events, and Facts

Title:

Repository:

Document:

Specify a title for this source, the Repository (where the information is stored), and the Document.

☒ Assign a new source to

All Persons, Events, and Facts

Title:

Repository:

Document:

- Click on **Import** to validate the opening of the file.

Let Heredis finish the import. A GEDCOM import can be more or less fast depending on the number of data to be processed but also the power and occupancy of your computer. Be patient and let your computer finish!

Heredis retrieves the data from the .gdz file and puts it in a new file in the Heredis format. The .gdz file remains on your computer.

Once the import is complete, consider linking the persons linking your file to the one you imported. Also check if there are duplicates. See the article Find duplicates (voir page 279).

## **(Windows) Importing a GEDCOM 7 file to your existing genealogy**

*Important! Opening a GEDCOM file requires your full attention, do not just click on next, next, finish. It is important to take the time to read the different steps required by Heredis.*

- Launch Heredis.
- Open your genealogy file.
- Click on the menu **File > Import > GEDCOM File**.

A message will warn you that the process is irreversible; if you have not created a backup, we advise you to click on No and to create one beforehand.

- Choose the location where the file is stored on your computer.
- Select it and click **Open**.

Heredis will detect whether it is a GEDCOM 7 or an older format.

- Click on the dropdown menu to choose how to handle given names in quotes.
- Choose whether or not to import sources and media.

## Importing a GEDCOM 7 file to your existing genealogy

Import GEDCOM

**Gedcom import options**

...

Process given names in quotes as:

Usual Given Name

Import options:

☒ Import Sources

☒ Import Media

Back Next Done Cancel

- Click **Next**.
- Make sure that places are listed correctly. If not, click on **Select appropriate places elements** and modify the line titles by clicking on the dropdown list at the beginning of the line. Choose the appropriate heading.

It will not be possible to modify this order once the file is open!

Import GEDCOM

**Gedcom import options**

Check and modify the different place fields.

☐ Automatically identify places

☒ Select appropriate place elements

|                |                     |               |               |           |
|----------------|---------------------|---------------|---------------|-----------|
| City           | Estavar             | Oum Teboul    | La Calle      | Achen     |
| Postal Code    | 66072               | 36020         | 36002         | 57412     |
| County         | Pyrénées-Orientales | Daira el Kala | Daira el Kala | Moselle   |
| State/Province | Occitanie           | El Tarf       | El Tarf       | Grand Est |
| Country        | FRANCE              | ALGÉRIE       | ALGÉRIE       | FRANCE    |
| Subdivision    |                     |               |               |           |

Back Next Done Cancel


- Once the places have been listed correctly, click **Next**.

Each program has its own GEDCOM tags to indicate non-standard data. See the articles [What is a GEDCOM file?](#) (voir page 661) and [GEDCOM tags generated by Heredis](#) (voir page 717) for more information on the subject.

If Heredis does not understand a tag, then a window will open and ask you to handle this information yourself.

**It will not be easy to modify it once the file is opened! Hence the importance to take the time to go through this process carefully.**

You can choose whether or not to import unknown tags.



| Tag  | Value      | Type |
|------|------------|------|
| HEIG | HEIG       | Fact |
| HAIR | Hair color | Fact |
| EYES | EYES       | Fact |
| COLO | COLO       | Fact |

If you know the type of data indicated, click in the white box and modify the tag by indicating the title. For example, you know that the HAIR tag used by the software that created the GEDCOM corresponds to hair color. Click in the white box, delete HAIR and enter Hair color.

Click on the drop-down list and choose where you'd like to see this item: event or fact item. In our example, hair color is a fact item.

If you don't know the data type, choose **Do not import** to avoid polluting your file with unknown elements.

Consult the user's manual of the software that created the GEDCOM file to figure out what the "unidentified" tags refer to.

- Once the tags are taken care of, click **Next**.
- Check the **"Assign a new source to"** box to add a source to the file data. Choose from the dropdown list which type of data you are adding the source to: All persons, All events, All persons and events, All persons, events, and facts.



## Importing a GEDCOM 7 file to your existing genealogy

Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to

All Events  
All persons  
All Events  
All Persons and Events  
All Persons, Events and Facts

Repository:  
File: aunty\_vero.gdz

Document:  
Import GEDCOM file from 29 juillet 2022

Back Next Done Cancel

Specify a title for this source, the Repository (where the information is stored), and the Document.

Import GEDCOM

**Gedcom import options**  
Assign a source to each imported data

☒ Assign a new source to

All Persons, Events and Facts

Source

Title:  
Aunty Vero file

Repository:  
Vero


Document:  
Import GEDCOM file from 29 juillet 2022

Back Next Done Cancel

- Click on **Done** to validate the opening of the file.

Heredis retrieves the data from the .gdz file and puts it in a new file in the Heredis format. The .gdz file remains on your computer.

## Share your genealogy



Let Heredis finish the import. A GEDCOM import can be more or less fast depending on the number of data to be processed but also the power and occupancy of your computer. Be patient and let your computer finish!

Once the import is complete, consider linking the persons linking your file to the one you imported. Also check if there are duplicates. See the article Find duplicates (voir page 279).

# GEDCOM tags generated by Heredis

## Some owner tags of Heredis

Each software tags the data as it pleases them (minor events, facts...), these tags are called Owner Tags and can be very different according to the software used to create the GEDCOM file. So some software might not be able to read the data.

Here are some owner tags you might find if you create a GEDCOM with Heredis.

- \_ARCH = Archiving the Source
- \_CLS = Person without descendants
- \_DATE = Date (of anything that is not standardized such as media dates etc.)
- \_EVID = Quality of the proof
- \_FIL = Child Status
- \_FNF = Father not find, untraceable (from Heredis 2021)
- \_FNA = Search Status of an event
- \_FSFTID = FamilySearch Identification Number
- \_GUID = File ID
- \_INFO = Quality of the information
- \_MNF = Mother not find, untraceable (from Heredis 2021)
- \_PRIM = Defined if the media is primary
- \_QUAL = Quality of completed citations
- \_QUAL.\_SOUR = Quality of the source
- \_QUAL.\_INFO = Quality of the information
- \_QUAL.\_EVID = Quality of proof
- \_RECH = Search Data of event
- \_RECH.\_PROJ = Search Data Project
- \_RECH.TYPE = Search Document type of Search Data tab
- \_RECH.PLAC = Search Place of Search Data tab
- \_RECH.DATE = Search date of Search Data tab
- \_RECH.REFN = Search data call number
- \_RECH.WWW = Search data website field
- \_RECH.NOTE = Research note
- \_SEC = Secondary person
- \_SHAR = Link for shared events
- \_SOUR = Quality of the source
- \_SUBMAP = Geolocation of subdivisions
- \_ULS = Unmarried person
- \_UST = Union type

This is a non-exhaustive list.

See also What is a GEDCOM file? (voir page 661)

# Share a Heredis file with another device (computer, tablet, smartphone)

If you have Heredis for Windows or Mac, it is preferable to import a file in Heredis format rather than a GEDCOM.

## Share a file from a Windows or Mac computer

### File in Heredis format.

There are several methods.

- Send via the cloud, see Preparing to transmit (voir page 720)
- Send by e-mail, see the article Prepare to transmit (voir page 720)
- Send via the local network (your private internet connection), see Share on the local network.
- If your device has a USB port, you can use USB synchronization. See the Sync via USB article for more details.

### File in GEDCOM format

To export the file in GEDCOM format, see What is a GEDCOM (voir page 661), Export a complete file in GEDCOM format (voir page 664) or Export a branch in GEDCOM format (voir page 672).

Send the file either by e-mail, attaching the GEDCOM file to the message.

On your remote device, download the attachment.

Press on the file to open it.

Click on the button to choose the application for opening the file (this step depends on the device and OS – please refer to your device manual if necessary). Choose Heredis. The file will be converted to Heredis format.

## Share a file from Heredis Android

There are several ways to send your file from the Heredis Android application to Heredis Windows, Mac, Android or iOS.

The Android version only exports files in Heredis .hmvz format.

- Send via the local network (your private internet connection), see Share on the local network (voir page 722).
- Send a genealogy file in Heredis format by email, see the article Export a Heredis genealogy from Heredis Android (voir page 830)

## **Send a file from Heredis iOS**

There are several ways to send your file from the Heredis Android application to Heredis Windows, Mac, Android or iOS.

### **File in Heredis format**

Useful for transmitting files from your tablet or smartphone to be opened with Heredis – same version number on computer, tablet or smartphone.

- To send via the local network (your private internet connection), see Share on local network (voir page 722).
- To send by email, see the article Export a Heredis genealogy from Heredis iOS. (voir page 805)

### **File in GEDCOM format**

Useful for transmitting files from your tablet or smartphone to be opened with other software. Export the file in GEDCOM format from Heredis iOS, see the article Export a GEDCOM from Heredis iOS (voir page 809).

Send the file by e-mail to the recipient. To do this, open your mailbox (Gmail, Hotmail, Apple, etc.) from your iOS device.


Write your e-mail, include the recipient's e-mail address and attach the .ged file.

# Prepare to transmit

Use the “Prepare to transmit” function to transfer your genealogy from your computer to your tablet or smartphone.

- Launch Heredis.
- Open the file to be transmitted.
- Click on **File > Prepare to transmit**.

A window informs you that a compressed file is about to be created. By default, the file is sent without media. You can uncheck the box to set the media.



**Note:** Your media make the file heavier. If it's too heavy, it may be difficult to send.

Click **Yes** to start preparation. If you click on **No**, preparation will be cancelled.

By default, Heredis creates the file in the same folder as your usual file.

The file created to send has the extension .hwmz  
hwm being the usual Heredis format, the z is added to specify that this is a compressed version.

## Send this file to your tablet or smartphone

### By email

If your .hwmz file is less than 10 MB in size, you can send it as an e-mail attachment.

- Open your mailbox, write an e-mail with .hwmz attached.
- From your phone or tablet, open your e-mail.
- Download the attachment and place the file on the device, NOT in a cloud.

The procedure for opening the file depends on the device, on the system and system version. Contact the support of your device for further information.

Usually:

## Prepare to transmit

- Press on the file.
- Press the button to select the file opening application.  
On **iPad**, the button takes the form of a vertical rectangle with an upward arrow.  
Choose Heredis.
- On **Android**, after downloading the file, launch Heredis, click on **Import a Heredis File** from main menu (not in the file) and select the downloaded file. It's usually in the download folder of your mobile device.

The file will decompress and open. This may take several minutes, depending on the size of the file.


## With a cloud

- Place this .hmwz file in a cloud (Google Drive, OneDrive, iCloud, Dropbox etc.).
- From your mobile device, connect to your cloud.
- Download the .hmwz file and place it **in the device**. Handling depends on the cloud.  
Ask your chosen cloud support for more information.
- Finally, press on the file and click on the button to choose the application for opening the file.  
On **iPad**, the button takes the form of a vertical rectangle with an upward arrow.  
Choose Heredis.  
On **Android**, after downloading the file, launch Heredis, click on **Import a Heredis File** from main menu (not in the file) and select the downloaded file. It's usually in the download folder of your mobile device.

The file will decompress and open. This may take several minutes, depending on the size of the file.

# Share on the local network

To share the open genealogy in Heredis, select the **File** menu > **Share on the local network**

or click the **Share** button in the  toolbar, if you've put it. Check out the [Customize Heredis](#) article to learn more about customizing the toolbar.

This tool allows you to have your file on multiple remote devices (computer, tablet or phone).

## Requirements for sharing

- Make sure you have 2 compatible versions of Heredis. For a connection between 2 computers, you must have the same version of Heredis on both computers. On your phone or tablet, you need the Heredis app for Android or iOS.

Beware, for versions prior to Heredis 2020, you need the iOS or Android Heredis app without a version number. Since Heredis 2020, each version of Heredis now has its own app. When you change versions, consider downloading the similar version for iOS or Android.

- Make sure your computer and/or Internet box firewall or anti-virus allows Heredis to access your private network.
- Open Heredis on both devices.
- Turn off 3 or 4G on your phone or tablet. Sharing is done via WiFi only.

## Share your file for the first time

Heredis opens a sharing window and displays the list of devices connected to your local network and on which the software is launched.


If the open genealogy has never been shared, choose a device available from the proposed list and then click **Share** to link the genealogy with the chosen device. The remote device then receives a sharing request.

**Note:** The remote device must have double the volume of the transferred file. Be sure to turn off your device's automatic sleep.


*(Windows) Share on local network window*



## Share on the local network



*(Mac) Share on local network window*



On the remote device, Heredis asks you for permission to receive the file. When you click the button (Windows) **Yes**, (Mac) **Accept**, Heredis copies, on the remote device, all the data of the open genealogy as well as the media.

Your genealogy is now linked to two devices, such as your desktop computer and your laptop or your phone.

### Share your file again after changes when the link is already made

From Heredis on your laptop or phone or tablet, make changes and save new data in your genealogy.


Then open this genealogy on all your devices with this shared file.

## Share your genealogy

If you're connected to the local private network, Heredis automatically alerts you that a newer version of your file is available on the device from which you made changes and which is connected to your local network. In this window, the key info in the remote file is displayed (change dates, number of individuals, last modified individuals) and you can compare them with those of the open file.


If you click the **Receive** button, Heredis updates the genealogy with the data entered or changed. Only genealogical data or media that have been modified, or added will be transmitted.

### *(Windows) Receive changes*



### *(Mac) Receive changes*

## Share on the local network



**Warning:** Remember to update your devices before making any changes. If you've made changes to your phone without updating your file on your computer, and then make changes to the computer, Heredis will only keep the latest information in chronological order. So you'll lose the modified data on the phone.

Heredis will always offer you the latest file. If you agree to receive it, changes made to the least recent file will be lost.

If you no longer want to share your file with a remote device:  
From the **File** menu > **Share on local network**, select the device.  
Click the **Don't Share** button.

The device in question will no longer receive notifications regarding updates to this genealogy. You can reactivate this sharing at any time by clicking the **Share** button **again**.

**Info** – For the information to be shared, the genealogy file must be recorded.

### A problem with sharing?

Share on the local network no longer works:

- Make sure your firewall and/or antivirus doesn't block Heredis. On Windows, there is a built-in firewall, so it may duplicate if you have one in your anti-virus. Also check the firewall of your Internet box.
- Make sure you have 2 similar versions of Heredis. For example, Heredis 2020 for Windows communicates with Heredis 2020 for Mac, iOS or Android only.
- Are you on Windows? Check out the article (Windows) Heredis cannot detect my

Share your genealogy

remote devices – I am getting Bonjour messages.

# Sync via USB

## What for?


Heading back to your country home? Synchronize your genealogy on a USB device, then connect it to your stationary computer in the country. You'll be able to update your file instantly. Before you leave, synchronize your computer with the USB device and pick up your weekend's work as soon as you get home.

**Note:** If you don't have a WiFi network, or don't have your devices on the same premises, you can synchronize your genealogy by connecting a removable volume (USB key or external hard drive).

Sync via USB also makes it easier to switch from Mac to Windows via USB key or external hard drive.


## Operation

### First synchronization

Click on the  button in the toolbar or in the **File** menu choose **Sync via USB...**  
In the synchronization window, select the volume you have connected and click on **Send**.


*(Windows) Synchronization window*

## Share your genealogy



*(Mac) Synchronization window*

## Sync via USB



When synchronization is complete, eject the USB device.

To transfer to another computer, plug the USB device into it.

Launch Heredis. a message informs you that an unknown file is present on the USB key or external hard drive and asks whether you wish to synchronize it or not.

Click **Yes** to agree to receive this file.


### Next applications

Next time, plug in the USB device and launch Heredis.


Work on one of the computers.

When you exit Heredis, you will be asked whether or not you wish to synchronize the USB device.

Click **Yes** to accept and update this file.



Finally, to update the second computer, plug in the USB device. Launch Heredis and open the file on your computer. A message informs you that a more recent version of the file is available on the USB device.



Click **Yes** to update the file and avoid losing your data.

If you clicked on **No**. Open the file. Click on the **File** menu > **Sync via USB**. In the synchronization window, select the device you've connected, check the synchronization direction and then click on **Receive** or **Send**, depending on the synchronization direction you've chosen. **Once synchronized, you can't go back!**



# Send my genealogy to a family member or friend

To send your genealogy to a family member or friend, you need to choose the format.

You can send him

- a **document**, consult the articles Create and edit a book (voir page 478) or Create and edit sheets (voir page 498), depending on the document you wish to create.
- for a **graphic representation**, please consult the articles
  - Mac or Windows illustrated trees
  - unlimited tree sizes for Mac or Windows (voir page 616)
  - ancestors (voir page 571), descendants (voir page 579) or mixed (voir page 590) wheels
  - etc.
- **your entire file**
  - if the recipient uses the same version of Heredis as you, send him/her a Heredis format file. See the article Export a complete file in Heredis format (voir page 648).
  - if the recipient uses an different software or an earlier version of Heredis than yours, send him/her a GEDCOM format file, see the article Export a complete file in GEDCOM format (voir page 664).
- **part of your file**
  - if the recipient uses the same version of Heredis as you, send him/her a Heredis format file. See the article Export a branch in Heredis format (voir page 653).
  - if the recipient uses a different software or a version of Heredis older than yours, send him/her a GEDCOM format file. See the article Export a branch in GEDCOM format (voir page 672).

# Heredis Online

## What is Heredis Online?

Heredis Online gathers all data published by Heredis users. It can be consulted freely, anywhere in the world, from an internet browser.

## What is Heredis Online for?

With Heredis Online publish your genealogy easily and free of charge to share with family members or other genealogists around the world.

For more details, see also: Publishing with Heredis Online (voir page 742), Manage your Heredis Online account (voir page 733), Browse a Heredis Online tree (voir page 758), Search on Heredis Online (voir page 769), Change theme or language in Heredis Online (voir page 739).

## Requirements to view the Heredis Online website

Heredis Online is optimized for Chrome/Firefox/Edge/Safari browsers => current version  
Heredis Online is optimized for Heredis' software from Heredis 2022 version.

If you have display problems, check that you have a compatible browser and make sure it is up-to-date.

# Manage or create your Heredis Online account

Heredis Online is a free online service that allows you to search through the millions of online data of Heredis Online from your software (from the Search Wizard (voir page 306)).


It also allows you to publish your genealogy on Heredis Online's servers for free.

From the home page of the software, go directly to your Heredis Online account. You can then manage your account, set up the confidentiality of your online tree, access it ...


Once logged into your account (this is the same one that allowed you to buy Heredis), you can manage it from your Heredis software. Once your file, open on Heredis, you'll be able to publish.



*Heredis Online*



*Heredis Online Homepage*



The screenshot shows the Heredis website's login and registration interface. On the left, under the 'Sign in' heading, there are input fields for 'Email address or username' and 'Password', followed by a 'SIGN IN' button. A link for 'Forgot your password?' is located below the password field. On the right, under the 'Create a free account' heading, there is a description 'Share your family tree with your family and friends' and a 'CREATE AN ACCOUNT' button. The Heredis logo is in the top left corner.


## Create a Heredis Online account


### Have you bought a Heredis product?

If you have the Heredis software on Heredis'Shop, you must have an account. The ID corresponds to the email address you bought Heredis with. If you forgot the password, click on **Forgot your password?** You will receive an email to reset it. This reset email is valid only once. Don't try to click more than once on the reset button. Remember to check your spam box if you don't see it in the inbox.

### You have a trial version limited to 50 persons?

In this case, you do not have an account, if you want to publish, you must create one before publishing your genealogy.

1. Choose the **File** menu > **Heredis Online** > **Manage my account** or click the Heredis Online  button on the toolbar.
2. Click the **Create Account** button.
3. Enter your email address, username, password. Fill in the credentials and consult the conditions of use of the Heredis Online site then check the box to validate the general conditions of use (you can read them by clicking on the link). Check the box "I want to receive Heredis newsletters" if you wish to receive our newsletters.




The screenshot shows a dark-themed modal window for creating a free account. At the top right is a close button (X). The title is "Create your free account". Below it is the section "Personal information". The form includes input fields for "Email address", "Name", "First names", "Username", "Password", and "Password confirmation". There is a link "[See your rights for your personal data.](#)". Two checkboxes are present: "I want to receive Heredis newsletters" and "I have read and accept the [Terms and Conditions of Use](#)". At the bottom right are "CANCEL" and "OK" buttons.

4. Click **OK**.

5. You must validate your email address. An email is sent to you to verify your email address. Check your emails (remember to check in spam or junk mail if necessary). Click the button inside the email to validate your address. Your account is created! You can now publish.


6. Proceed as before by clicking on Heredis Online in the Heredis software and log in.

Then, once in a Heredis file, click the  **Publish** button.

You want to view a publication but don't have Heredis products?


If your family members want to view your online tree, they need to create an account. It is free and mandatory for a security issue.

1. Go to [online.heredis.com/en](https://online.heredis.com/en)
2. Click **Register/Log In**
3. Click **Create Account**.



The image shows the Heredis website's login and registration interface. At the top left is the Heredis logo, which consists of a stylized leaf icon followed by the word "heredis". Below the logo, there are two main sections. The left section is titled "Sign in" and contains two input fields: "Email address or username" and "Password". Below these fields is a "SIGN IN" button. A link "Forgot your password?" is located below the "SIGN IN" button. The right section is titled "Create a free account" and contains the text "Share your family tree with your family and friends". Below this text is a "CREATE AN ACCOUNT" button.

4. Enter your email address, username, password. Fill in the credentials and consult the conditions of use of the Heredis Online site then check the box to validate the general conditions of use (you can read them by clicking on the link). Check the box "I want to receive Heredis newsletters" if you wish to receive our newsletters.



×

Create your free account

Personal information

Email address

Name

First names

Username

Password

Password confirmation

[See your rights for your personal data.](#)

☐ I want to receive Heredis newsletters

☐ I have read and accept the [Terms and Conditions of Use](#)

CANCEL OK

5. Click **OK**. You must validate your email address. An email is sent to you to verify your email address. Check your emails (remember to check in spam or junk mail if necessary). Click the button to validate your address. Your account is created!


6. Go back to the online tree you want to view and log in.

## Manage account information

From the Heredis software:

- Click the Heredis Online  button.
- Identify yourself by filling in your email address and password.
- Click the **Account** tab to access the account information.

## Share your genealogy



The screenshot shows the Heredis website interface. At the top left is the Heredis logo. At the top right, there is a search icon, a user profile icon labeled 'Helene', and a dropdown arrow. Below the logo, there are two tabs: 'ACCOUNT' (highlighted with a red box) and 'FILES'. The 'Personal information' section is visible, containing the following fields: 'Email address' (with the text '@heredis.com'), 'Name', 'D...', 'First name', 'H...', 'Username', and 'Pn'. Below these fields is a checkbox labeled 'I want to receive Heredis newsletters'. At the bottom right of the form is an 'EDIT' button.

The account management window allows you to change your login information, email address, name, first name, username. It also allows you to subscribe or unsubscribe from Heredis newsletters.

- Click the **Edit** buttons to be able to edit your personal data.






# Change theme or language in Heredis Online

## Change theme


White and bright colors are aggressive to the eye, your eyes force and get tired faster. That's why with the new Heredis Online we have provided a night mode by default.

However, this mode may not be suitable for you either. So you have the option to change and switch to day mode.

From the [online.heredis.com/en](https://online.heredis.com/en) site or from the Heredis software, after clicking on the **Heredis**


**Online** button  or  or  and **Manage my account** from the toolbar, log in to your Heredis account.

Once logged in, click on your name at the top right. Choose **Preferences** from the drop-down menu.




Click on the theme's drop-down menu and choose from the proposed themes.

## Share your genealogy



Close the window by clicking on the cross.




### Day Mode



## Change language


Prefer to see your site in French or German? This setting can be done by a member of your family directly in their browser. You don't need to change your online tree for this. Heredis Online recognizes the language of the account. If you have an English account, Heredis Online trees will appear in English. If a member of your family has a German or French account, then Heredis Online will be displayed in German or French, even if the online tree was made in English.

From the [online.heredis.com/en](https://online.heredis.com/en) site or from the Heredis software, after clicking on the **Heredis**


**Online**  or  or  and **Manage my account** button from the toolbar, log in to your Heredis account. Once logged in, click on your name at the top right. Choose

## Change theme or language in Heredis Online

**Preferences** from the drop-down menu.



Click the language drop-down menu. Choose the language that suits you from the proposals.



The Heredis software only exists in French, English and German, which is why the other languages are not available.


Close the window by clicking on the cross.


# Publish with Heredis Online

Publishing on Heredis Online allows you to create a website highlighting your searches. You can share it with all genealogists or only with your family members by adding a password.


## Publish on Heredis Online


Open your Heredis software and choose the genealogy you want to publish. Click the **Heredis Online** button in the toolbar of Heredis (optimized for Heredis 2021 and above).

If you are not logged in, the icon is gray and blue .

If you are logged in, the icon is blue and gold .

Log in to your Heredis account (this is the same one that allowed you to purchase the software) by clicking on the Heredis Online icon.




Click  **Publish** to publish your file to Heredis Online.

Set up the **Privacy** options.

×

Publication settings for "Sample\_File\_intern\_H22"

Contemporaries

Consider persons born less than 120  years ago as contemporaries, and:

☐ Show all their data

☒ Only show their surname and given names

☐ Don't show them

Other data

☐ Show private or confidential elements (persons, events, notes, ...)

☒ Show all notes

☒ Show all sources

Show photos High quality (Heredis 2018 at least) ▾

☒ Protect this publication with a password Test

☒ I would like this genealogy to appear in Heredis Online searches

CANCEL

OK

**Reminder:** The legislation prohibits the publication of personal data less than 120 years in most countries, sometimes less.

## Set up contemporaries

In the **Contemporaries** section, indicate to **Consider persons born less than 120 years ago** as contemporaries.

You can choose to show all or part of the data or don't show them.  
If your publication is not privatized, we advise you not to show them.

Important! This setting is valid on persons with a birthdate. If your close cousins do not have birthdates, their data may be displayed.

**Contemporaries**

Consider persons born less than 120 years ago as contemporaries, and:

☐ Show all their data

☒ Only show their surname and given names

☐ Don't show them

In this case, use the 🗑️ “Confidential” tag in the Heredis **Personal Data** to make the persons concerned confidential. If you have a lot to label as confidential, use Smart Search. Check out Smart Search (voir page 318) article for more details.

## Set up other data

In the **Other data** section, choose

- **Show private or confidential elements:** everywhere in Heredis, you have ticked “Private” boxes, for an event, a media, a source, a note...  
If you check the box “Show private or confidential elements”, this data will be public and in full view.  
If you uncheck it, all data that has the “Private” box checked, or all persons that have the Confidential tag checked, will be hidden. No one will see this data except you.
- **Show all notes:** if the box is checked, all your notes (except the private ones if you unchecked the previous category) will be published and visible to all.
- **Show all sources:** If the box is checked, all your sources (except the private ones if you have unchecked the private or confidential items category) will be published and visible to all. The sources allow you to validate your work, they allow other genealogists to find the original document.
- **Show photos:** choose between **Do not show**, **Thumbnail size**, or **High quality (from Heredis 2018)**.  
If your photos have the Private box checked in Heredis and you have unchecked the Private or Confidential elements category, the photos will not appear.

Other data

☐ Show private or confidential elements (persons, events, notes, ...)

☒ Show all notes

☒ Show all sources

Show photos High quality (Heredis 2018 at least) ▼

☐ Protect this publication with a password \_\_\_\_\_

☒ I would like this genealogy to appear in Heredis Online searches

Protect your online tree with a password. So you can display all the information on your online tree. Only people with the password will be able to access your online tree. It's up to you to regulate who accesses or not your online tree.

Select the checkbox and enter the password in the empty field that appears.

The option "I would like this genealogy to appear in Heredis Online searches" allows you to really privatize your site. Only people with your online tree URL address and password will be able to access it. If the box is checked, other genealogists will be able to know that you have information about a person they are looking for, but if there is a password to your online tree, they will not be able to access it without having the password.


## Publication of your Online Tree

Once everything is set up, click **OK**.


The progress wheel indicates the pace of publication of your online tree. When the transfer is complete, click the file to open it. Your genealogy website is online!

Heredis Online creates for you a free hosted website to present your genealogy. In a few clicks you will get a pleasant site to consult by the whole family. **You remain the owner of your data.** You can therefore manage your Heredis Online account directly in your software or in your Internet browser. Change the view of your online genealogy by clicking the burger button below the file, delete it, or set privacy differently.


## Share your genealogy



You can make sure the confidentiality of your online tree is well set by using the Visitor Mode.



Visitor mode opens a new tab on your browser. Close this tab to get back to your online family tree owner view. The procedure to close a tab might vary from a browser to another.






## Share your online family tree

Share your online family tree with family members by sending them the URL address of your personal website.

For that, select the URL address and make a right click on your mouse and choose copy to copy the address.



Open your mail box. Create a new message and make a right click with the mouse to paste the URL address.

Don't forget to give your family members the password if you privatized your online family tree.

Members of your family will have to create a free Heredis account in order to consult your online family tree. If they have one, they'll have to connect to their account. See Manage your Heredis Online (voir page 733) account for all details.

## Delete or modify the confidentiality of your family online tree

You can delete anytime your online family tree or modify the setting of your online family tree from dashboard by clicking on the burger button.

## Share your genealogy




To learn more, see the articles [Heredis Online](#) (voir page 732), [Manage your Heredis Online account](#) (voir page 733), [Search on Heredis Online](#) (voir page 769), [Change theme or language in Heredis Online](#) (voir page 739), [Browse a Heredis Online tree](#) (voir page 758).


# How to present your genealogy on Heredis Online?

You can add a presentation to a genealogy you have published on Heredis Online.

- Publish your genealogy following the instructions detailed in the article Publish with Heredis Online (voir page 742).
- If you have already published it, there is no need to do it again.
- From Heredis, click the **Heredis Online “Manage My account”** button (or in the pulldown menu select **File > Heredis Online > Manage my account**).
- Click on the thumbnail (the rectangle with the genealogy information) of the published file.



- To write a presentation, a description of your genealogy, click on the icon located to the right of the genealogy title.



- In the open window, type in the descriptive text of your choice.

×

### Presentation of the genealogy

Text


This website is an example, all data is wrong


---

CANCEL

OK

- Click **OK** to finish and to validate the text you have just typed in.

You can modify your presentation text at any time by clicking on the button .

To delete a presentation, edit the text by clicking on the  button, delete the text using the delete key on your keyboard, and validate by clicking **OK**.


# High quality photos on Heredis Online

When you first log in to your Heredis Online account, from Heredis 2018 or higher, a message informs you that your photos are displayed in high quality in your online trees on Heredis Online. Check the box before validating if you want to view your photos on Heredis Online.

(Mac)




(Windows)




In the Media Index, the **Sent**, **Not sent**, and media status filters displayed on the **Information** tab on Mac and in the **summary** on Windows, allow you to list media that is online or not.

*(Windows) Media Index / Filter Sent or Not sent media*

## Share your genealogy



*(Mac) Media Index / Filter Sent or Not sent media*




Each media of an online tree on Heredis Online has a status that allows you to clearly identify its status: File is online / File is too large / File error / File waiting to be sent / Unauthorized file format / Missing file / File being sent / Unverified file.

**(Windows)** This status is visible in the media summary that appears in the media index.

**(Mac)** The media status is available in the Media Information tab in the Media Index.

*Media Status on Heredis Windows*


## Share your genealogy



*Media Status on Heredis Mac*



## High quality photos on Heredis Online



### Notes:



- From the software preferences, **(Windows) Tools menu > Preferences > Heredis Preferences > Advanced; (Mac) Heredis 20xx > Preferences > Advanced** you can choose whether or not to send your media.

You can also modulate the sending of these media in relation to your internet connection. By default, the sending is based on an ADSL connection used at 50%. These settings can be modified and customized at any time, however they will only take effect after restarting your software.

- From your Heredis Online account:

You can choose how to display your media in a online tree, click the burger button at the bottom right below the online tree file (see screenshot below) and then click **Configure**, section **View photos**, select the option that suits you.

## Share your genealogy



• From the media index, check if your media has been sent. Filter on **Not sent** media, select a media, and view the sending status in the **summary (Windows)** or the **Information** tab (**Mac**) of each media. If you find that the sending process is blocked and some media retains as a status “File in error” or “File not verified”, you can force their return by clicking, from the media index, on (Windows) **Tools**; (**Mac**) the cogwheel and then selecting the option **Reset sending of online media**. You must leave and then restart Heredis for the sending of media to resume.

The following are excluded from the shipment:

- files with the following extensions: “exe”, “app”, “bin”, “zip”, “rar”, “sit”, “cab”, “ace”, “arj”, “lha”, “lzh”, “lzx”, “zoo”, “arc”, “ice”, “ics”, “7z”, “tar”, “gz”, “gzip”, “tgz”, “z”, “bz”, “bz2”, “hqx”, “sit”, “sea”, “uae”, “apk”, “dmg”, “bat”, “sh”, “asp”, “php”, “js”, “jse”, “iso”, “iss”, “msi”, “jar”, “war”, “bak”, “sav”, “old”, “log”, “pif”, “py”, “pyw”, “rb”, “ged”, “heredis”, “mdb”, “sqlite”

- files larger than 4294967295 bytes (~4.2 GB)





## Browse a Heredis Online tree

You have published your personal website with Heredis Online or you want to view a family member's website or an online tree found as a result of a search on Heredis Online.

Here we will see how to navigate an online tree.

Please note that, to visit a personal Heredis Online tree, you must be logged into your Heredis account.


### Access your online tree

You clicked  **Publish** button, so you published your work. To open your personal website and view your online trees, click the **Hereditas Online**  or  or  > **Manage My Account** button.


If you are not logged in, log in.

By default, you arrive directly on the **Files** tab which corresponds to the different online trees you have been able to make.


Indeed, you can publish your genealogy with yourself as a root person, but also other genealogies that you have created, as for your daughter-in-law for example.



We remind you that it is necessary to setup privacy in order not to publish personal data less than 120 years old. See Publishing with Heredis Online (voir page 742) for more details.

Click on the rectangle corresponding to the online tree you wish to consult. Since you are the owner, you see everything, even if there are privacy restrictions. You have a “Visitor” mode, click on the  eye, to see your online tree as an average visitor.


## Browse a Heredis Online tree



A new tab opens and you can browse the online tree with restrictions. We will see how to navigate in the paragraph below **Navigating in a Heredis online tree**.

### View someone else's online tree

- Have you received a link from a cousin to visit his Heredis online tree?  
Click the link to go to the online tree and, if you are not already logged in, log in to your account.
- Have you searched Heredis Online and would like to consult the online tree of one of the results?

Click the family tree button  to access the online tree. Log in to your account if you are not logged in. If the author has put a password, a padlock is visible, you will not be able to access the online tree without having the password. See also Search on Heredis Online. (voir page 769)


### Navigating in a Heredis online tree

The night blue theme does not suit you. See Change theme or language on Heredis Online. (voir page 739)

#### The panel on the left


The panel on the left gives you access to the list of persons, places and sources of the online tree.


## Share your genealogy




The search box is used to search these lists.

Select the list you are interested in by clicking on its title, then type all or part of a name or word and press the Enter key on your keyboard.







To clear a search, click the cross at the  end of the search field. If there is nothing indicated in the search box, the cross does not appear.


To save space, you can fold the panel by clicking on the arrow to the left of the search box. Click this arrow again to show it again.



The list of persons provides you with several pieces of information at first glance.

- The sex of the person: represented by a blue circle  for men, orange  for women, grey  if the sex is not determined.
- Belonging to the direct line of the root person (Ahn. lineage): if the person is part of the direct lineage of the root person, a line  appears in front of the colored circle.

Whatever the list, if the name is too long to appear in full, hover over the relevant line to bring up a tooltip with all the text.





## The central screen

In the center of the screen, you can access different views.

Heredis Online uses the same navigation codes as the Heredis software. As a reminder, the primary person is the person whose box is in the center of the screen. Its box is white for the night theme and blue for the day theme.

- The **Immediate family** shows you the relatives of the primary person: parents, grandparents, spouses and children. You will find the blue, orange and gray color codes according to the sex. The colored bar indicates the level of completeness of major events.  
Each box contains:
  - the main profile picture (if you don't see it fully, hover over it to see it in full),
  - name
  - first names



## Share your genealogy


- Ahnentafel number and generation (if the person is part of the direct lineage),
- date and place of birth or baptism,
- date and place of death or burial.
- an icon indicating whether  or not  a source is present.

The orange (for women) and blue (for men) bar above the person's box indicates the level of completeness of the person's major events. For it to be full, it is necessary that the three major events (birth/baptism, union, death/burial) have a complete place, a precise date, an attached source whose proof is direct and the search status is NOT "Search Record". If one of the criteria is not met then the progress bar will be incomplete.

- The spouses boxes also contain the date and place of union and a bed number placed in front of the Ahnentafel number, if the person is part of the direct lineage.

This bed number is carried over to the children of this union.

- Finally, if an arrow is present to the right of the children's list  or above the  grandparents, it means that you have additional generations. A click on this arrow changes the primary person and goes up or down a generation.




- **Ancestors** displays ascending generations up to great-grandparents. This view presents the same information as mentioned above in the boxes of the **Immediate Family** view. The generation of great-grandparents contains less information due to lack of space.

As before, a click on the arrow to the right of the great-grandparents or to the left of the primary person (box located on the left at the base of the tree) allows you to go up or down a generation.





## Browse a Heredis Online tree



Whether in the **Immediate family** view or in the **Ancestors** view, to change the primary person, double-click on the box of a person.

You can also drag and drop a box. For example, select the paternal grandfather's box and drag it in place of the primary person. The grandfather is displayed as a primary person.



To return to the root person (the one at the base of the genealogy), click on the leaf  always present at the bottom right of the screen.

- The **Person details** view gives you access to detailed information about the primary person. It can be very long, remember to use the wheel of your mouse or the elevator on the right to scroll on the page. It contains, in particular:
  - the colored bar for the completeness of major events,
  - personal information with name, first names, occupations,... Click on **See more** for more details.
  - profile pictures, you can click on the arrow below the image if there are several. As in **Immediate Family** and **Ancestors** view, the main profile picture is the same as the main photo displayed in the Heredis software. If it doesn't appear fully, hover over it to see it in full.
  - person or union notes. Click the note icon  to read it and click **See More** to read it in full. A window opens with the entire note. Click the cross to close.



The screenshot shows the 'Personal information' view for Katherine 'Emily' Davis. On the left is a circular profile picture. To the right, the 'Personal information' section includes:
 

- Name: DAVIS
- First names: Katherine "Emily"
- Occupations: none
- Child status: Legitimate
- Signature: Yes

 At the bottom right, there is a 'Person note' section with the text 'had a strong personality' and a 'see more' link. Below the main information, there are icons for various features: a leaf, a heart, a person, a flag, and a key.

- facts with an icon system indicating the presence of a source  or not .





## Share your genealogy


note  and/or source media . Click the rectangle containing the source icons to display the name of the source. To view the details of this source, click on the name of the source.



- Relationships: parents, spouses, children and by clicking **See More**, siblings, aunts and uncles and other sundry links. A simple click on a person displays him/her as the primary person.




- Major events displayed as a timeline. An age is displayed if the person has a known birth or baptism. For each event, you will find icons indicating the presence of note , media  or witness  and icons already presented for sources (source, note, media) . Check the **All** box if you want also to display the minor events of the person (residence, will ...).




Finally, be aware that by clicking on a source or on one of the note, media or witness icons of the event, you display a window with the details of the source or event.

Similarly, if you click from the list of a source or location, a window opens to show you detailed


## Browse a Heredis Online tree

information about that source or location. Click the window cross  to close it.

### Source window




### Location window



# How do I share a Heredis Online website?

Share your website with your family members by sending them your site's URL.

To do this, select the entire URL, right-click on your mouse and click **Copy**.



Open your mailbox. Create a new message and right-click with your mouse to **paste** the URL.


Remember to provide the password if you have privatized your genealogy.

Your family members will need to create a free account on Heredis Online if they don't already have one. Refer to the article [Manage or create your Heredis Online account \(voir page 733\)](#) to learn more.

# How do I delete a Heredis Online website?

Have you published your genealogy on Heredis Online and want to delete it?

- Log in to your Heredis Online account on your browser or from the Heredis software (Heredis Online > Manage My Account).
- On the **Files** tab, click the burger button below the thumbnail of the published file.



- Click **Delete**.



Once deleted, if you want to have this website again, you will have to publish again from the Heredis software.

Heredis Online will treat the file as a new file.

The URL of the site will change. If you had shared it with your family, consider giving them the

## Share your genealogy

new site address.

See How do I share a Heredis Online website? (voir page 766)

# Search on Heredis Online

Heredis Online allows you to search for free among genealogies published by other users.




Each genealogy published on Heredis Online appears, unless the author has unchecked the box “I would like this genealogy to appear in Heredis Online searches.”


In this case, indeed, the publication can not be found by research, it is the author who will spread his website URL address.

You can change the night theme if needed. See [Change theme or language in Heredis Online](#) (voir page 739).

## Access Heredis Online searches

Access searches from:

- the website [online.heredis.com/en](https://online.heredis.com/en) in Chrome, Firefox, Safari or Edge browsers current version.
- Heredis' Search Wizard. See [Search Wizard](#) (voir page 306) article
- the **Heredis Online** toolbar button  or  or  then **Manage my account** then by clicking on the magnifying glass to the left of your name after logging in.



---

## Start a search

Fill in the desired fields:

## Share your genealogy

- **Name** of the person to search for. This field is required.
- **First names**. One or more first names are possible.
- **Name of spouse**.
- **Location**, if you want to restrict to a geographical area. It can be a city, a county, a state or a country.
- **Date**. You can restrict over a period of time. Indicate a year of start to have all persons with an event after that date. Put a date of end to have all persons having an event before that date. You can also put a year of start and a year of end to have persons with an event in that period.
- **Events**. Choose to restrict to one type of event from Birth/Baptism, Union, or Death/Burial.
- **Published since**. If you have already done this search and run it again, you can limit it so that you do not have all the results already consulted but only those that have been published since the day you carried out this search.



Click the magnifying glass button to start the search.

## View search results

The results appear in the table below the search form.

Each row corresponds to a person in a publication. To know the events of the person, click on the line.

You will then have, if they are informed, occupation, major events and spouses.



# Search on Heredis Online

heredis

Helene Debaq

Main person: Name: smith

Spouse: Spouse name

Place / Date: Place

Event Type: All

Published since:

First names


Year started Year end

Q

X RESET

50/146 results

| Name  | First names             | Birth-Death | Spouses            | Places            | Author      |
|---|-------------------------|-------------|--------------------|-------------------|-------------|
| SMITH   | Abel                    | 1717 - 1788 | BIRD / de BEAUMONT |                   | greg_herdis |
| <p>Occupation: Banquier à Nottingham</p> <p>Birth: about 14th March 1717</p> <p>Spouse: BIRD Mary</p> <p>Marriage: 1713 - Spouse: de BEAUMONT Jane</p> <p>Death: 12th July 1788</p> |                         |             |                    |                   |             |
| SMITH   | Abel                    | 1748 - 1779 |                    |                   | greg_herdis |
| SMITH   | Abel                    | 1788 - 1859 |                    |                   | greg_herdis |
| SMITH   | Ada                     | 1863 - 1881 |                    | London            | greg_herdis |
| SMITH   | Addison                 |             | TEEPLES            | Michigan          | henrikub    |
| SMITH   | Adella Estella          | 1867 - 1951 |                    | Vermont / Vermont | henrikub    |
| SMITH   | Alfred                  | 1815 - 1886 |                    |                   | greg_herdis |
| SMITH   | Alice                   | 1478 - 1515 | CAVENDISH          | ?                 | greg_herdis |
| SMITH   | Alice Maud Smith        | 1859 - 1931 |                    |                   | greg_herdis |
| SMITH   | Alyssa Whitall Pearsall | 1867 - 1951 |                    | Philadelphie      | greg_herdis |

The icon  allows you to know if his parents are inputted.

Click the family tree icon  to visit the publication's website.

## Contact the author of a publication on Heredis Online


Are you looking to get more information on a publication, to contact a potential cousin, or simply to ask the author of a publication to remove or hide your personal data?

Well, you can contact the author of a publication directly from Heredis Online.

Log in to your Heredis Online account.

Go to the publication you are interested in.

Click on the envelope located in the banner showing the name of the family tree.



Click in the **Subject** field to specify the reason for your message, keeping it short as you have the entire Message field at your disposal to elaborate.

Click in the **Message** field to type in the reason why you are contacting this person.

A screenshot of the Heredis Online message composition form. The form has a dark blue background. At the top right, there is a close button (X). The main heading is "This message will be sent to the author of the publication 'Sample\_file'". Below this, there are two input fields: "Subject" and "Message". The "Subject" field contains the text "Are we cousins?". The "Message" field contains the text "hello, I see that you have a Thomas Branch, Maybe we are cousins ?". Below the "Message" field, there is a checkbox labeled "Receive a copy of your message at this address" which is checked. At the bottom right, there are two buttons: "CANCEL" and "OK". Below the buttons, there is a section titled "Recommendations" with two lines of text: "To propose an addition or correction of information published on this genealogy website, please acknowledge your sources to the author. To request deletion of personal data please provide proof of identity." and "To request information about a living person or a masked person, please state your relationship to this person."

Check or uncheck the box "Receive a copy of your message at this address" depending on whether you would like to get a copy of the message you are about to send or not. Which can

## Contact the author of a publication on Heredis Online

be very useful if you are contacting several persons during the same time period. This way you are keeping track of your request(s).

Click **OK** to send the message.

The author will receive an email with your message and the email address used for your Heredis account. He can then respond to you directly to your personal email address.



## **Mobile versions**

# Install a Heredis mobile app

Each version of Heredis has its own mobile app.

Heredis for Mac or Windows computer can only communicate with its corresponding version for Android or iOS.


## Download the Heredis app for Android.

- Go to the PlayStore of your mobile device (tablet or smartphone)
- Make sure to check the system requirement in the PlayStore before to install. If your device is not compatible, it won't work.
- Search Heredis
- Select the app
- Click **Install**
- Let the installation take place
- Click **Open**

To work, the app must be allowed to access the device's media content. Otherwise you won't be able to add the media.

Click **Allow**.

## Install a Heredis mobile app



### Download the Heredis app for iOS.

- Go to the App Store of your mobile device (tablet or smartphone)
- Make sure to check the system requirement in the PlayStore before to install. If your device is not compatible, it won't work.
- Search Heredis
- Select the app
- Click **Install**
- Let the installation take place
- Click **Open**

To work, the app must be allowed to access the device's media content and the access to local network. Otherwise you won't be able to add the media.  
Click **Allow**.

**“Heredis 2023” would like to  
find and connect to devices  
on your local network.**

This app will be able to discover and  
connect to devices on the networks  
you use.

Don't Allow

OK



# Send/Receive a Heredis file to another device

Your genealogy is on your tablet or smartphone.

## From iOS (iPad or iPhone)

- you are sending to your computer for use on Heredis Mac or Windows, see the articles: Export a Heredis genealogy from iOS (voir page 805)
- you are sending the file to your computer for use on a software/site other than Heredis, see the article: Export a GEDCOM from Heredis iOS (voir page 809)
- you are sending the file to a friend or family member using the same version of Heredis as you, see Export a Heredis genealogy from iOS (voir page 805)
- you are sending the file to a friend or family member and they are using a different software or an earlier version of Heredis than you are, see the article Export a GEDCOM from Heredis iOS (voir page 809).

## From Android (tablet or smartphone)


- you are sending the file to your computer for use on Heredis Mac or Windows, see the articles: Export a Heredis genealogy from Android (voir page 830)
- you are sending the file to a friend or family member using the same version of Heredis as you, see the article Export a Heredis genealogy from Android (voir page 830)

# Heredis iOS Homepage

**Important:** Since Heredis 2020, the Heredis iOS app changes with each new version of Heredis for Windows or Mac. If you have Heredis 2020, you need to have the Heredis 2020 app for iOS to be able to communicate with Heredis for Mac or Heredis for Windows.

The Heredis homepage allows you

- to create a new genealogy,
- to open genealogies already in use
- to remove them from your device,
- to consult the online help
- to navigate to the [www.heredis.com](http://www.heredis.com) site




See also the articles [Create a new genealogy on Heredis iOS \(voir page 781\)](#), [Send/Receive a file with Heredis iOS](#), [Create persons on Heredis iOS \(voir page 784\)](#), [Navigate on Heredis iOS \(voir page 794\)](#), [Illustrate your genealogy on Heredis iOS](#), [Search on Heredis iOS](#), [Create tree charts with Heredis iOS](#), .

# Create a new genealogy on Heredis iOS

Tap **New Genealogy** from the Heredis **File** menu.

Give the genealogy a name using the virtual keyboard and validate by pressing **OK**.



You can add persons to this new genealogy file. See [Create Persons on Heredis iOS](#).

See also [Open a genealogy on Heredis iOS created on another device](#).

# **Open a genealogy on Heredis iOS created on another device**


See the article [Send/Receive a file with Heredis iOS or Android](#).


See also the articles [Create a new genealogy on Heredis iOS \(voir page 781\)](#), [Heredis iOS homepage](#). (voir page 780)

# Switch from one genealogy to another on Heredis iOS

You can have several genealogies as Heredis iOS, just like on Heredis Windows or Mac.

After you create the new file or receive the file from your computer, to move from one file to another

- press the 
- tap the file name at the very top
- select the genealogy to open.



# Create persons on Heredis iOS

Heredis for iOS allows you to have your genealogy always with you.


Convenient when you go into the family and want to add genealogical information to your file.

See also Create a new genealogy on Heredis iOS (voir page 781) and Open a genealogy on Heredis iOS created on another device.

## Create the first person


After creating a new genealogy, you need to create the first person. He/She will be the root person, that is, at the base of the tree.

Tap **Create First Person**.



Indicate their surname and given names.

## Create persons on Heredis iOS



Tap the + to add information.

## Mobile versions

The screenshot shows a mobile application interface for editing a person's profile. The top status bar displays the time as 11:59 AM, the date as Mon Sep 19, and the battery level at 41%. The app's header shows '1 person' on the left and 'Info - Info +' on the right, with the name 'SMITH Thomas' and a checkmark icon. Below the header, there are search filters for 'Surname' and 'Given Name'. The main content area is divided into two panels. The left panel shows a list of people, with 'SMITH Thomas' selected. The right panel displays the details for 'SMITH Thomas', including sections for 'Details', 'Media', 'Personal Data', 'Events', 'Note', and 'Facts'. The 'Personal Data' section contains fields for Surname (SMITH), Prefix, Suffix, Given Names (Thomas), Gender (Male), Nickname, Occupation, Title, User Number, Child Status (Legitimate), Signature (Signs perhaps), and Flags. The 'Media' section has an 'Add a Media' button. The 'Events' section has an 'Add Event' button. The 'Note' section shows 'No note'. The 'Facts' section has an 'Add a fact' button. The bottom navigation bar includes icons for Home, Persons, Charts, Indexes, and Tools.

11:59 AM Mon Sep 19 41%

1 person Info - Info + SMITH Thomas ✓

Q Surname Q Given Name

SMITH Thomas

**Details**

**Media**

+ Add a Media

**Personal Data**

Surname SMITH

Prefix

Suffix

Given Names Thomas

Gender Male

Nickname

Occupation

Title

User Number

Child Status Legitimate

Signature Signs perhaps

Flags

**Events**

+ Add Event

**Note**

No note

**Facts**

+ Add a fact


Home Persons Charts Indexes Tools

Fill in the information you have.

Tap **Add Media** to put the person's photo. Choose the photo from your phone or take a photo with your device's camera.



## Create persons on Heredis iOS



Swipe from the bottom to the top to see the additional topics available in the person sheet.

## Mobile versions

The screenshot shows a mobile application interface for managing a person's profile. The top status bar displays the time as 12:00 PM, the date as Mon Sep 19, and the battery level at 41%. The app's header includes a tab labeled "1 person", a toggle for "Info - Info +", and the name "SMITH Thomas" with a checkmark icon. Below the header, there are search filters for "Surname" and "Given Name". The main content area is divided into several sections: "Personal Data" (with fields for Surname: SMITH, Prefix, Suffix, Given Names: Thomas, Gender: Male, Nickname, Occupation, Title, User Number, Child Status: Legitimate, Signature: Signs perhaps, and Flags), "Events" (with a "+ Add Event" button), "Note" (with a "No note" status), "Facts" (with a "+ Add a fact" button), "Linked Persons" (with a "+ Add Personal Link" button), and a red "Delete Person" button at the bottom. The bottom navigation bar contains icons for Home, Persons, Charts, Indexes, and Tools.

12:00 PM Mon Sep 19 41%

1 person Info - Info + SMITH Thomas ✓

Q Surname Q Given Name

SMITH Thomas

**Personal Data**

Surname SMITH

Prefix

Suffix

Given Names Thomas

Gender Male

Nickname

Occupation

Title

User Number

Child Status Legitimate

Signature Signs perhaps

Flags

**Events**

+ Add Event

**Note**

No note

**Facts**

+ Add a fact

**Linked Persons**


+ Add Personal Link

Home Persons Charts Indexes Tools

Delete Person


Tap **Add Event** to add a birth, death, and more.

## Create persons on Heredis iOS




Tap **Add Facts** to enter information that is not an event such as health information, religion etc.

Tap **Add Personal Link** to link 2 people whose blood link isn't quite known or has no blood ties. For example, a servant or a cousin present at the wedding but you do not know to what degree or branch this cousin is from.


The validation  button at the top right allows you to return to the reading of the person's sheet.

To edit the sheet, tap the person to bring up their sheet and tap the pencil.

## Create parents, spouse and children

From the **Family**  **Core**, tap **Add Father** or **Add Mother** or the **+** button to add a **spouse** or **child**.

## Mobile versions



As before, fill in the information about the person: Surname, Given name and press the + to add the other information.

**Note** : If the person to whom you are trying to add a spouse does not have a specified gender, you will not be able to add the spouse to them. By default, Heredis adds the opposite sex when adding a spouse. However, you can change it in the person's sheet to have a same-sex marriage.

# Edit a person on Heredis iOS

See also Create a new genealogy on Heredis iOS (voir page 781).


Your genealogy is on your iOS device, you want to modify an existing person record.

Navigate to the person you want to edit. See Navigate/Search for a person in a genealogy on Heredis iOS (voir page 794).

Tap the person's box in the **Immediate Family**.

Tap the **pencil** at the top right to switch to edit mode.


Add the information you want.



Tap **Add Media** to put the person's photo. Choose the photo from your phone or take a photo with your camera's device.


Swipe down and down to see what additional topics are available.

## Mobile versions




Tap **Add Event** to add a birth, death, and more.

## Edit a person on Heredis iOS



Tap **Add Facts** to enter information that is not an event such as health information, religion etc.

Tap **Add Personal Link** to link 2 people whose blood link isn't quite known or has no blood ties. For example, a servant or a cousin present at the wedding but you do not know to what degree or branch this cousin is from.

The button  allows you to return to the reading of the person's sheet.

See also Delete a person on Heredis iOS (voir page 804), Create a person on Heredis iOS (voir page 784).

# Navigate/Search in Heredis iOS


Heredis for iOS allows you to enter and view genealogical information contained in a file.

Select the genealogy to view or edit. See Switch from one genealogy to another on Heredis iOS (voir page 783) if you have multiple genealogy files in your app.

Display the person of your choice as a primary person (in the center of the screen) to be able to modify it or simply consult its information.




For this, you have several solutions:


- select it from the list of persons in the file in the **Persons** tab in the bottom bar of the application.
- search by surname or given name. On the **Persons** tab, tap in the **Surname** box and enter the surname or first letters, do the same for the **Given name** if necessary. The list automatically updates.






## Navigate/Search in Heredis iOS

- switch between persons in the **Immediate Family**  view or the **Ascendancy**  view if you know exactly where it is in the tree. For example, if you want to display the paternal great-grandfather of the root person, press the box of the paternal grandfather in the immediate family and then press the box of his father.
- search **by Ahnentafel number** or **User number** (if you have a personal numbering system). Press the button  at the top right. Choose the numbering you want to use for the search and indicate the number of the person you want. Tap the corresponding person.



Place the person in the middle, pressing his name.


Consult its detailed sheet by pressing its box in the **Immediate Family** .


To change the content of the individual record, see Edit a person on Heredis iOS (voir page 791).

# Change root person on Heredis iOS

By default, the root person is the person entered first. It bears the Ahnentafel number 1. You can edit the root person from the Heredis iOS app.


In the **Persons** tab, choose the person to place as a primary person.

Press the button  at the top right. Tap **Edit**.



Select from the list of proposed persons the one who will be the new root person. Confirm your choice by pressing the **Confirm** button.

Change root person on Heredis iOS




# Searching in Heredis iOS

## Searching for persons

On iPhone or iPod touch, tap the **Index** button on the top toolbar to display a list of all persons in the file. Scroll down the list or enter a surname and/or a given name to research a specific person. Tap the name in the results list to view the **Immediate Family** of the person.

On the iPad, the list of persons is displayed on the left of the **Immediate Family** screen. To hide the list, tap the arrow icon at the bottom of the list. Tap the same icon to redisplay the list.

You can also search for people by their number on the **Direct Access**  screen. Tap the **Direct Access** icon on the top toolbar of the **Immediate Family** screen to see a list of bookmarked persons, the root person, and search by number. Select the search method to find a person by his numbered place in the genealogy (with the Ahnentafel number), or by the personal number that you assigned to the person.

---

## Searching for Places



Tap the **Indexes** icon at the bottom of the screen and select the **Places** menu.

Scroll down the list of all locations in the file or enter a place name in the Search panel. Tap the location in the resulting list to display all known information about this place: administrative areas, notes, media.

Consult the list of assignments for the place to browse the persons linked to this location. Tap the **Indexes** icon on the bottom toolbar to return to the list of information about the place.

---


## Searching for Sources



Tap the **Indexes** icon at the bottom of the screen and select the **Sources** menu.

Scroll down the list of all sources on the file or type a word contained in the source title, the document or the repository place of the source. Tap the source in the resulting list to display the known information about this source: call number, date, type of source, author, etc...

Consult the list of assignments for the source to browse the persons who are linked to this




source. Tap the **Indexes** icon in the bottom toolbar to return to the list of information about the source.

---

# Illustrating your genealogy in Heredis iOS

Every item of data may be illustrated with media. Tap the camera button or on the photo displayed in the box of the primary person of the **Immediate Family** screen to take a photo or select a photo from the media library. The selected media will illustrate the person in printouts and in trees.

To illustrate an event, a source or place on the data input screens, tap **Add Media**.



To see all the media associated with your data, tap the **Media** area of the **Data** screen. The media are displayed as thumbnail pictures. The thumbnails are arranged by type of media: images, sounds and videos, and other file types (documents prepared with a word processor, a spreadsheet, PDF, etc.).

Tap the pictures, sounds or videos for display in the appropriate viewer. When several images are associated with the person or the data, drag them to see them all. Tap **Media** to return to the thumbnail view.


Tap any other media to launch the application to view them: Heredis will display the list of

applications on your device which allow reading of the type of media file.

Tap **Edit** to remove media: tap the red minus sign shown opposite each item to delete.

Tap **Done** to return to the media consultation screen.

# Creating Family Tree Charts with Heredis iOS



Tap the **Charts** icon at the bottom of the screen to produce a graphic display of the ancestry of the root person.

## Changing Themes

Tap **Themes** in the top toolbar to select other possible displays. You can create illustrated trees or simple working trees, showing 4 to 6 generations according to the different themes.

The proposed tree charts are designed to be displayed and printed on one page only. Tap the theme of your choice to display the tree with a new look.

Zoom into the tree by sliding thumb and finger apart to view the contents of the boxes or double-tap. Slide on the chart to see other enlarged boxes.

---

## Changing Persons

With your iPhone or iPod touch, tap **Index** on the top toolbar to see a list of all persons in the file. Scroll down the list or enter a surname and/or a given name to find a specific person. Tap the name in the resulting list to display that person's tree chart in the theme you have chosen

With the iPad, the list of persons is displayed to the left of the chart. To hide the list, tap the arrow icon at the bottom of the list. Tap the same button to redisplay the list.

---

## Sharing a tree chart

Once you have shown the tree to your loved ones, send it to them by email or print it for them. Tap the **Share** icon on the top toolbar and choose the method of sharing.

**Print chart** will launch the printing of the page to any Airprint printer on the network. Select the printer. Indicate the number of copies to be printed by tapping + or – and then print by tapping **Print**.

Tap **Cancel** to return to the tree displayed without printing.

**Send by Email in PDF format** will open your email application. You only have to complete the email by adding the addressee(s). The PDF file can be opened on any type of device.

---





# Delete a person on Heredis iOS

You have made a mistake and want to remove a person from your genealogy on Heredis iOS?

Navigate to the person you want to edit.


Tap the person's box in the **Immediate Family**.

Press the **pencil** to enter edit mode.

Swipe down and down to see what additional topics are available.

Press the **Delete Person** button.

**Note** : The root person, at the base of the tree, cannot be deleted. To be able to delete it, you must first change the root person.



# Export a Heredis genealogy from Heredis iOS

You can export your genealogy from Heredis iOS if your file is on your tablet or smartphone.

You can then send it to a friend using Heredis, or retrieve it to keep on your computer.

If you or your friend/family member wish to open the file with another software program, you will need to export in a GEDCOM format. See the article [Export a GEDCOM from Heredis iOS](#) (voir page 809).

There are 2 methods:

## Method 1: Share on the local network

This lets you send files from your tablet or smartphone via the private network of your Internet box.

### Important requirements

- Deactivate mobile data on the mobile device.
- Activate WiFi on mobile device(s). If you're sending to a computer, it can be connected to the local network via an ethernet cable without any problem, as long as it's the same network as the one for WiFi.
- Connect the receiving and sending devices to your Internet network.
- If you are sending to a computer, make sure that the computer's antivirus or firewall software does not block Heredis. If necessary, ask the firewall/antivirus vendor to help you with the settings.
- Authorize access to media and photos on the mobile application, and above all on the local network. See [Installing a Heredis mobile application](#) if you need to.

### First sharing

On iPad or iPhone,

- Launch the Heredis application.
- Open the file you want to share.

On the computer or other mobile device,


- Launch the Heredis application.

On iPad or iPhone,

- Press **Tools**.

## Mobile versions

- Press **Share on local network**.




- Select the device to which you wish to send the file.
- Press **Share the file**.

On the computer or other mobile device,

- A message appears to acknowledge receipt of the file.
- Click on **Yes**.

*Reception by Heredis Windows or Mac*



**Update after first share**

**Important!** Heredis keeps the latest version (chronologically speaking) of the file. So be sure to update the file on the various devices before making any changes. Follow the instructions below,

On iPad or iPhone,

- Launch the Heredis application.
- Open the file you want to share.

On the computer or other mobile device,

- Launch the Heredis application.
- Open the file you want to share.


Heredis detects which of the two is the most recent and suggests that you update. Confirm the message.

### 2nd method: Export Family Tree

On iPad or iPhone,

- Launch the Heredis application.
- Open the file you want to share.
- Press **Tools**.
- Press **Export Family Tree**. Read the detailed article:

## Mobile versions




### Choose to send by email

- Open your mailbox, write an e-mail with the file attached.
- From your remote device (computer, tablet or smartphone), open your e-mail.
- Download the attachment and place the file on the remote device, NOT in a cloud.
- or choose to send via a cloud
  - Place this file in a cloud (Google Drive, OneDrive, iCloud, Dropbox etc.).
  - From the remote device (computer, tablet or smartphone), connect to your cloud.
  - Download the file and place it **in the device**. Handling depends on the cloud. Ask your chosen cloud support for more information.

# Export a GEDCOM from Heredis iOS

Use this function to send your file from Heredis iOS to another software you own, or to someone using a software other than Heredis.

- Launch Heredis on your iOS device.
- Open the genealogy to be exported.
- Click on the **Tools** button.
- Choose **Export GEDCOM File**.
- Choose to send by email.



To open this file with Heredis Mac or Windows, see the articles [Create a new genealogy from a GEDCOM 5.5](#) (voir page 681).1 or [Import a GEDCOM 5.5.1 into an existing file](#).

To open this file with Heredis iOS or Android, see [Open a genealogy on Heredis Android created on another device](#) (voir page 814) or [Open a genealogy on Heredis iOS created on another device](#) (voir page 782).

## Heredis Android homepage

**Important:** The Heredis Android app changes with each new version of Heredis for Windows or Mac. You must have the Heredis application for Android corresponding to the Heredis of your computer to be able to make them communicate.

From the PlayStore or GoogleStore on your Android device, search for Heredis and download it. See [Install a Heredis mobile app](#) for more details.


After installation, launch Heredis on your Android device.

The Heredis homepage allows you, from the  button

- to create a new genealogy,
- to open genealogies already in use
- to remove them from your device,
- to see the GEDCOM files to be converted,
- to navigate to the online help site




## Heredis Android homepage



See the articles [Open a genealogy on Heredis Android created on another device \(voir page 814\)](#) ; [Create a new genealogy on Heredis Android \(voir page 813\)](#) ; [Create persons on Heredis Android \(voir page 816\)](#)

# Set up Heredis Android

Press the menu  button to access the settings of the Heredis Android app.

Tap to apply your choice to:

- **Automatic formatting of names:** Uppercase or only the first letter in uppercase.
- the order of the **dates** : Day Month Year or Month, Day, Year.
- the default **signature** . That is, when adding a person, the default choice will be applied. Choose from Yes (he/she can sign), No (he/she can not sign), or ? (you don't know if he/she sign).

Finally, swipe down from the bottom to the top to access the rest of the available settings.


**Change the theme** of the Heredis app if the default theme doesn't suit you. Tap on the choice of **Light** or **Dark** theme or stay on the default theme in your device's system.

# Create a new genealogy on Heredis Android

Press the menu  button at the top left.

Tap **New Genealogy**.

Give the genealogy a name using the virtual keyboard and validate by pressing **OK**.



Heredis asks you to allow him to take photos and record videos. Accept in order to add media in your file. Choose between **When you use the app** and **Only this time**.

If you refuse, you will not be able to take photos or videos and add them immediately.

If you choose **Only this time**, you will have the message every time you use it.

You can add persons to this new genealogy file. See Create Persons on Heredis Android. (voir page 816)

See also Open a genealogy on Heredis Android created on another device. (voir page 814)

## **Open a genealogy on Heredis Android created on another device.**


See the article [Send/Receive a file with Heredis iOS or Android](#).


See also the articles [Create a new genealogy on Heredis Android \(voir page 813\)](#), [Heredis Android homepage. \(voir page 810\)](#)

# Switch from one genealogy to another on Heredis Android

You can have several genealogies than Heredis Android, just like on Heredis Windows or Mac.

After you create the new file or receive the file from your computer, to move from one file to another

- press the 
- tap the file name at the very top
- select the genealogy to open.



# Create persons on Heredis Android

Heredis for Android allows you to have your genealogy always with you.

Create or take your genealogy to your Android device, so you can complete it. Convenient when you go into the family and want to add genealogical information to your file.

See also the articles [Create a new genealogy on Heredis Android \(voir page 813\)](#) and [Open a genealogy on Heredis Android created on another device. \(voir page 814\)](#)

## Create the first person

After creating a new genealogy, you need to create the first person. He/She will be the root person, that is, at the base of the tree.

Tap **Create First Person**.


Indicate their surname and given names.

Tap the + to add information.

Fill in the information you have.


Tap **Add Media** to put the person's photo. Choose the photo in your phone or take a photo with the camera of your Android device.

## Create persons on Heredis Android



Swipe down and down to see what additional topics are available.

## Mobile versions



Tap **Add Event** to add a birth, death, and more.

Tap **Add Facts** to enter information that is not an event such as health information, religion etc.

Tap **Add Personal Link** to link 2 people whose blood link isn't quite known or has no blood ties. For example, a servant or a cousin present at the wedding but you do not know to what degree or branch this cousin is from.

The eye button allows you to return to the reading of the person's sheet.


To edit the sheet, press the pencil.

### Create parents, spouse and children

From the **Immediate Family** tab, tap the + to add the father, mother, spouse, or child.



## Create persons on Heredis Android



As before, fill in the information about the person: Surname, Given name and press the + to add the other information.

**Note:** If the person to whom you are trying to add a spouse does not have a specified gender, you will not be able to add the spouse to them. By default, Heredis adds the opposite sex when adding a spouse. You can, however, change it in the person's gender to have a same-sex marriage.

You can also add the father, mother, spouse or child by tapping the Add Father, Add Mother link, or the + next to the number of spouses and children.

# Edit a person on Heredis Android

See also Create persons on Heredis Android (voir page 816).


Your genealogy is on your Android device, you want to modify an existing person sheet.

Navigate to the person you want to edit.

Tap the person's box in the **Immediate Family** or the **Person Details** tab.

Press the **pencil** to enter edit mode.


Add the information you want.



Tap **Add Media** to put the person's photo. Choose the photo from your phone or take a photo with the camera on your mobile device.

Swipe down and down to see what additional topics are available.

## Edit a person on Heredis Android




Tap **Add Event** to add a birth, death, and more.

Tap **Add Facts** to enter information that is not an event such as health information, religion etc.

Tap **Add Personal Link** to link 2 people whose blood link isn't quite known or has no blood ties. For example, a servant or a cousin present at the wedding but you do not know to what degree or branch this cousin is from.

## Mobile versions



The eye button allows you to return to the reading of the person's sheet.


See also Delete a person on Heredis Android (voir page 829), Create persons on Heredis Android (voir page 816).

# Change root person on Heredis Android

By default, the root person is the person entered first. It bears the Ahnentafel number 1. You can edit the root person from the Heredis Android app.

Place as a primary person (in the center of the screen) the person you want to have as the root of the genealogy.

Press the button  at the top right.  
Choose **Modify Root Person**.



# Navigate/search for a person in a genealogy on Heredis Android

Heredis for Android allows you to enter and consult genealogical information contained in a file.


Select the genealogy to view or edit. See the article [Switch from one genealogy to another on Heredis Android](#) (voir page 815) if you have multiple genealogy files in your app.

## Navigate to a person

Display the person of your choice as a primary person (in the center of the screen) so that you can edit him/her or simply consult his/her information.


For this, you have several solutions:


- select it from the list of persons in the file in the **Persons** tab preceded by the number of persons contained in the genealogy.



- move from one person to another in the **Immediate Family** if you know where it is located exactly. For example, if you want to display the paternal great-grandfather of the root person, tap the paternal grandfather's box in the immediate family and then tap his father's box.


## Mobile versions



- search by Ahnentafel number or user number (if you use a personal numbering) in the search menu. Tap the button  at the top right and tap **Search**. Choose the numbering you want to use for the search and indicate the number of the person you are looking for. Validate with the magnifying glass or OK (depending on the devices) on your numeric keypad.




## Navigate/search for a person in a genealogy on Heredis Android



- search by surname or given name. On the **Persons** tab, tap in the Surname box and indicate the surname or its first letters, do the same for the given name if necessary. The list refreshes automatically.

Consult the person sheet from the **Person Details** tab, his/her close family from the **Immediate Family** tab, the dynamic tree of ancestry over 3 generations from the **Lineage** tab.

## Mobile versions



To edit the content of the person's sheet, see [Edit a person on Heredis Android](#).

# Delete a person on Heredis Android

You have made a mistake and want to remove a person from your genealogy on Heredis Android?

Navigate to the person you want to edit.


Tap the person's box in the **Immediate Family** or the **Person Details** tab.

Press the **pencil** to enter edit mode.

Swipe down and down to see what additional topics are available.

Press the **Delete Person** button.

**Note:** The root person, at the base of the tree, cannot be deleted. To be able to delete it, you must first change the root person. See also Change root person on Heredis Android (voir page 823).



# Export a Heredis genealogy from Heredis Android


To send a genealogy file in Heredis format by e-mail, follow the steps below.

This method is used to send your genealogy in Heredis format to another Windows or Mac computer or another iOS or Android mobile device that has the same or an earlier version of Heredis as you do.

## Step 1: Export the file


Open the application on your mobile device.

Select the burger menu (the three horizontal lines):



Select **Export Family Tree**:

## Export a Heredis genealogy from Heredis Android



### Step 2: Send the file by email

Open your mailbox (Gmail, Hotmail, Apple, etc.). Write your e-mail, include the recipient's e-mail address and attach the .hmvz file.

### Step 3: Open the file in Heredis

The recipient will then have to go to their mailbox and download the attachment.

If downloading to a mobile device, the .hmvz file must be placed in the **Download** folder on the mobile device. Once this is done, open the Heredis application. The file will be displayed on the home page.

If downloading to a computer, choose the location where you wish to save the file. Drag the .hmvz file directly onto the Heredis software icon to open it in the software.